



COLUMBUS REGIONAL HOSPITAL

July 28, 2016

U. S. Nuclear Regulatory Commission  
Region III  
Materials Licensing Section  
2443 Warrenville Road, Suite 210  
Lisle, Illinois 60532

**License Number 13-01631-05**

Dear Materials Licensing Section:

This Notification Letter is submitted for compliance with section 35.14 Notifications, noting physicians that have permanently discontinued their duties as Authorized Users under our license and that Columbus Regional Hospital has allowed Dr. Phillips to work as an Authorized User under our NRC license.

Notification 35.14(b)(1) The following physicians have permanently discontinued their duties as Authorized Users under our Materials License and we request that they be removed from our list of Authorized Users:

1. Martha Dwenger, M.D.
2. Newell Pugh, M.D.
3. Peter Garrett, M.D.
4. Robert A. Deweese, M.D.
5. Thomas Dugan, M.D.
6. Maureen L. Hill Watson, M.D.
7. Richard L. Hallett, M.D.

Under 35.13(b), we have allowed William Eugene Phillips, II, M.D., to work under our Materials License as an Authorized User for materials permitted in 10 CFR 35.100, 35.200, and 35.300. For compliance with 35.14(a) we are submitting the documents the RSC/RSO reviewed to grant Dr. Phillips Authorized User status under our license.

- A. Copy of an Agreement State Radioactive Material License, issued by the State of South Carolina, to Trident Medical Center, License Number 210, which specifically lists William Eugene Phillips, II, M.D., as an Authorized User for the materials we approved.
- B. South Carolina regulatory classifications for radioactive material use and equivalent 10 CFR material use.
- C. Copy of online verification that Dr. Phillips is licensed to practice medicine in the State of Indiana.

Please add William Eugene Phillips, II, M.D., to our list of Authorized Users, authorized for any byproduct materials permitted by 10 CFR 35.100, 35.200, and 35.300.

2400 EAST 17TH STREET  
COLUMBUS, INDIANA 47201  
TELEPHONE 812.379.4441

RECEIVED AUG 02 2016



COLUMBUS REGIONAL HOSPITAL

NRC  
Page 2

The Radiation Safety Officer and Administration of Columbus Regional Hospital have approved this request.

If you have any questions regarding this notification, please contact me at (812) 376-5550.

Sincerely,

Michael J. Parrott, Ph.D.  
Radiation Safety Officer  
Attachments



C. Paul Hunter, Commissioner

*Promoting and protecting the health of the public and the environment.*

November 19, 2009

W. Eugene Phillips, II, MD  
 Radiation Safety Officer  
 Trident Medical Center, LLC  
 9330 Medical Plaza Center  
 North Charleston, SC 29406

Dear Dr. Phillips:

In accordance with your renewal application dated September 28, 2009 your S.C. Radioactive Material License No. 210 has been renewed. The enclosed License Amendment No. 54 extends the expiration date until November 30, 2017 and amends the license in its entirety. This license supersedes the original license and all previous amendments.

If you have any questions regarding your license, please do not hesitate to contact our office at (803) 545-4400.

Sincerely,

James K. Peterson, Director  
 Division of Radioactive Material  
 Licensing and Compliance  
 Bureau of Radiological Health

MWB/rc

Enclosures

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL  
RADIOACTIVE MATERIAL LICENSE**

Pursuant to the Atomic Energy and Radiation Control Act, Section 13-7-40 et seq. of S.C. Code of Laws of 1976, as amended, and Supplements thereto, and the South Carolina Department of Health and Environmental Control Regulation 61-63, Radioactive Material (Title A), and in reliance on statements and representations heretofore made by the applicant, a license is hereby issued authorizing the licensee to receive, acquire, possess and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules and regulations of the South Carolina Department of Health and Environmental Control now or hereafter in effect and to any conditions specified below.

Amendment No. 54 amends

LICENSEE		3. License Number:
1. Name:	Trident Medical Center, LLC d/b/a Trident Medical Center	210 in its entirety.
2. Address:	9330 Medical Plaza Center North Charleston, SC 29406	4. Expiration Date: November 30, 2017
5. Radioactive Material (Element & Mass No.)	6. Chemical and/or Physical Form	7. Maximum Radioactivity and/or quantity of material which licensee may possess at any one time.
A. Any radioactive material identified in RHA 4.35, Part IV, Department Regulation 61-63.	A. Any radiopharmaceutical identified in RHA 4.35, Department Regulation 61-63.	A. As needed.
B. Any radioactive material identified in RHA 4.37, Part IV, Department Regulation 61-63.	B. Any radiopharmaceutical identified in RHA 4.37, Department Regulation 61-63.	B. As needed.
C. Any radioactive material identified in RHA 4.40, Part IV, Department Regulation 61-63.	C. Any radiopharmaceutical identified in RHA 4.40, Department Regulation 61-63.	C. As needed.
D. Any radioactive material identified in RHA 4.46, Part IV, Department Regulation 61-63.	D. Any radiopharmaceutical identified in RHA 4.46, Department Regulation 61-63.	D. As needed.
E. Any radioactive material identified in RHA 2.4.3, Part II, Department Regulation 61-63.	E. Any radiopharmaceutical identified in RHA 2.4.3, Department Regulation 61-63.	E. As needed.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL  
Radioactive Material License  
Supplementary Sheet

License No. 210  
Amendment No. 54

F. Cobalt 57

P. Sealed source  
(North American  
Scientific Model  
No. MBD-3709)

P. No single source to exceed  
25 millicuries.

G. Strontium 90/Yttrium 90

G. Sealed source  
(ABAT SICW  
series)

G. No single source to exceed  
5 mCi; not to exceed 24  
sources per source train;  
six source trains; (720  
millicuries total).

8. Authorized Uses:

- A. Medical use described in RHA 4.35, Department Regulation 61-63.
- B. Medical use described in RHA 4.37, Department Regulation 61-63.
- C. Medical use described in RHA 4.40, Department Regulation 61-63.
- D. Medical use described in RHA 4.46, Department Regulation 61-63.
- E. In Vitro studies.
- F. To be used as a flood source for gamma camera quality control checks.
- G. To be used in the Novoste Beta-Cath System A1000 series for the treatment of coronary arteries for in-stent restenosis lesions.

Conditions

- 9. Unless otherwise specified, the authorized place of use is the licensee's address stated in Item 2 above.
- 10. The licensee shall comply with the provisions of Title A, Department Regulation 61-63; Part I - General Provisions; Part II - Licensing of Radioactive Materials; Part III - Standards for Protection Against Radiation; Part IV - Use of Radionuclides in the Health Professions; and Part VI - Notices, Instructions, and Reports to Workers; Inspections.
- 11. A. Radiation Safety Officer: William Eugene Phillips, II, M.D.  
B. Assistant Radiation Safety Officer: Frank D. Pazik, M.S.

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL**  
**Radioactive Material License**  
**Supplementary Sheet**

License No. 210  
Amendment No. 54

**12. Authorized Users:**

- A. Carl D. Geier, M.D., for medical uses identified in RIA 4.35, RHA 4.37, and RIA 2.4.3, Department Regulation 61-63; and Iodine 131 for diagnosis and treatment of hyperthyroidism and thyroid carcinoma as identified in RHA 4.40 Department Regulation 61-63.
- B. Charles P. Greer, M.D., for medical uses identified in RIA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3, Department Regulation 61-63.
- C. Chris J. Kennedy, M.D., for cardiology uses only pursuant to RHA 4.37, Department Regulation 61-63.
- D. Harvey D. Friedman, M.D., for medical uses identified in RIA 4.35, RHA 4.37, RIA 4.40 and RHA 2.4.3, Department Regulation 61-63.
- E. James D. Taggart, M.D., for medical uses identified in RHA 4.35, RHA 4.37, and RHA 2.4.3, Department Regulation 61-63; and Iodine 131 for diagnosis and treatment of hyperthyroidism, cardiac dysfunction, and thyroid carcinoma as identified in RHA 4.40 Department Regulation 61-63.
- F. Jeffrey K. Short, M.D., for medical uses identified in RIA 4.35 and RHA 4.37, Department Regulation 61-63.
- G. Jennifer Ruth Cranny, M.D., for medical uses identified in RHA 4.35, and RIA 4.37, Department Regulation 61-63; and Iodine 131 for the treatment of hyperthyroidism and thyroid carcinoma as identified in RHA 4.40 Department Regulation 61-63.
- II. John G. McGue, M.D., for medical uses identified in RIA 4.35, RHA 4.37, and RIA 4.40, Department Regulation 61-63.
- I. Joseph I. Gaglione, M.D., for medical uses identified in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
- J. Joseph M. Mullaney, M.D., for medical uses identified in RHA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
- K. Kenneth H. Hanger, Jr., M.D., for medical uses identified in RIA 4.37, Department Regulation 61-63; for cardiac and blood pool imaging.
- L. Laurie R. Harrell, M.D., for medical uses identified in RHA 4.40 and RIA 4.46, Department Regulation 61-63.
- M. Margaret T. MacDowell, M.D., for medical uses identified in RHA 4.40 and RIA 4.46, Department Regulation 61-63.
- N. Mark A. Coker, M.D., for medical uses identified in RHA 4.37, Department Regulation 61-63.
- O. Mark Greenslit, M.D., for medical uses identified in RIA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
- P. Michael C. Garovich, M.D., for medical uses identified in RIA 4.35, RHA 4.37, RIA 4.40 and RHA 2.4.3, Department Regulation 61-63.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL  
Radioactive Material License  
Supplementary Sheet

License No. 210  
Amendment No. 54

- Q. Moira Sutton, M.D., for medical uses identified in RHA 4.46, Department Regulation 61-63.
  - R. Rand J. Cuthbertson, M.D., for medical uses identified in RHA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3 Department Regulation 61-63.
  - S. Ronald Piskowski, M.D., for medical uses identified in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
  - T. Steven L. Vogel, M.D., for medical uses identified in RHA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3, Department Regulation 61-63.
  - U. Thomas Puckette, M.D., for medical uses identified in RHA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
  - V. William A. Collins, M.D., for medical uses identified in RHA 4.40 and RHA 4.46, Department Regulation 61-63.
  - ★ W. William R. Phillips, M.D., for medical uses identified in RHA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
  - X. William Sam Smith, M.D., for medical uses in RHA 4.35, RHA 4.37 and RHA 2.4.3, Department Regulation 61-63.
  - Y. Christopher K. Moses, M.D., for medical uses in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
  - Z. Joshua N. Macatol, M.D., for medical uses in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
  - AA. Frank D. Pazik, M.S., as authorized medical physicist.
13. The licensee may hold radioactive material with a physical half-life of less than 120 days for decay-in-storage before disposal in ordinary trash. For radioactive material disposed of in this manner, the licensee shall maintain a record of each disposal for three years. The record must include the date of disposal, the date on which the material was placed in storage, the model and serial number of the survey instrument used, the background exposure rate, the radiation exposure rate measured at the surface of each waste container, and the name of the individual who performed the disposal. This waste shall be held for decay a minimum of ten half lives, and its radioactivity shall be undistinguishable from background radiation levels at the time of disposal.

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL**  
Radioactive Material License  
Supplementary Sheet

License No. 210  
Amendment No. 54

- 
14. Except as specifically provided otherwise in this license and except as provided by REA 4.14, Department Regulation 61-63, the licensee shall conduct his program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures listed below. The Department's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Renewal application dated September 28, 2009, signed by Todd Gallati, CEO.
  - B. Letter with attachments dated November 10, 2009, signed by W. Eugene Phillips, II, M.D.

Date of Issuance: November 19, 2009

For the South Carolina Department  
of Health and Environmental Control

By: 

Aaron A. Gantt, Chief  
Bureau of Radiological Health



**William Eugene Phillips, II, M.D.** Specifically listed as an Authorized User on South Carolina RAM License Number 210.

Authorizations for Medical Uses Identified in:

- I. **RHA 4.35 Use of Unsealed Byproduct Material for Uptake, Dilution, and Excretion Studies for Which a Written Directive is not Required.**

**Equivalent to: NRC 35.100 material**

- II. **RHA 4.37 Use of Unsealed Byproduct Material for Imaging and Localization Studies for Which a Written Directive is not Required.**

**Equivalent to: NRC 35.200 material**

- III. **RHA 4.40 Use of Unsealed Byproduct Material for Which a Written Directive is Required.**


**Equivalent to: NRC 35.300, Full Scope Written Directive Materials**

STATE OF SOUTH CAROLINA  
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL  
**Regulation 61-63**  
**RADIOACTIVE MATERIALS**  
**(TITLE A)**

PROMULGATED PURSUANT TO  
SECTION 13-7-40 et. seq.  
OF THE 1976 S.C. CODE (as amended)  
THE ATOMIC ENERGY AND  
RADIATION CONTROL ACT

**October 2014 Edition**  
**(Revisions approved by the**  
**South Carolina Board of Health Environmental Control.**  
**Printed in the October 24, 2014 Edition of the State Register).**

RHA 4.15. Supervision.....	281
RHA 4.17. Written Directives.....	282
RHA 4.18. Procedures for Administrations Requiring a Written Directive .....	283
RHA 4.19. Suppliers for Sealed Sources or Devices for Medical Use .....	283
RHA 4.20. Training for Radiation Safety Officers .....	284
RHA 4.21. Training for an Authorized Medical Physicist.....	286
RHA 4.22. Training for an Authorized Nuclear Pharmacist.....	287
RHA 4.23. Training for Experienced Radiation Safety Officer, Teletherapy or Medical Physicist, Authorized User, and Nuclear Pharmacist.....	288
RHA 4.24. Recentness of Training .....	288
<b>SUBPART C. GENERAL TECHNICAL REQUIREMENTS .....</b>	<b>289</b>
RHA 4.25. Possession, Use, and Calibration of Instruments Used to Measure the Activity of Unsealed Radioactive Material .....	289
RHA 4.26. Calibration of Survey Instruments.....	289
RHA 4.27. Determination of Dosages of Unsealed Byproduct Material for Medical Use.....	289
RHA 4.28. Authorization for Calibration, Transmission, and Reference Sources .....	290
RHA 4.29. Requirements for Possession of Sealed Sources and Brachytherapy Sources.....	290
RHA 4.30. Labeling of Vials and Syringes .....	291
RHA 4.31. Surveys of Ambient Radiation Exposure Rate .....	291
RHA 4.32. Release of Individuals Containing Unsealed Radioactive Material or Implants Containing Radioactive Material .....	292
RHA 4.33. Provision of Mobile Medical Services .....	292
RHA 4.34. Decay-in-Storage.....	293
<b>SUBPART D. UNSEALED RADIOACTIVE MATERIAL..WRITTEN DIRECTIVE NOT REQUIRED .....</b>	<b>293</b>
→ RHA 4.35. Use of Unsealed Byproduct Material for Uptake, Dilution, and Excretion Studies for Which a Written Directive is not Required .....	293
RHA 4.36. Training for Uptake, Dilution, and Excretion Studies.....	294
→ RHA 4.37. Use of Unsealed Byproduct Material for Imaging and Localization Studies for Which a Written Directive is not Required .....	295
RHA 4.38. Permissible Molybdenum-99 Concentration .....	296
RHA 4.39. Training for Imaging and Localization Studies .....	296
<b>SUBPART E. UNSEALED BYPRODUCT MATERIAL..WRITTEN DIRECTIVE REQUIRED</b>	<b>297</b>
→ RHA 4.40. Use of Unsealed Byproduct Material for Which a Written Directive is Required .....	297
RHA 4.41. Safety Instruction.....	298
RHA 4.42. Safety Precautions .....	298
RHA 4.43. Training for Use of Unsealed Radioactive Material for Which a Written Directive is Required .....	299
RHA 4.44. Training for the Oral Administration of Sodium Iodide I-131 Requiring a Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) .....	302
RHA 4.45. Training for the Oral Administration of Sodium Iodide I-131 Requiring a Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) .....	303
<b>SUBPART F. MANUAL BRACHYTHERAPY.....</b>	<b>304</b>
RHA 4.46. Use of Sources for Manual Brachytherapy.....	304
RHA 4.47. Surveys After Source Implant and Removal .....	305
RHA 4.48. Brachytherapy Sources Accountability .....	305
RHA 4.49. Safety Instruction.....	305
RHA 4.50. Safety Precautions .....	305

	
<a href="#">New Search</a> <a href="#">Litigation Documents</a> <a href="#">Digital Certification</a> <a href="#">Medical Board</a>	<b>Person Information</b> William Eugene Phillips, II
	<b>Address Information</b> Sullivans Island SC 29482
	<b>License Information</b> License No: 01069030A Profession: Medical Licensing Board License Type: Physician Obtained By Method: Application Issue Date: 12/7/2010 Expiration Date: 10/31/2017 License Status: Active
	<b>Specialty Information as Reported by Physician</b> Radiology - Diagnostic Radiology (DR) Radiology - Vascular and Intervent (VIR)
	<b>Previous Action</b> Previous Action - None
	<b>Related Licenses</b> No Prerequisite Information
	<b>Violations</b> No Data Available



COLUMBUS REGIONAL HOSPITAL  
 Cancer Center  
 2400 EAST 17TH STREET  
 COLUMBUS, INDIANA 47201  
 M. J. Pavone, Ph.D.



7015 1520 0001 0950 6998



U.S. POSTAGE PITNEY BOWES  
 ZIP 46226 \$007.78<sup>0</sup>  
 02 1W  
 0001366298 JUL 29 2016

U.S. Nuclear Regulatory Commission, Region III  
 Materials Licensing Branch  
 2443 Warrenville Road, Suite 210  
 Lisle, IL 60532-4352

RECEIVED AUG 02 2016