



KHNP

KOREA HYDRO & NUCLEAR POWER CO., LTD

70-1312-gil, Yuseong-daero, Yuseong-gu, Daejeon, 305-343, KOREA

Tel: +82-42-870-5400 / Fax: +82-42-870-5449

<http://www.khnp.co.kr>

August 1, 2016
Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attention: Mr. Jeff Ciocco
Division of New Reactor Licensing

Docket No. 52-046
MKD/NW-16-0832L

Subject: Revised Response to RAI 255-8285 for the Questions 03.08.05-4 and 03.08.05-14

References: 1) NRC Request for Additional Information 255-8285, dated October 19, 2015
2) KHNP Letter MKD/NW-16-0025L, Response to RAI 255-8285, dated February 5, 2016

KHNP is hereby submitting the revised response to RAI 255-8285, dated October 19, 2015. The RAI revised response to Questions 03.08.05-4 and 03.08.05-14 is to provide the detailed description of waterproofing membranes installation and the method used to determine the sliding check of the Category I structures.

The enclosure provides the revised response to RAI 255-8285 for the Questions 03.08.05-4 and 03.08.05-14 (Non-Proprietary).

If additional information or clarification is required, please contact Daegun Ahn, Director of KHNP Washington DC Center at ahn.daegun@khnp.co.kr or 703-388-0592.

Sincerely,

A handwritten signature in black ink that reads "Jae-yong Lee".

Jae-yong Lee
Project Manager
Advanced Reactors Development Laboratory
Korea Hydro and Nuclear Power Co., Ltd

Enclosure: Revised Response to RAI 255-8285 for the Questions 03.08.05-4 and 03.08.05-14 (Non-Proprietary)

Enclosure

Revised Response to RAI 255-8285 for the Questions 03.08.05-4 and
03.08.05-14

(Non-Proprietary)

August 1, 2016