



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
1600 E. LAMAR BLVD
ARLINGTON TX 76011-4511

August 8, 2016

Mr. Edmund J. Jacobsen
Radiation Safety Officer
P.O. Box 206
Pierre, South Dakota 57501

SUBJECT: CORRECTED COPY OF AMENDMENT NO. 04, NRC LICENSE NO. 40-27491-01

Please find enclosed a corrected copy of Amendment No. 04 to NRC License No. 40-27491-01. We noted that the possession limits on your renewed license issued December 19, 2014, was not correct during an audit of your docket file. We have amended the possession limits authorized consistent with the portable gauge SSD Sheet in the Registry of Radioactive Sealed Sources and Devices. We have also updated the format of your license so it does not resemble the December 19, 2014, version. Even though the terms and conditions of your license were not changed, please review this license carefully and be sure that you understand all conditions. You can contact me at 817-200-1455 if you have any questions about this license.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

/RA/

Vivian H. Campbell, Chief
Nuclear Materials Safety Branch B

Docket: 030-33482
License: 40-27491-01

Enclosure: As stated

