



Exam Comment Sheet

Date: <u>6/30/2016</u>	Submitted By: J.R.Ba	rton 🖂	RO SRO	Sheet <u>1</u> of 1
ExamSection(s): 🛛 Written / 🗌	Walk-Through / 🗌 Simu	lator Scenario		
Test Item (Question/JPM/Scenario, etc.)	Concern or Problem	Recommended Resolution	Reference	Remarks
Question-75% 34	> 50% failure rate	Ensure gap is covered in systems training for future classes		System knowledge gap
Question 68	> 50% failure rate	Ensure gap is covered in systems training for future classes		Knowledge gap with steam tables
Question 72	> 50% failure rate	Re-write question stem for clarity prior to including into exam bank		Question stem caused confusion
Question 75	> 50% failure rate	Ensure gap is covered in ERO training for future classes		Knowledge gap on Emergency communications
Additional comments:None				
Exam Analyzer comments: <u>None</u>				
Final Resolution: TRR's submitte	d for gaps			
Reviewed by: Facility Author	<u>// 6/30/16</u> App Date	proved by:	6 30 16 / Date	

SRRS: 3D.100; Retain this document until all regulatory actions associated with the exam are complete, at which time it may be discarded.

NRC Written Exam Seating Chart (for exam administered on 6/24/16)

Proctors

- **I**1 (SRO)

·R1 (RO)

 (SRO)

I3 (SRO)

見 (RO)

I4 (SRO)

UI (SRO) R4 (RO)

ズS (SRO) ₹5 (RO)

して (SRO)

Food

Name	Test Question #	Candidate Question	Proctor Response
SROI-1	RO-22	Should this be 2C10	Question is U-2 specific. Change 1C10 to 2C10 in stem. Informed entire class of change. Considered typo.
SROI-1	SRO-90	Can I get a reference for this question	You have the information you need.
SROI-5	RO-29	Statement that 2 answers are correct, A and C	No question. No response provided.
SROI-5	RO-30	There is no correct answer.	Pick the best answer.
Ro-4	RO-72	Have actions in AOP-2A been taken.	You have the information you need.
SROI-5	RO-33	Should SI-646 be labeled as 12B Aux HPSI header isolation or should SI-646 really be another number to match MOV description	Change 646 to 656 in Answer B. Informed entire class of change. Considered typo.
Ro-1	RO-53	1B DG load, do you mean MW load or SRW heat load	You have the information you need.
SROI-4	RO-65	Does this mean along with or because of the Fire Pump failure	You have the information you need.
SRUI-4	RO-29	Do you mean meets the minimum requirements	You have the information you need.
SROI-4	RO-69	When MOV is tagged shut, can I assume the handle to disengage the operator from the valve is in the disengaged position.	You have the information you need.
SROI-4		Statement that 13 SRW pump was available I would isolate the CACs and if 13 SRW pump was not available I would trip the DG.	You have the information you need.