



**CERTIFICATE OF DISPOSITION
OF MATERIALS**

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimates to the FOIA, Privacy, and Information Collections Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to InfoCollect@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOS-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS

Hutchens Construction Company
1007 Main Street
Cassville, MO 65625

LICENSE NUMBER

24-32406-01

DOCKET NUMBER

09036042

LICENSE EXPIRATION DATE

September 30, 2022

A. LICENSE STATUS (Check the appropriate box)

- This license has expired. This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

1. No radioactive materials have ever been procured or possessed by the licensee under this license.
2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
- a. Transfer of radioactive materials to the licensee listed below:
Materials Testing of Arkansas P.O. Box 23715
Little Rock, AR 72221
- b. Disposal of radioactive materials:
1. Directly by the licensee:
2. By licensed disposal site:
3. By waste contractor:
- c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

C. SURVEYS PERFORMED AND REPORTED

1. A radiation survey was conducted by the licensee. The survey confirms:
- a. the absence of licensed radioactive materials
- b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
2. A copy of the radiation survey results:
- a. is attached; or b. is not attached (Provide explanation); or c. was forwarded to NRC on: _____ Date _____
3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
- a. The results of the latest leak test are attached; and/or b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME	TITLE	TELEPHONE (Include Area Code)	E-MAIL ADDRESS
Brandon Finn	VP of Operations	417-847-2489	b.finn@paveit.net

Mail all future correspondence regarding this license to:

Hutchens Construction Company 1007 Main Street Cassville, MO 65625

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	SIGNATURE	DATE
Brandon Finn VP of Operations		8/22/16

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



Arkansas Department of Health

4815 West Markham Street • Little Rock, Arkansas 72205-3867 • Telephone (501) 661-2000
Governor Asa Hutchinson
Nathaniel Smith, MD, MPH, Director and State Health Officer

June 1, 2016

Suzanne Wissel, Radiation Safety Officer
Materials Testing of Arkansas, Inc.
P.O. Box 23715
Little Rock, Arkansas 72221

Dear Ms. Wissel:


The Department has reviewed your amendment request dated May 27, 2016, concerning Arkansas Radioactive Material License ARK-0859-03121.

Enclosed is Amendment Number 33 to your license. This amendment removes Tyler Farnsworth and Lynwood Mills as authorized users and adds Devin Rainey as an authorized user to your license.

In addition, your request to increase your possession limits for additional gauges to accommodate the transfer of gauges from Hutchens Construction is included in Items 9.A., B., C. and 10 B. and C.

If we can be of further assistance with your radiation safety program, please contact the Radioactive Materials staff at (501) 661-2173. Please address correspondence to the above address at Slot # 30 or via fax to (501) 661-2849.

Sincerely,



Jared Thompson, Program Manager
Radioactive Materials Program

Enclosure: Amendment Number 33

JT:se

ARKANSAS DEPARTMENT OF HEALTH RADIOACTIVE MATERIAL LICENSE

Pursuant to Arkansas State Board of Health (ASBH) Regulations, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules and regulations of the ASBH and orders of Radioactive Materials Program, Arkansas Department of Health, now or hereafter in effect and to any conditions specified below.

LICENSEE

- | | |
|--|--|
| <p>1. Name: Materials Testing of Arkansas, Inc.</p> | <p>4. License Number: ARK-0859-03121
Amendment Number 33</p> |
| <p>2. Address: P.O. Box 23715
Little Rock, Arkansas 72221</p> | <p>5. Expiration Date: September 1, 2017</p> |
| <p>3. Contact Numbers: (501) 753-2526 - Phone
(501) 753-5747 - Fax</p> | <p>6. Type of License: 03121 - Portable Gauge</p> |

7. Radioactive material (Element and mass number)	B. Chemical and/or physical form	9. Maximum radioactivity and/or quantity of material which licensee may possess at any one time
A. Americium-241: Beryllium	A. Sealed Source (Troxler Drawing Number A-100608)	A. 1210 millicuries total. No single source to exceed 110 millicuries.
B. Americium-241: Beryllium	B. Sealed Source (Troxler Drawing Number A-102451 or C-106580)	B. 880 millicuries total. No single source to exceed 44 millicuries.
C. Cesium-137	C. Sealed Source (Troxler Drawing Number A-102112)	C. 171 millicuries total. No single source to exceed 9 millicuries.
D. Americium-241: Beryllium	D. Sealed Source (AEA Technology QSA, Inc. Model AMN.V997 or Isotope Products Laboratories Model AM1.NO2)	D. 44 millicuries total.
E. Cesium-137	E. Sealed Source (AEA Technology QSA, Inc. Model CDC.805 or Isotope Products Laboratories Model HEG-137)	E. 11 millicuries total.

**ARKANSAS DEPARTMENT OF HEALTH
RADIOACTIVE MATERIAL LICENSE**

License No. ARK-0859-03121
Amendment Number 33

10. Authorized Use:

- A. To be used in Troxler Electronics Laboratories, Inc. Model 3241-C Asphalt Content Gauge.
- B. & C. To be used in Troxler Electronics Laboratories, Inc. Model 3400 Series (3430, 3440, 3450 or 3451), Model 3411-B and Model 4640 Moisture and Density Gauge.
- D. & E. To be used in Instro Tek, Inc. 3500 Portable Moisture and Density Gauge.

CONDITIONS

11.A. Radioactive material may be used or stored at:

- 1. 8001 National Drive, Little Rock, Arkansas 72209
- 2. 505 Sanders Ave., Springdale, Arkansas 72764
- 3. 101 South Church Street, Jonesboro, Arkansas 72403

11.B. Radioactive material may be used at temporary job sites throughout the State of Arkansas except in areas under exclusive Federal jurisdiction.

If the jurisdiction status of a Federal facility within the State of Arkansas is unknown, the licensee should contact the federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in the State of Arkansas under exclusive Federal jurisdiction shall be obtained from the Nuclear Regulatory Commission.

12.A. Radioactive material shall be used by:

- | | |
|------------------------|------------------------|
| 1. Richard Ackley, Jr. | 14. Clarence Phillips |
| 2. Stuart Ackley | 15. James J. Sabon |
| 3. Dennis Byrum | 16. Courtney Smith |
| 4. Draven Lee Evans | 17. Nathan B. Smith |
| 5. Thomas Ty French | 18. Joseph G. Spahn |
| 6. Steven R. Garrett | 19. Jim W. Stepp |
| 7. Aaron J. Hunter | 20. Dick Tillotson |
| 8. Brad Johnson | 21. Eugene Trey Dekman |
| 9. Casey M. Jones | 22. Aaron M. White |
| 10. John Keys | 23. Suzanne Wissel |
| 11. Arthur Mondier | 24. Kris C. Young |
| 12. Paul Muse | 25. Devin Rainey |
| 13. Shannon Pennington | |

12.B. The Radiation Protection Officer for the activities authorized by this license is Suzanne Wissel.

13. The licensee shall comply with the provisions of Section 3, "Standards for Protection Against Radiation" of the ASBH Rules and Regulations for Control of Sources of Ionizing Radiation.

ARKANSAS DEPARTMENT OF HEALTH
RADIOACTIVE MATERIAL LICENSE

License No. ARK-0869-03121
Amendment Number 33

CONDITIONS (CONTINUED)

- 14.A. Each sealed source containing radioactive material shall be tested for leakage and/or contamination in accordance with the requirement of RH-1212 of the ASBH Rules and Regulations for Control of Sources of Ionizing Radiation at intervals not to exceed those listed in the Registry of Radioactive Sealed Sources and Devices. In the absence of a certificate from a transferor indicating that a test has been made within the previously indicated interval prior to the transfer, the sealed source shall not be put into use until tested.
- 14.B. If the test reveals the presence of 0.005 microcuries or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with the Department regulations. A report shall be filed within five (5) days of the test with the Radioactive Materials Program, Arkansas Department of Health, 4815 West Markham, Slot 30, Little Rock, Arkansas, 72205-3867, describing the equipment involved, the test results, and the corrective action taken.
- 14.C. Tests for leakage and/or contamination shall be performed by persons specifically authorized by the Department, the U.S. Nuclear Regulatory Commission, or an Agreement State to perform such services.
15. The licensee shall not transfer possession and/or control of materials or products containing radioactive material as a contaminant except:
- A. By transfer of waste to an authorized recipient; or
 - B. By transfer to a specifically licensed recipient.
16. The licensee may prepare a package for shipment, deliver a package to a carrier for transport, or transport a package containing radioactive material in accordance with Section 4 "Transportation of Radioactive Materials" of the ASBH Rules and Regulations for Control of Sources of Ionizing Radiation.
17. Radioactive material may not be stored in a residential area.
18. Sealed sources containing radioactive material shall not be opened or removed from their respective source holders by the licensee.
19. The following shall only be performed by the manufacturer or by other persons specifically authorized by the Department, U.S. Nuclear Regulatory Commission, or an Agreement State to perform such services:
- A. Repair of devices containing radioactive material.
 - B. Installation of sealed sources containing radioactive material used in devices.
 - C. Replacement of sealed sources containing radioactive material used in devices.
 - D. Disposal of sealed sources containing radioactive material used in devices.


**ARKANSAS DEPARTMENT OF HEALTH
RADIOACTIVE MATERIAL LICENSE**

**License No. ARK-0859-03121
Amendment Number 33**

CONDITIONS (CONTINUED)

20. Except as specifically provided otherwise by this license, the licensee shall possess and use radioactive material described in Items 7, 8, and 9 of this license in accordance with statements, representations, and procedures contained in the following documents:
- A. License application dated June 24, 2010, signed by Steven R. Garrett, President & RSO.
 - B. Letter and supplemental information dated August 24, 2010, signed by Steven R. Garrett, President & RSO.
 - C. Letter and supplemental information dated September 8, 2010, signed by Steven R. Garrett, President & RSO.
 - D. Letter and supplemental information dated February 22 and March 2, 2013, signed by Steve R. Garrett, PE, President & RSO.
 - E. Letter and supplemental information dated October 2 and 15, 2013, signed by Steve Garrett, President.
 - F. Letter dated February 5, 2014, signed by Suzanne Wissell regarding the discontinuance of the personnel dosimetry program.

Date June 1, 2016

By 
 Jared Thompson, Program Manager
 Radioactive Materials Program
 Radiation Control Section



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057

Research Triangle Park, NC 27709

Tel: (877) 876-9537 Fax: (866) 391-2759

License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3241

Serial No: 1450

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
55-8735	03/03/1990	Am-241:Be	3.7	100

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016

Sample analyzed on: 04/12/2016 12:28:53 P Position: 40

Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	1	17
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3450 **Serial No:** 670

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
750-7941	01/16/2001	Cs-137	0.296	8
47-3001	09/11/1979	Am-241:Be	1.48	40

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016
Sample analyzed on: 04/12/2016 12:38:49 P **Position:** 41
Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	1	26
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi) **Greater than 185 Bq (0.005 uCi)**



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3241 Serial No: 1254

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
55-8531	09/01/1989	Am-241:Be	3.7	100

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016
Sample analyzed on: 04/12/2016 12:25:16 P Position: 37
Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	2	25
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3241 Serial No: 2400

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
55-9706	11/05/1994	Am-241:Be	3.7	100

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016
Sample analyzed on: 04/12/2016 12:21:38 P Position: 34
Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	1	23
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi) Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057

Research Triangle Park, NC 27709

Tel: (877) 876-9537 Fax: (866) 391-2759

License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3241

Serial No: 2548

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
55-9007	08/15/1990	Am-241:Be	3.7	100

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016

Sample analyzed on: 04/12/2016 12:26:28 P Position: 38

Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	0	23
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)




Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962



LEAK TEST CERTIFICATE

DEVICE:

Model: 4640 Serial No: 2437

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
750-8284	04/26/2001	Cs-137	0.296	8

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016
Sample analyzed on: 04/12/2016 12:31:18 P Position: 42
Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	0	24
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi) Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3411 Serial No: 11819

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
47-7315	12/20/1984	Am-241:Be	1.48	40
40-9305	09/25/1984	Cs-137	0.296	8

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016
Sample analyzed on: 04/12/2016 12:22:51 P Position: 35
Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	1	24
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi) Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3411 Serial No: 12699

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
47-8006	06/28/1985	Am-241:Be	1.48	40
50-1068	03/20/1985	Cs-137	0.296	8

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016
Sample analyzed on: 04/12/2016 12:27:40 P Position: 39
Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	1	33
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057

Research Triangle Park, NC 27709

Tel: (877) 876-9537 Fax: (866) 391-2759

License: NC 032-0182-1

BRANDON F.
HUTCHENS CONSTRUCTION
1007 MAIN STREET
CASSVILLE, MO 65625

Cust ID: 10962

LEAK TEST CERTIFICATE

DEVICE:

Model: 3430

Serial No: 23418

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
75-5459	03/17/1994	Cs-137	0.296	8
47-19301	03/08/1994	Am-241:Be	1.48	40

LEAK TEST ANALYSIS:

Sample collected on: 04/01/2016

Sample analyzed on: 04/12/2016 12:24:03 P Position: 36

Analyzed by: EM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	1.99E+01
Background measurement (cpm)	0	24
Sample measurement (cpm)	0	25
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	3.8E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)

Tomczak, Tammy

From: Pelke, Patricia
Sent: Monday, August 22, 2016 3:18 PM
To: Tomczak, Tammy
Subject: FW: Hutchens Construction License Termination
Attachments: NRC Certificate of Disposition of Materials.pdf

Importance: High

Tammy,
Please process this request in as a termination. Let me know if you have any questions – thanks.

From: Brandon Finn [mailto:B.Finn@HutchensConstruction.com]
Sent: Monday, August 22, 2016 10:16 AM
To: Pelke, Patricia <Patricia.Pelke@nrc.gov>
Subject: [External_Sender] Hutchens Construction License Termination

Ms. Pelke – Please find attached NRC Form 314, Certificate of Disposition of Materials, dated today, August 22, 2016. On June 1st of this year Hutchens Construction Company transferred all radioactive devices to Materials Testing of Arkansas. The letter of acceptance of this transfer from the Arkansas Department of Health, Radioactive Materials Program, Radiation Control Section is attached to this email along with current leak test information for each gauge transferred. The contact for Materials Testing of Arkansas is Suzanne Wissel, Radiation Safety Officer and she may be reached at (501) 753-2526. These gauges are now in the possession of Materials Testing of Arkansas and as of June 3, 2016 Hutchens Construction has had no radioactive devices in our possession. We wish to terminate our license with the NRC. Our license information is:

Docket Number : 3036042
License Number : 24-32406-01
Licensee Name : Hutchens Construction Company

I had sent you an email dated August 1, 2016 requesting information from you for the termination of this license, but unfortunately never received a response from you. I had originally been in contact with Latischa Hanson with the NRC and she had sent me an email with termination procedures and also notified me that we were under the jurisdiction of Region III and that you would be able to handle the transfer. I have provided you with the information that Latischa thought you would need in order to complete the termination transaction. Please let me know if you need any additional information to complete this transfer or if I need to be communicating with someone else in Region III.

Brandon Finn

Office: (417) 847-2489
Mobile: (417) 847-7672
Fax: (417) 847-5561

b.finn@hutchensconstruction.com



www.hutchensconstruction.com
Since 1961

Toll Free (888) PAVELIT7 - (888) 728-1482

Asphalt Paving & Maintenance /Crushed Limestone



Main Office:
1007 Main St.
Cassville, MO 65625
Phone (417) 847-2489
Fax (417) 847-5561

Springdale Office:
17137 Pleasure Heights Rd
Springdale, AR 72764
Phone (479) 927-0000
Fax (479) 927-0096