

WSES-FSAR-UNIT-3

DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS

CHAPTER 3

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.0	<u>DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS</u>	3.1-1
3.1	<u>CONFORMANCE WITH NRC GENERAL DESIGN CRITERIA</u>	3.1-1
3.1.1	CRITERION 1 - QUALITY STANDARDS AND RECORDS	3.1-1
3.1.2	CRITERION 2 - DESIGN BASES FOR PROTECTION AGAINST NATURAL PHENOMENA	3.1-2
3.1.3	CRITERION 3 - FIRE PROTECTION	3.1-3
3.1.4	CRITERION 4 - ENVIRONMENTAL AND MISSILE DESIGN BASES	3.1-4
3.1.5	CRITERION 5 - SHARING OF STRUCTURES, SYSTEMS AND COMPONENTS	3.1-5
3.1.6	CRITERION 10 - REACTOR DESIGN	3.1-5
3.1.7	CRITERION 11 - REACTOR INHERENT PROTECTION	3.1-6
3.1.8	CRITERION 12 - SUPPRESSION OF REACTOR POWER OSCILLATIONS	3.1-6
3.1.9	CRITERION 13 - INSTRUMENTATION AND CONTROL	3.1-7
3.1.10	CRITERION 14 - REACTOR COOLANT PRESSURE BOUNDARY	3.1-8
3.1.11	CRITERION 15 - REACTOR COOLANT SYSTEM DESIGN	3.1-8
3.1.12	CRITERION 16 - CONTAINMENT DESIGN	3.1-9
3.1.13	CRITERION 17 - ELECTRIC POWER SYSTEMS	3.1-10
3.1.14	CRITERION 18 - INSPECTION AND TESTING OF ELECTRICAL POWER SYSTEMS	3.1-11
3.1.15	CRITERION 19 - CONTROL ROOM	3.1-12
3.1.16	CRITERION 20 - PROTECTION SYSTEM FUNCTIONS	3.1-13
3.1.17	CRITERION 21 - PROTECTION SYSTEM RELIABILITY AND TESTABILITY	3.1-14
3.1.18	CRITERION 22 - PROTECTION SYSTEM INDEPENDENCE	3.1-15

WSES-FSAR-UNIT-3

CHAPTER 3

TABLE OF CONTENTS (Cont'd)

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.1.19	CRITERION 23 - PROTECTION SYSTEM FAILURE MODES	3.1-15
3.1.20	CRITERION 24 - SEPARATION OF PROTECTION AND CONTROL SYSTEMS	3.1-16
3.1.21	CRITERION 25 - PROTECTION SYSTEM REQUIREMENTS FOR REACTIVITY CONTROL MALFUNCTIONS	3.1-16
3.1.22	CRITERION 26 - REACTIVITY CONTROL SYSTEM REDUNDANCY AND CAPABILITY	3.1-17
3.1.23	CRITERION 27 - COMBINED REACTIVITY CONTROL SYSTEMS CAPABILITY	3.1-18
3.1.24	CRITERION 28 - REACTIVITY LIMITS	3.1-18
3.1.25	CRITERION 29 - PROTECTION AGAINST ANTICIPATED OPERATIONAL OCCURRENCES	3.1-19
3.1.26	CRITERION 30 - QUALITY OF REACTOR COOLANT PRESSURE BOUNDARY	3.1-19
3.1.27	CRITERION 31 - FRACTURE PREVENTION OF REACTOR COOLANT PRESSURE BOUNDARY	3.1-20
3.1.28	CRITERION 32 - INSPECTION OF REACTOR COOLANT PRESSURE BOUNDARY	3.1-21
3.1.29	CRITERION 33 - REACTOR COOLANT MAKEUP	3.1-22
3.1.30	CRITERION 34 - RESIDUAL HEAT REMOVAL	3.1-23
3.1.31	CRITERION 35 - EMERGENCY CORE COOLING	3.1-23
3.1.32	CRITERION 36 - INSPECTION OF EMERGENCY CORE COOLING SYSTEM	3.1-24
3.1.33	CRITERION 37 - TESTING OF EMERGENCY CORE COOLING SYSTEM	3.1-24
3.1.34	CRITERION 38 - CONTAINMENT HEAT REMOVAL	3.1-25
3.1.35	CRITERION 39 - INSPECTION OF CONTAINMENT HEAT REMOVAL SYSTEM	3.1-26

WSES-FSAR-UNIT-3

CHAPTER 3

TABLE OF CONTENTS (Cont'd)

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.1.36	CRITERION 40 - TESTING OF CONTAINMENT HEAT REMOVAL SYSTEM	3.1-27
3.1.37	CRITERION 41 - CONTAINMENT ATMOSPHERE CLEANUP	3.1-27
3.1.38	CRITERION 42 - INSPECTION OF CONTAINMENT ATMOSPHERE CLEANUP SYSTEMS	3.1-28
3.1.39	CRITERION 43 - TESTING OF ATMOSPHERE CLEANUP SYSTEMS	3.1-29
3.1.40	CRITERION 44 - COOLING WATER	3.1-30
3.1.41	CRITERION 45 - INSPECTION OF COOLING WATER SYSTEM	3.1-31
3.1.42	CRITERION 46 - TESTING OF COOLING WATER SYSTEM	3.1-31
3.1.43	CRITERION 50 - CONTAINMENT DESIGN BASIS	3.1-32
3.1.44	CRITERION 51 - FRACTURE PREVENTION OF CONTAINMENT PRESSURE BOUNDARY	3.1-32
3.1.45	CRITERION 52 - CAPABILITY FOR CONTAINMENT LEAKAGE RATE TESTING	3.1-33
3.1.46	CRITERION 53 - PROVISION FOR CONTAINMENT TESTING AND INSPECTION	3.1-34
3.1.47	CRITERION 54 - PIPING SYSTEMS PENETRATING CONTAINMENT	3.1-34
3.1.48	CRITERION 55 - REACTOR COOLANT PRESSURE BOUNDARY PENETRATION CONTAINMENT	3.1-35
3.1.49	CRITERION 56 - PRIMARY CONTAINMENT ISOLATION	3.1-36
3.1.50	CRITERION 57 - CLOSED SYSTEMS ISOLATION VALVES	3.1-37
3.1.51	CRITERION 60 - CONTROL OF RELEASES OF RADIOACTIVE MATERIALS TO THE ENVIRONMENT	3.1-37
3.1.52	CRITERION 61 - FUEL STORAGE AND HANDLING AND RADIOACTIVITY CONTROL	3.1-38
3.1.53	CRITERION 62 - PREVENTION OF CRITICALITY IN FUEL STORAGE AND HANDLING	3.1-39

WSES-FSAR-UNIT-3

CHAPTER 3

TABLE OF CONTENTS (Cont'd)

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.1.54	CRITERION 63 - MONITORING FUEL AND WASTE STORAGE	3.1-39
3.1.55	CRITERION 64F - MONITORING RADIOACTIVITY RELEASES	3.1-40
3.2	<u>CLASSIFICATION OF STRUCTURES, COMPONENTS AND SYSTEMS</u>	3.2-1
3.2.1	SEISMIC CLASSIFICATION	3.2-1
3.2.2	SYSTEM SAFETY CLASSIFICATION	3.2-2
3.3	<u>WIND AND TORNADO LOADINGS</u>	3.3-1
3.3.1	WIND LOADINGS	3.3-1
3.3.2	TORNADO	3.3-3
3.3	REFERENCES	3.3-5
3.4	<u>WATER LEVEL (FLOOD) DESIGN</u>	3.4-1
3.4.1	FLOOD PROTECTION	3.4-1
3.4.2	ANALYSIS PROCEDURE	3.4-2
3.5	<u>MISSILE PROTECTION</u>	3.5-1
3.5.1	DESIGN BASES	3.5-1
3.5.2	SYSTEMS TO BE PROTECTED	3.5-15
3.5.3	BARRIER DESIGN PROCEDURES	3.5-15
3.5	REFERENCES	3.5-22
3.6	<u>PROTECTION AGAINST DYNAMIC EFFECTS ASSOCIATED WITH THE POSTULATED RUPTURE OF PIPING</u>	3.6-1
3.6.1	POSTULATED PIPING FAILURES IN FLUID SYSTEMS BOTH INSIDE AND OUTSIDE OF CONTAINMENT	3.6-1
3.6.2	DETERMINATION OF BREAK LOCATIONS AND DYNAMIC EFFECTS ASSOCIATED WITH THE POSTULATED RUPTURE OF PIPING	3.6-9
3.6	REFERENCES	3.6-33

WSES-FSAR-UNIT-3

CHAPTER 3

TABLE OF CONTENTS (Cont'd)

Section	Title	Page
3.6A	PIPE RUPTURE ANALYSIS	3.6A-1
3.6A.1	HIGH ENERGY PIPE BREAK INSIDE CONTAINMENT	3.6A-1
3.6A.2	HIGH ENERGY PIPE BREAK OUTSIDE CONTAINMENT	3.6A-11
3.6A.3	SUB COMPARTMENT PRESSURE ANALYSIS	3.6-15
3.6A.4	MODERATE ENERGY PIPING FAILURES - INSIDE CONTAINMENT	3.6-16
3.6A.5	MODERATE ENERGY PIPING FAILURES - OUTSIDE CONTAINMENT	3.6A-16
3.6A.6	FLOODING ANALYSIS	3.6A-16
3.6A.7	MAIN CONTROL ROOM HABITABILITY	3.6A-23
3.6B	PIPE WHIP ANALYSIS	3.6B-1
3.6C	BEND FORCE CALCULATION IN A PIPING SYSTEM USING CALPLOT F2421	3.6C-1
3.7	SEISMIC DESIGN	3.7-1
3.7.1	SEISMIC INPUT	3.7-1
3.7.2	SEISMIC SYSTEM ANALYSIS	3.7-4
3.7.3	SEISMIC SUBSYSTEM ANALYSIS	3.7-13
3.7.4	SEISMIC INSTRUMENTATION	3.7-37
3.7	REFERENCES	3.7-41
3.7A	SEISMIC DESIGN - PARAMETRIC STUDIES	3.7A-1
3.7A	REFERENCES	3.7A-4
3.8	DESIGN OF CATEGORY I STRUCTURES	3.8-1
3.8.1	CONCRETE CONTAINMENT	3.8-1
3.8.2	STEEL CONTAINMENT	3.8-1

WSES-FSAR-UNIT-3

CHAPTER 3

TABLE OF CONTENTS (Cont'd)

Section	Title	Page
3.8.3	CONCRETE AND STEEL INTERNAL STRUCTURES OF STEEL CONTAINMENT	3.8-36
3.8.4	OTHER SEISMIC CATEGORY I STRUCTURES	3.8-64
3.8.5	FOUNDATIONS	3.8-78
3.8	REFERENCES	3.8-81
3.9	MECHANICAL SYSTEMS AND COMPONENTS	3.9-1
3.9.1	SPECIAL TOPICS FOR MECHANICAL COMPONENTS	3.9-1
3.9.2	DYNAMIC SYSTEM ANALYSIS AND TESTING	3.9-29
3.9.3	ASME CODE CLASS 1, 2 AND 3 COMPONENTS, COMPONENT SUPPORTS AND CORE SUPPORT STRUCTURES	3.9-46
3.9.4	CONTROL ELEMENT DRIVE MECHANISMS	3.9-64
3.9.5	REACTOR PRESSURE VESSEL INTERNALS	3.9-72
3.9.6	IN-SERVICE TESTING OF PUMPS AND VALVES	3.9-79
3.9	REFERENCES	3.9-80
3.9A	SEISMIC CONSIDERATIONS FOR EQUIPMENT SPECIFICATIONS	3.9A-1
3.9B	DESCRIPTION OF SEISMIC ANALYSIS AND SUMMARY OF RESULTS FOR NON-NSSS SUPPLIED ACTIVE PUMPS AND THEIR SUPPORTS	3.9B-1
3.9B.1	CHILLED WATER PUMPS	3.9B-1
3.9B.2	CONTAINMENT SPRAY PUMPS	3.9B-1
3.9B.3	DIESEL OIL TRANSFER PUMP	3.9B-3
3.9B.4	COMPONENT COOLING WATER PUMPS	3.9B-7
3.9B.5	AUXILIARY COMPONENT COOLING WATER PUMPS	3.9B-9
3.9B.6	EMERGENCY FEEDWATER PUMPS	3.9B-12
3.9B.7	COMPONENT COOLING WATER MAKE-UP PUMPS	3.9B-17
3.9B.8	DIESEL ENGINE DRIVEN LUBE OIL PUMP	3.9B-20
3.9B.9	DIESEL ENGINE DRIVEN JACKET WATER PUMP	3.9B-20

CHAPTER 3

TABLE OF CONTENTS (Cont'd)

<u>Section</u>	<u>Title</u>	<u>Page</u>
3.9C	<u>DESCRIPTION OF SEISMIC ANALYSIS AND SUMMARY OF RESULTS FOR NON-NSSS SUPPLIED ACTIVE VALVES</u>	3.9C-1
3.9D	<u>NSSS COMPUTER CODE VERIFICATION</u>	3.9D-1
3.9E	<u>ASYMMETRIC LOADS</u>	3.9E-1
3.10	<u>SEISMIC QUALIFICATIONS OF SEISMIC CATEGORY I INSTRUMENTATION AND ELECTRICAL EQUIPMENT</u>	3.10-1
3.10.1	SEISMIC QUALIFICATION CRITERIA	3.10-1
3.10.2	METHODS AND PROCEDURES FOR QUALIFYING ELECTRICAL EQUIPMENT AND INSTRUMENTATION	3.10-1
3.10.3	METHODS AND PROCEDURES OF ANALYSIS OR TESTING OF SUPPORTS OF ELECTRICAL EQUIPMENT AND INSTRUMENTATION	3.10-2
3.10.4	OPERATING LICENSE REVIEW	3.10-3
3.10	REFERENCES	3.10-5
3.10A	<u>CRITERIA FOR SEISMIC QUALIFICATION OF NON-NSSS SEISMIC CATEGORY I INSTRUMENT AND ELECTRICAL EQUIPMENT AND THEIR SUPPORTS</u>	3.10A-1
3.11	<u>ENVIRONMENTAL DESIGN OF MECHANICAL AND ELECTRICAL EQUIPMENT</u>	3.11-1
3.11.1	EQUIPMENT IDENTIFICATION AND ENVIRONMENTAL CONDITIONS	3.11-1
3.11.2	QUALIFICATION TESTS AND ANALYSES	3.11-1
3.11.3	QUALIFICATION TESTS AND ANALYSES RESULTS	3.11-2
3.11.4	LOSS OF VENTILATION	3.11-2
3.11.5	ESTIMATED CHEMICAL AND RADIATION ENVIRONMENT	3.11-3
3.11	REFERENCE	3.11-4

WSES-FSAR-UNIT-3

DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT AND SYSTEMS

CHAPTER 3

LIST OF TABLES

<u>Table</u>	<u>Title</u>
3.2-1	CLASSIFICATION OF STRUCTURES, SYSTEMS AND COMPONENTS
3.2-2	EQUIPMENT CODE EXCEPTIONS TO REGULATORY GUIDE 1.26
3.3-1	WIND SPEEDS AND RESULTING STATIC PRESSURE LOADINGS
3.3-2	TORNADO WIND SPEEDS AND RESULTING STATIC PRESSURE LOADINGS
3.5-1	MISSILES OUTSIDE CONTAINMENT GENERATED BY HIGH ENERGY SYSTEMS
3.5-2	MISSILES OUTSIDE CONTAINMENT FROM FAILURE OF OVERSPEED PROTECTION
3.5-3	MISSILE PROTECTION - OUTSIDE CONTAINMENT TABULATION OF SAFETY RELATED STRUCTURES AND SYSTEMS
3.5-3a	TABLE OF PROTECTED SAFETY RELATED HVAC AIR INTAKES & EXHAUSTS
3.5-4	POTENTIAL MISSILES INSIDE CONTAINMENT
3.5-5	PARAMETERS OF LOW PRESSURE WHEEL FRAGMENTS
3.5-6	PARAMETERS OF LOW PRESSURE TURBINE CYLINDER FRAGMENTS
3.5-7	SAFETY RELATED COMPONENTS LOCATED INSIDE REACTOR BUILDING AND BARRIERS
3.5-8	SAFETY RELATED EQUIPMENT IN RAB WING AREA AND BARRIERS
3.5-9a	SAFETY RELATED EQUIPMENT LOCATED IN RAB AT FL. EL. +46 AND BARRIERS
3.5-9b	SAFETY RELATED EQUIPMENT IN RAB @ EL. +21 AND BARRIERS
3.5-9c	SAFETY RELATED EQUIPMENT IN RAB @ EL. -4.0' AND BARRIERS
3.5-9d	SAFETY RELATED EQUIPMENT IN RAB AT EL. -35.0'
3.5-9e	SAFETY RELATED EQUIPMENT IN RAB - CABLE TRAYS AND HVAC DUCTS
3.5-9f	SAFETY RELATED EQUIPMENT IN FUEL HANDLING BUILDING AND BARRIERS
3.5-9g	RESULTS OF PROBABILITY ANALYSIS FOR DESIGN OVERSPEED TURBINE FAILURE EVENT
3.5-9h	RESULTS OF PROBABILITY ANALYSIS FOR DESTRUCTIVE OVERSPEED FAILURE EVENT

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF TABLES (Cont'd)

<u>Table</u>	<u>Title</u>
3.5-10	POTENTIAL TORNADO MISSILES
3.5-11	TORNADO MISSILE CONCRETE BARRIER MINIMUM THICKNESS
3.5-12	ALLOWABLE DUCTILITY RATIOS FOR TORNADO IMPACT LOADS
3.5-13	STEEL BARRIERS
3.6-1	GUARD PIPE ASSEMBLY DESIGN CRITERIA
3.6-2	MATERIAL USED FOR PROCESS LINES WITHIN GUARD PIPE
3.6-3	TRUNNION WELDED ATTACHMENTS BETWEEN CONTAINMENT ISOLATION VALVES
3.6-4	SHEAR LUG WELDED ATTACHMENTS BETWEEN CONTAINMENT ISOLATION VALVES
3.6-5	CALCULATED STRESSES IHN ASME CODE CLASS 1 PIPING SYSTEMS
3.6A-1	STEAM GENERATOR BLOWDOWN SYSTEM - PIPE WHIP RESTRAINTS INSIDE CONTAINMENT
3.6A-2	REACTOR COOLANT SYSTEM DRAIN LINES - PIPE WHIP RESTRAINTS INSIDE CONTAINMENT
3.6A-3	SAFETY INJECTION SYSTEM - PIPE WHIP RESTRAINTS LOOP "2A" INSIDE CONTAINMENT
3.6A-4	CHEMICAL AND VOLUME CONTROL (LETDOWN) - PIPE WHIP RESTRAINTS-INSIDE CONTAINMENT
3.6A-5	CHEMICAL AND VOLUME CONTROL (CHARGING) - PIPE WHIP RESTRAINTS-INSIDE CONTAINMENT
3.6A-6	PRESSURIZER RELIEF SYSTEM - PIPE WHIP RESTRAINTS
3.6A-7	PRESSURIZER SPRAY SYSTEM - PIPE WHIP RESTRAINTS-INSIDE CONTAINMENT
3.6A-8	PRESSURIZER SURGE - PIPE WHIP RESTRAINTS-INSIDE CONTAINMENT
3.6A-9	SUMMARY OF DESIGN BASIS BREAKS
3.6A-10	SUMMARY OF DESIGN BASIS BREAKS
3.6A-11	SUMMARY OF DESIGN BASIS BREAKS
3.6A-12	SUMMARY OF DESIGN BASIS BREAKS
3.6A-13	MAIN STEAM - PIPE WHIP RESTRAINTS-INSIDE CONTAINMENT

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF TABLES (Cont'd)

<u>Table</u>	<u>Title</u>
3.6A-14	FEEDWATER - PIPE WHIP RESTRAINTS-INSIDE CONTAINMENT
3.6A-15	CVCS - CHARGING - PIPE WHIP RESTRAINTS-OUTSIDE CONTAINMENT
3.6A-16	CVCS LETDOWN - PIPE WHIP RESTRAINTS-OUTSIDE CONTAINMENT
3.6A-17	STEAM GENERATOR BLOWDOWN SYSTEM - PIPE WHIP RESTRAINTS-OUTSIDE CONTAINMENT
3.6A-18	PIPE STRESSES VS. ALLOWABLES AREA NEAR CONTAINMENT ISOLATION VALVES OPERATING CONDITIONS
3.6A-19	PIPE STRESSES VS. ALLOWABLES AREA NEAR CONTAINMENT ISOLATION VALVES PIPE RUPTURE CONDITION
3.6A-20	PIPE STRESSES VS. ALLOWABLES AREA NEAR CONTAINMENT ISOLATION VALVES OPERATING CONDITIONS
3.6A-21	PIPE STRESSES VS. ALLOWABLES AREA NEAR CONTAINMENT ISOLATION VALVES PIPE RUPTURE CONDITION
3.6A-22	SUMMARY OF DESIGN BASIS BREAKS
3.6A-23	SUMMARY OF DESIGN BASIS BREAKS
3.6A-24	SUMMARY OF DESIGN BASIS BREAKS
3.6A-25	SUMMARY OF DESIGN BASIS BREAKS
3.6A-26	MAINSTREAM - PIPE WHIP RESTRAINTS-OUTSIDE CONTAINMENT
3.6A-27	FEEDWATER - PIPE WHIP RESTRAINTS-OUTSIDE CONTAINMENT
3.7-1	DAMPING VALUES (PERCENT OF CRITICAL DAMPING)
3.7-2	SOIL SUPPORTED SEISMIC CATEGORY I STRUCTURES
3.7-3	INPUT DATA FOR SEISMIC ANALYSIS HORIZONTAL EXCITATIONS
3.7-4	INPUT DATA FOR SEISMIC ANALYSIS VERTICAL EXCITATIONS
3.7-5	NATURAL FREQUENCIES IN CYCLES PER SECOND (CPS)
3.7-6	COMPARISON OF STRUCTURAL RESPONSES FOR SEISMIC CATEGORY I STRUCTURES USING RESPONSE SPECTRA AND TIME HISTORY METHODS

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF TABLES (Cont'd)

<u>Table</u>	<u>Title</u>
3.7-7	COMPARISON OF STRUCTURAL RESPONSES FOR SEISMIC CATEGORY I STRUCTURES USING RESPONSE SPECTRA AND TIME HISTORY METHODS
3.7-8	COMPARISON OF STRUCTURAL RESPONSES FOR SEISMIC CATEGORY I STRUCTURES USING RESPONSE SPECTRA AND TIME HISTORY METHODS
3.7-9	COMPARISON OF ACCELERATION FOR SEISMIC CATEGORY I STRUCTURES USING RESPONSE SPECTRA AND TIME HISTORY METHODS
3.7-10	COMPARISON OF ACCELERATION OF DYNAMIC ANALYSIS WITH AND WITHOUT TORSIONAL DEGREE OF FREEDOM
3.7-11	MAXIMUM DAMPING RATIOS USED IN ANALYSIS OF NSSS CATEGORY I STRUCTURES, SYSTEMS AND COMPONENTS
3.7-12	REACTOR COOLANT SYSTEM NATURAL FREQUENCY AND DOMINANT DEGREES OF FREEDOM
3.7-13	COMPARISON OF SEISMIC LOADS
3.7-14	MAXIMUM STRESS COMPARISON
3.7-15	DELETED
3.7-16	REACTOR INTERNALS NON-LINEAR HORIZONTAL SEISMIC MODEL NODE LOCATIONS
3.7-17	SEISMIC MONITORING SYSTEM COMPONENTS
3.7-18	COMPARISON OF MAXIMUM RESPONSES
3.7-19	COMPARISON OF MAXIMUM RESPONSES
3.7-20	COMPARISON OF MAXIMUM RESPONSES
3.7-21	LINES ANALYZED BY CHART METHOD
3.7A-1	EFFECT OF SHEAR MODULUS ON STRUCTURE RESPONSE
3.8-1	CONTAINMENT VESSEL PENETRATIONS - LOAD COMBINATIONS AND STRESS LIMITS
3.8-2	CONTAINMENT VESSEL LOAD COMBINATIONS
3.8-3	CONTAINMENT SHELL STRESSES AT JUNCTION OF COLUMN AND KNUCKLE
3.8-4	CONTAINMENT VESSEL TEMPERATURE GRADIENT
3.8-5	PENETRATION ANALYSIS

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF TABLES (Cont'd)

<u>Table</u>	<u>Title</u>
3.8-6	ALLOWABLE STRESS
3.8-7	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 1
3.8-8	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 2
3.8-9	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 3
3.8-10	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 4
3.8-11	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 5
3.8-12	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 6
3.8-13	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 7
3.8-14	SUMMARY OF CONTAINMENT VESSEL STRESSES FOR LOAD CASE 10
3.8-15	ALLOWABLE BUCKLING STRESSES FOR CONTAINMENT VESSEL ELLIPSOIDAL HEAD
3.8-16	ALLOWABLE BUCKLING STRESSES FOR CONTAINMENT VESSEL ELLIPSOIDAL HEAD AT POST WELD HEAT TREATMENT
3.8-17	SUMMARY OF SHELL STRESSES IN KNUCKLE BETWEEN COLUMNS
3.8-18	SUMMARY OF SHELL STRESSES IN KNUCKLE AT COLUMNS
3.8-19	PHYSICAL PROPERTIES FOR MATERIALS TO BE USED FOR PRESSURE PARTS OR ATTACHMENT TO PRESSURE PARTS
3.8-20	MAJOR EQUIPMENT LOADS FOR CONTAINMENT INTERNAL STRUCTURE
3.8-21	CONTAINMENT INTERNAL CONCRETE STRUCTURE LOAD COMBINATIONS
3.8-22	CONTAINMENT INTERNAL STEEL STRUCTURE LOAD COMBINATIONS
3.8-23	COMPARISON OF MAX. DISPLACEMENT FIXMAT 2037 AND STARDYNE PROGRAMS
3.8-24	COMPARISON OF MAX. FORCE FIXMAT 2037 AND STARDYNE PROGRAMS
3.8-25	COMPARISON OF MAX. SHEAR FIXMAT 2037 AND STARDYNE PROGRAMS
3.8-26	COMPARISON OF MAX. MOMENT FIXMAT 2037 AND STARDYNE PROGRAMS
3.8-27	COMPARISON OF NATURAL FREQUENCIES FIXMAT 2037 AND NASTRAN PROGRAMS
3.8-28	COMPARISON OF ACCELERATIONS FIXMAT 2037 AND NASTRAN PROGRAMS

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF TABLES (Cont'd)

<u>Table</u>	<u>Title</u>
3.8-29	COMPARISON OF SHEAR FORCES FIXMAT 2037 AND NASTRAN PROGRAMS
3.8-30	COMPARISON OF BENDING MOMENTS FIXMAT 2037 AND NASTRAN PROGRAMS
3.8-31	REACTOR COOLANT PIPE STOP (STOP A)
3.8-32	COMPARISON OF CALCULATED DESIGN LOADS AND ULTIMATE CAPACITY OF STRUCTURAL ELEMENTS OF CONCRETE INTERNAL STRUCTURE
3.8-33	COMPARISON OF MAXIMUM DESIGN AND ALLOWABLE STRESSES FOR REACTOR COOLANT PUMP SUPPORTS
3.8-34	COMPARISON OF MAXIMUM DESIGN AND ALLOWABLE STRESSES FOR UPPER STEAM GENERATOR SUPPORTS
3.8-35	STEAM GENERATOR SLIDING BASE SUPPORT STRESS COMPARISONS
3.8-36	REACTOR VESSEL SUPPORT
3.8-37	NSSS SUPPORT STEEL MATERIAL SUMMARY
3.8-38	SHIELD STRUCTURE LEAKAGE RATES
3.8-39	OTHER SEISMIC CATEGORY I STRUCTURES LOAD COMBINATIONS
3.8-40	COMPARISON OF CALCULATED DESIGNS LOADS AND ULTIMATE CAPACITY OF STRUCTURAL ELEMENTS OF SHIELD BUILDING
3.8-41	COMPARISON OF CALCULATED DESIGN LOADS AND ULTIMATE CAPACITY OF STRUCTURAL ELEMENTS OF REACTOR AUXILIARY BUILDING
3.8-42	COMPARISON OF CALCULATED DESIGN LOADS AND ULTIMATE CAPACITY OF STRUCTURAL ELEMENTS OF FUEL HANDLING BUILDING
3.8-43	COMPARISON OF CALCULATED DESIGN LOADS AND ULTIMATE CAPACITY OF THE COMMON MAT UNDER THE FOLLOWING STRUCTURAL ELEMENTS OF THE BUILDING
3.9-1	TRANSIENTS USED IN STRESS ANALYSIS OF CODE CLASS 1 COMPONENTS
3.9-2	SAFETY CLASS 1 NON-NSSS PIPING
3.9-3	TRANSIENTS AND OPERATIVE CONDITIONS FOR CODE CLASS 1 NON-NSSS PIPING
3.9-4	COMPARISON OF STRUCTURAL AND HYDRAULIC DESIGN PARAMETERS
3.9-5	LOADING COMBINATIONS FOR ASME CODE CLASS 1 COMPONENTS OTHER THAN VALVES

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF TABLES (Cont'd)

<u>Table</u>	<u>Title</u>
3.9-6	STRESS LIMITS FOR ASME CODE CLASS 1 COMPONENTS OTHER THAN VALVES
3.9-7	DESIGN LOADING COMBINATIONS AND STRESS LIMITS FOR ASME CODE CLASS 2 AND 3 PIPING
3.9-8	NSSS SUPPLIED ACTIVE VALVES AND PUMPS
3.9-9	NON-NSSS SUPPLIED ACTIVE VALVES AND PUMPS
3.9-10	CODE CLASS 1 AND 2 SAFETY RELIEF VALVES
3.9-11	PIPE STRESSES DUE TO SAFETY RELIEF VALVE LOADS
3.9-12	STRESS LIMITS FOR CEDM PRESSURE HOUSINGS
3.9-13	STRESS LIMITS FOR REACTOR INTERNALS
3.9-14	NSSS TANKS AND HEAT EXCHANGERS
3.9-15	NSSS PUMPS
3.9-16	PIPE BREAK LOAD CONSIDERATIONS FOR ACTIVE VALVES LOCATED IN HIGH ENERGY SYSTEMS
3.9-17	MSLB FLOW CONDITIONS AS APPLICABLE TO THE MSIV's
3.9-18	STRESS LIMITS AND LOADING COMBINATIONS FOR PIPE SUPPORTS
3.9-19	VIBRATION TESTING MODES
3.9-20	INSTRUMENTATION REQUIREMENTS FOR LEVEL 2 TEST
3.9-21	CLASS 1 STRESS RANGE VALUES
3.9C-1	SEISMIC QUALIFICATION REPORTS FOR NON-NSSS SUPPLIED ACTIVE VALVE OTHER THAN CHECK VALVES
3.9C-2	SEISMIC QUALIFICATION REPORTS FOR NON-NSSS SUPPLIED CLASS 1 CHECK VALVES
3.9C-3	SEISMIC QUALIFICATION REPORTS FOR NON-NSSS SUPPLIED ACTIVE CLASS 2 AND 3 CHECK VALVES
3.10-1	DELETED
3.11-1	ENVIRONMENTAL CONDITION SUMMARY
3.11-2	OPERABILITY REQUIREMENTS FOR EQUIPMENT REQUIRED TO FUNCTION DURING AND SUBSEQUENT TO ANY DESIGN BASIS ACCIDENT
3.11-3	SAFETY RELATED EQUIPMENT DESIGNED FOR NON-SEISMIC VIBRATION

DESIGN OF STRUCTURES, COMPONENTS EQUIPMENT AND SYSTEMS

CHAPTER 3

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>
3.3-1	Wind Speeds and Resulting Static Pressures (Reactor Building - Dome)
3.3-2	Tornado Wind Speeds and Resulting Static Pressure Loadings - (Reactor Building - Dome)
3.3-3	Wind Speeds and Resulting Static Pressures (Reactor Building - Wall)
3.3-4	Tornado Wind Speeds and Resulting Static Pressures (Reactor Building - Wall)
3.4-1	Waterproofing and Water Stop Details For Seismic Category I Structures
3.4-2	Typical Flood Door
3.5-1	Orientation of Turbine Missile Targets and Barriers Relative to Turbine Train
3.5-2	Orientation of Turbine Missile Targets and Barriers Relative to Turbine Train
3.5-3	Orientation of Turbine Missile Targets and Barriers Relative to Turbine Train
3.5-4	Orientation of Turbine Missile Targets and Barriers Relative to Turbine Train
3.5-5	Properties of Low Pressure Turbine 90° Disc Quadrants
3.5-6	Arrangement and Identification of LP Turbine Discs
3.5-7	Typical LP Cylinder
3.5-8	Properties of Low Pressure Turbine Cylinder (Casing) Fragments
3.5-9	Display of Variables Used in the Turbine Missile Analysis
3.6-1	Pipe Whip Mathematical Model Main Steam Piping Inside Containment
3.6-2	Pipe Whip Mathematical Model Feedwater Lines Inside Containment
3.6-3	Pipe Whip Mathematical Model Main Steam Line A Outside Containment to Column "G"
3.6-4	Pipe Whip Mathematical Model Main Steam Line B Outside Containment to Column "G"
3.6-5	Pipe Whip Mathematical Model Feedwater Line A Outside Containment to Column "G"

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.6-6	Pipe Whip Mathematical Model Feedwater Line B Outside Containment to Column "G"
3.6-7	Piping Stress - Strain Characteristics
3.6-8	Restraint Impact
3.6-9	U-Bar Restraint
3.6-10	Collar Restraint
3.6-11	Plate - Type Restraint
3.6-12	Jet Divergence for Wet Steam and Saturated Water
3.6-13	Circumferential Break - Limited Separation
3.6-14	Jet Divergence for Dry Steam and Nonflashing Water
3.6-15	Containment Piping Penetration Assemblies Type I Load Combinations
3.6-16	Containment Piping Penetration Assemblies Type II Load Combinations
3.6-17	Containment Piping Penetration Assemblies Type III Load Combinations
3.6-18	Containment Piping Penetration Assemblies Types IV & V Load Combinations
3.6-19	Containment Piping Penetration Assemblies Type VI Load Combinations
3.6-20	Blowdown and Total Wave Forces
3.6-21	Friction Effect on Steady Blowdown Force
3.6A-1	Reactor Building Blowdown System Breakpoints & Pipe Whip Restraints
3.6A-2	Reactor Building Blowdown System Breakpoints & Pipe Whip Restraints
3.6A-3	Reactor Building Blowdown System Breakpoints & Pipe Whip Restraints
3.6A-4	Reactor Building Blowdown System Breakpoints & Pipe Whip Restraints
3.6A-5	Reactor Building Reactor Coolant Piping Breakpoints & Pipe Whip Restraints
3.6A-6	Reactor Building Reactor Coolant Piping Breakpoints & Pipe Whip Restraints

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.6A-7	Reactor Building Reactor Coolant Piping Breakpoints & Pipe Whip Restraints
3.6A-8	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-9	Reactor Building-Safety Injection Piping-Break Points & Pipe Whip Restraints
3.6A-10	Reactor Building-Safety Injection Piping-Break Points & Pipe Whip Restraints
3.6A-11	Reactor Building-Safety Injection Piping System-Break Points & Pipe Whip Restraints
3.6A-12	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-13	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-14	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-15	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-16	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-17	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-18	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-19	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-20	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-21	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-22	Reactor Building-Safety Injection System-Break Points & Pipe Whip Restraints

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.6A-23	Reactor Building - Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-24	Reactor Building - Safety Injection Piping-Break Points & Pipe Whip Restraints
3.6A-25	Reactor Building - Safety Injection Piping-Break Points & Pipe Whip Restraints
3.6A-26	Reactor Building - Safety Injection System-Break Points & Pipe Whip Restraints
3.6A-27	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-28	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-29	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-30	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-31	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-32	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-33	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-34	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-35	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-36	Reactor Building - Chemical and Volume Control Piping - Break Points and Pipe Whip Restraints
3.6A-36a	Reactor Coolant System Design Basis Pipe Breaks Types and Locations
3.6A-36b	Reactor Coolant System Design Basis Pipe Breaks Types and Locations
3.6A-36c	Reactor Building Chemical & Volume Control Piping Breakpoints & Pipe Whip Restraints

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.6A-37	Reactor Building - Pressurizer Relief System - Break Points and Pipe Whip Restraints
3.6A-38	Reactor Building - Reactor Coolant Piping Pressurizer Spray Break Points & Pipe Whip Restraints
3.6A-38a	Reactor Building - Reactor Coolant Piping Pressurizer Spray Break Points & Pipe Whip Restraints
3.6A-38b	Reactor Building - Reactor Coolant Piping Pressurizer Spray Break Points & Pipe Whip Restraints
3.6A-38c	Reactor Building Pressurizer Surge Piping Break Points & Pipe Whip Restraints
3.6A-38d	Main Steam & Feedwater Piping Systems Selection of Postulated Break Locations Inside Containment
3.6A-38e	Postulated Break Locations - Main Steam Piping Inside Containment
→(DRN 06-734, R15)	
3.6A-38f	Postulated Break Locations – Feedwater Piping Inside Containment
←(DRN 06-734, R15)	
3.6A-39	Auxiliary Building Chemical and Volume Control Piping (Charging) Break Points and Pipe Whip Restraints
3.6A-40	Reactor Auxiliary Building Chemical and Volume Control Piping (Charging) Break Points and Pipe Whip Restraints
3.6A-41	Reactor Auxiliary Building Chemical and Volume Control Piping (Charging) Break Points and Pipe Whip Restraints
3.6A-41a	Reactor Auxiliary Building Chemical & Volume Control Piping (Charging) Breakpoints & Pipe Whip Restraints
3.6A-42	Reactor Auxiliary Building Chemical and Volume Control Piping (Charging) Break Points and Pipe Whip Restraints
3.6A-43	Reactor Auxiliary Building Chemical and Volume Control Piping (Charging) Break Points and Pipe Whip Restraints
3.6A-43a	Reactor Auxiliary Building - CVCS Charging System - Break Points and Pipe Whip Restraints
3.6A-43b	Reactor Auxiliary Building - CVCS Charging System - Break Points and Pipe Whip Restraints
3.6A-44	Reactor Auxiliary Building - Chemical Volume Control Piping (Letdown) Break Points & Pipe Whip Restraints

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.6A-45	Reactor Auxiliary Building - Chemical Volume Control Piping (Letdown) Break Points & Pipe Whip Restraints
3.6A-46	Reactor Auxiliary Building - Chemical Volume Control Piping (Letdown) Break Points & Pipe Whip Restraints
3.6A-47	Reactor Auxiliary Building - Chemical Volume Control Piping (Letdown) Break Points & Pipe Whip Restraints
3.6A-48	Reactor Auxiliary Building - Chemical Volume Control Piping (Letdown) Break Points & Pipe Whip Restraints
3.6A-49	Reactor Auxiliary Building - Chemical Volume Control Piping (Letdown) Break Points & Pipe Whip Restraints
3.6A-50	Reactor Auxiliary Building Blowdown System Break Points & Pipe Whip Restraints
3.6A-51	Reactor Auxiliary Building Blowdown System Break Points & Pipe Whip Restraints
3.6A-52	Reactor Auxiliary Building Blowdown System Break Points & Pipe Whip Restraints
3.6A-53	Reactor Auxiliary Building Blowdown System Break Points & Pipe Whip Restraints
3.6A-54	Main Steam & Feedwater Piping Systems - Superpipe Region Combined Operating & Pipe Rupture Stresses Outside Containment
3.6A-54a	Reactor Auxiliary Building - Main Steam and Feedwater - Break Exclusion Region
3.6A-54b	Reactor Auxiliary Building - Main Steam and Feedwater - Break Exclusion Region
3.6A-55	Postulated Break Locations - Main Steam Break Outside Containment to "G" Row
3.6A-56	Postulated Break Locations - Main Feedwater Piping Outside Containment to "G" Row
3.6A-57	Main Steam & Feedwater Piping Systems Selection of Postulated Break Locations - Isolation Valves to "G" Row - Outside Containment
3.6A-58	CVCS Letdown (RAB)
3.6A-59	Blowdown, RLB (Steam Generator No. 1)

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.6A-60	Blowdown, RAB (Steam Generator No. 1)
3.6A-61	Blowdown, RAB (Steam Generator no. 2)
3.6A-62	CVCS Letdown (RCB)
3.6A-63	Blowdown, RLB (Steam Generator No. 2)
3.6A-64	CVCS Charging (RCB, Penetration to Regenerative Heat Exchanger)
3.6A-65	CVCS Charging (RAB)
3.6A-66	CVCS Charging (RAB, From Pump A)
3.6A-67	CVCS Charging (RAB, From Pumps B and A/B)
3.6C-1	Typical Piping Bend
3.6C-2	Typical Piping Bend With Adjacent Break
3.6C-3	Pipe Break Experimental System
3.6C-4	Relap Model of Experimental System
3.6C-5	Bend Force Comparisons With Test
3.6C-6	Typical Piping Straight Run With Control Volumes
3.6C-7	Typical Piping Straight Run With Break
3.6C-8	Cold Water Experimental Force Comparison
3.6C-9	Assumed Rupture Disk Opening
3.7-1	Horizontal Response Spectrum Design Basis Earthquake 2% Damping - Top of Pleistocene
3.7-2	Horizontal Response Spectrum Design Basis Earthquake 5% Damping - Top of Pleistocene
3.7-3	Horizontal Response Spectrum Operating Basis Earthquake 2% Damping - Top of Pleistocene
3.7-4	Horizontal Response Spectrum Operating Basis Earthquake 5% Damping - Top of Pleistocene

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.7-5	Vertical Response Spectrum Design Basis Earthquake 2% Damping - Top of Pleistocene
3.7-6	Vertical Response Spectrum Design Basis Earthquake 5% Damping - Top of Pleistocene
3.7-7	Vertical Response Spectrum Operating Basis Earthquake 2% Damping - Top of Pleistocene
3.7-8	Vertical Response Spectrum Operating Basis Earthquake 5% Damping - Top of Pleistocene
3.7-9	Mathematical Model For Seismic Analysis (Horizontal Excitations)
3.7-10	Mathematical Model for Seismic Analysis (Vertical Excitation)
3.7-11	Floor Spectra E-W SSE 1% Containment Vessel Elev. + 88 Ft. MSL
3.7-12	Floor Spectra E-W SSE 1% Internal Structure Elev. + 46 Ft. MSL
3.7-13	Floor Spectra E-W SSE 1% Fuel Handling Bldg. Elev. + 21 Ft. MSL
3.7-14	Floor Spectra E-W SSE 1% Reactor Aux. Bldg. Elev. + 21 Ft. MSL
3.7-15	Floor Spectra E-W SSE 1% Foundation Mat Elev. - 35 Ft. MSL
3.7-16	Floor Spectra Vertical SSE 1% Containment Vessel Elev. + 88 Ft. MSL
3.7-17	Floor Spectra Vertical SSE 1% Internal Structure Elev. + 46 Ft. MSL
3.7-18	Floor Spectra Vertical SSE 1% Reactor Aux. Bldg. Elev. + 21 Ft. MSL
3.7-19	Floor Spectra Vertical SSE 1% Fuel Handling Bldg. Elev. + 21 Ft. MSL
3.7-20	Floor Spectra Vertical SSE 1% Foundation Mat Elev. - 35 Ft. MSL
3.7-21	Reactor Building Mathematical Torsion Model
3.7-22	Stability Against Overturning For Seismic Category I Structures
3.7-23	Reactor Coolant System Seismic Analysis Model
3.7-24	Pressurizer Seismic Analysis Model
3.7-25	Surge Line Seismic Analysis Model
3.7-26	Seismic Protection Analysis Sample Problem No. 1

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.7-27	Seismic Protection Analysis Sample Problem No. 2 (Sheet 1)
3.7-28	Seismic Protection Analysis Sample Problem No. 2 (Sheet 2)
3.7-29	Seismic Protection Analysis Sample Problem No. 3
3.7-30	Representative Node Locations Seismic Mathematical Model
3.7-31	Reactor Internals Linear Lateral Seismic Model
3.7-32	Reactor Internals Linear Vertical Seismic Model
3.7-33	Reactor Internals Nonlinear Lateral Seismic Model
3.7-34	Reactor Core Horizontal Nonlinear Seismic Model
3.7-35	Core - Support Barrel Upper Flange Finite - Element Model
3.7-36	Schematic Representation of the Theoretically Modeled 150 Inch CEDM
3.7A-1	Variation of Shear Modulus with Time (Level 19)
3.7A-2	Variation of Shear Modulus with Time (Level 13)
3.7A-3	Soil Shear Modulus Distribution During Safe Shutdown Earthquake
3.7A-4	Soil Shear Modulus During Safe Shutdown Earthquake
3.8-1	Seismic Category I Structural Layout
3.8-2	Reactor Building Containment Vessel
3.8-3	Reactor Containment Building Piping Penetrations
3.8-4	Reactor Containment Building Piping Penetrations
3.8-5	Reactor Containment Building Pipe Penetrations
3.8-6	Electrical Penetrations Penetration Outline Sheet 1 of 2
3.8-6	Electrical Penetrations Concrete Inserts Sheet 2 of 2
3.8-7	OBE Seismic Coefficients For Steel Containment Vessel
3.8-8	SSE Seismic Coefficients For Steel Containment Vessel
3.8-9	Combination of Latitudinal and Meridional Stresses For the Containment Vessel

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.8-10	Formulas For Calculating Containment Vessel Stresses Resulting From Vertical Axial Forces
3.8-11	Formulas For Calculating Containment Vessel Stresses Resulting From Horizontal Axial Forces
3.8-12	Dimensions and Plate Sizes For Containment Vessel Bottom Head
3.8-13	Schematic of Column to Containment Shell Junction
3.8-14	Schematic of Containment Vessel Knuckle Section
3.8-15	Containment Vessel Bottom Elliptical Head: Computer Model
3.8-16	Load Development For Containment Vessel Personnel Lock
3.8-17	Model for CB&I Program 1027
3.8-18	Containment Penetration Model Used in CB&I Program 1036 M
3.8-19	Containment Penetration Model Used in CB&I Program 1392
3.8-20	Containment Penetration Model Used In CB&I Program 1392
3.8-21	Shell Model Showing Points of Stress Summary
3.8-22	Allowable Buckling Stresses For Unstiffened Hemispherical Head
3.8-23	Allowable Buckling Stresses For Cylindrical Vessel
3.8-24	Allowable Buckling Stress For SA-516 Grade 70 Material
3.8-25	Summary of Knuckle Stress Analysis in Ethafoam Zone at Time = 0 After a LOCA
3.8-26	Summary of Knuckle Stress Analysis in Ethafoam Zone at Time = 20 Min. After a LOCA
3.8-27	Summary of Knuckle Stress Analysis in Ethafoam Zone at Time = 50 Min. After a LOCA
3.8-28	Summary of Knuckle Stress Analysis in Ethafoam Zone at Time = 2 Hours After a LOCA
3.8-29	Post Weld Heat Treatment: Thermocouple and Furnace Arrangement (Elevation)
3.8-30	Post Weld Heat Treatment: Thermocouple and Furnace Arrangement (Plan)

WSES-FSAR-UNIT-3

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.8-31	Reactor Building Structural Layout
3.8-32	Reactor Primary Shield and Refueling Canal Masonry Sheet 1 of 2
3.8-32	Reactor Primary Shield and Refueling Canal Masonry Sheet 2 of 2
3.8-33	Reactor Primary Shield and Refueling Canal - Reinforcement Sheet 1 of 2
3.8-33	Reactor Primary Shield and Refueling Canal - Reinforcement Sheet 2 of 2
3.8-34	Reactor Building Reactor Vessel Support
3.8-35	Reactor Building Equipment Supports
3.8-36	Reactor Building Steam Generator Sliding Base
3.8-37	Reactor Building Reactor Coolant System Support
3.8-38	Reactor Building Reactor Coolant System Supports and Stops
3.8-39	Reactor Building Reactor Coolant System Supports and Stops
3.8-40	Shield Building Dome - Masonry
3.8-41	Shield Building Dome - Reinforcement (Typical)
3.8-42	Reactor Auxiliary Building Structural Layout
3.8-43	Fuel Handling Building Structural Layout
3.8-44	Shield Building Cylinder Development
3.8-45	Common Foundation Mat - Masonry (Typical)
3.8-46	Common Foundation Mat - Reinforcement (Typical)
3.9-47	Unacceptable and Acceptable Fusion Conditions
3.9-1	ASHSD Finite Element Model of the CSB System
3.9-2	Full Power DE Outlet Break Radial Pressure Difference Across Core Support Barrel
3.9-3	Full Power DE Inlet Break Radial Pressure Difference Across Core Support Barrel
3.9-4	Sammisor/Dynasor Finite Element Model of Core Support Barrel
3.9-5	DELETED

CHAPTER 3

LIST OF FIGURES (Cont'd)

<u>Figure</u>	<u>Title</u>
3.9-6	Detailed Vertical Internals Model
3.9-7	Detailed Horizontal Internals Mode
3.9-8	Reduced Internals Model
3.9-9	Reactor Vertical Arrangement
3.9-10	Maine Yankee Reactor Vertical Arrangement
3.9-11	Fort Calhoun - Unit 1 Reactor Vertical Arrangement
3.9-12	Closed System Arrangement for Safety Relief Valves
3.9-13	Control Element Drive Mechanism (Magnetic Jack)
3.9-14	Pressure Vessel, Core Support Barrel Snubber Assembly
3.9-15	Core Shroud Assembly
3.9-16	Upper Guide Structure Assembly
3.9-17	In-Core Instrument Support Assembly
3.9-18	In-Core Instrument Nozzle
3.9-19	Intentionally Deleted
3.9-20	General Flow Chart for Piping Vibration Testing

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

<u>Section</u>	<u>Cross References</u>
<u>Revision 12-B</u>	
Section 3.2.1	ER-W3-1999-9544-001/DRN 03-291
Table 3.2-1 Sht 23	
Table 3.2-1 Sht 26	
Table 3.9-9 Sht 13	
Section 3.6.2.1.3	ER-W3-2000-0563-000/DRN 00-0958
Section 3.6A.6.4.2.1	
<u>Revision 12-C</u>	
Table 3.2-1 Sht 24	ER-W3-2003-0227-000/DRN 03-633
Table 3.2-1 Sht 25	
<u>Revision 13</u>	
Section 3.9.1.2	ER-W3-2000-1073-000/DRN 02-1196
Table 3.9C-30	
Section 3.6A.6.4.2.1	ER-W3-2003-0271-000/DRN 03-774
Table 3.2-1 Sht 5	ER-W3-2000-0106-002/DRN 03-759
Table 3.2-1 Sht 6	
Section 3.3.2.3	ER-W3-2002-0510-000/DRN 03-1823
Figure 3.9-18	ER-W3-2003-0135-000/DRN 03-1921
<u>Revision 13-A</u>	
Table 3.9-1 Sht 9	ER-W3-99-0557-00-00/DRN 99-868
<u>Revision 13-B</u>	
Table 3.9-9 Sht 8	ER-W3-2004-0143-000/DRN DRN 04-515
Table 3.9-9 Sht. 10	
Table 3.9-9 Sht. 18	
Table 3.9-9 Sht. 24	
<u>Revision 14</u>	
Section, 3.1.4	ER-W3-2001-1149-000/DRN 03-2056
Section, 3.6.1.2	
Section, 3.6.2.1.1	
Section, 3.6.2.1.1.1	
Section, 3.6.2.1.1.2	
Section, 3.6.2.3.1	
Section, 3.6.2.5.1	
Section, 3.6.3	
Section, 3.6A.1.1.5.2	
Section, 3.6A.6.3	
Section, 3.7.3.14.2.1	
Section, 3.7.3.14.2.2	
Section, 3.7.3.14.2.3	
Section, 3.7.3.14.2.5	
Section, 3.9.1.2	
Section, 3.9.1.5	

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

Revision 14 Cont'd

Section 3.9.2.5.1	ER-W3-2001-1149-000/DRN 03-2056
Section 3.9.2.5.1.1	
Section 3.9.2.5.1.5	
Section 3.9.2.5.2	
Section 3.9.2.5.3	
Section 3.9.3.4	
Section 3.9.4.3	
Section 3.9.5.1.1	
Section 3.9.5.1.1.1	
Section 3.9.5.1.1.3	
Section 3.9.5.1.2	
Section 3.9.5.1.4	
Section 3.9.5.3.2	
Section 3.9.5.4.1	
Section 3.11.3	
Reference, 3.6	
Reference, 3.9	
Table 3.6A-18	
Table 3.6A-19	
Table 3.6A-20	
Table 3.6A-21	
Table 3.9-1 sh 1-2	
Table 3.9-12	
Table 3.9-13	
Table 3.9-21	
Figure 3.6A-38d	
Figure 3.6A-54	
Figure 3.6A-57	
Figure 3.6A-58	
Figure 3.6A-59	
Figure 3.6A-60	
Figure 3.6A-61	
Figure 3.6A-62	
Figure 3.6A-63	
Figure 3.6A-64	
Figure 3.6A-65	
Figure 3.6A-66	
Figure 3.6A-67	
Appendix 3.9E	
Section 3.6A.6.3	ER-W3-2001-1149-000/DRN 05-163
Section 3.11-3	
Section 3.1.16	ER-W3-2002-0110-001/DRN 04-1095
Figure 3.9-17	ER-W3-2004-0137-000/DRN 04-1959
Figure 3.9-18	
Figure 3.8.32	ER-W3-2004-0137-002/DRN 05-557
Section 3.2.1	ER-W3-2004-0276-001/DRN 05-127
Section 3.5.1	
Section 3.5.1.4.1	
Section 3.6.1.1	
Table 3.11 sheets 1-8	
Table 3.9-9 sheet 11	ER-W3-2004-0618-000/DRN 05-40
Table 3.9-9 sheet 3	ER-W3-2005-0273-000/DRN 05-1063
Table 3.9-9 sheet 10	
Table 3.9-9 sheet 14	

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

Revision 14 Cont'd

Table 3.9-9 sheet 3 ER-W3-2005-0302-000/DRN 05-1133
Table 3.9-9 sheet 9
Table 3.9-9 sheet 16
Table 3.9-9 sheets 23-24

Table 3.11-1 page 8 ER-W3-2005-0500-000/DRN 05-1549

Revision 14-A

Table 3.2-1 sheet 8 ER-W3-2004-0523-000/DRN 05-1572

Section 3.2.2 ER-W3-1998-0840-001/DRN 05-1637

Section 3.6A.6.4.1 ER-W3-2005-0033-000/DRN 05-1388

Section 3.8.3.3.1 ER-W3-2004-0331-000/DRN 05-1534

Table 3.9-9 sheet 6 ER-W3-2004-0523-000/DRN 05-1572

Table 3.9-10 sheet 1 ER-W3-2004-0523-000/DRN 05-1572

Table 3.11-1 sheet 2 ER-W3-2000-0334-000/DRN 04-1197

Table 3.11-1 sheet 3

Revision 14-B

Section 3.6.1.2 ER-W3-2005-0442-000/DRN 06-291
Section 3.6A.6.4.2.2

Table 3.2-1 sh 8 ER-W3-2006-0178-000/DRN 06-499
Table 3.9-9 sh 6
Table 3.9-10 sh 1

Revision 15

Table 3.2-1 Sh. 8 ER-W3-2004-0523-000/DRN 05-1572
Table 3.9-9 Sh. 6
Table 3.9-10 Sh. 1

Table 3.9-1 Sh. 1 ER-W3-2006-0190-000/DRN 06-555

Table of Contents ER-W3-2006-0109-000/DRN 06-734
Figure 3.6-2
Table 3.6A-14
Figure 3.6A-38f

Section 3.5.1.3.7 ER-W3-2006-0164-000/DRN 06-758
References: Section 3.5
Section 3.5.1.3.3

Section 3.6 ER-W3-2006-0258-000/DRN 06-803
Section 3.6.2.1.1.2
Section 3.6.2.1.1.3

Section 3.1.48 ER-W3-2006-0281-000/DRN 06-870
Table 3.2-1 Sh. 9
Table 3.2-1 Sh. 11
Table 3.2-1 Sh. 12
Table 3.2-1 Sh. 21
Table 3.2-1 Sh. 24
Table 3.2-1 Sh. 25

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

Revision 15 Cont'd

Table 3.9C-2	ER-W3-2006-0223-000/DRN 06-882
Table 3.6-5 Sh. 1	ER-W3-2006-0223-000/DRN 06-883
Table 3.6-5 Sh. 2	
Table 3.6-5 Sh. 3	
Table 3.6-5 Sh. 4	
Table 3.6-5 Sh. 8	
Table 3.2-1 Sh. 1	ER-W3-2006-0223-000/DRN 06-903
Table 3.2-1 Sh. 2	
Table 3.2-1 Sh. 3	
Table 3.2-1 Sh. 4	
Table 3.2-1 Sh. 8	
Table 3.2-1 Sh. 25	
Section 3.6.2.3.4	ER-W3-2006-0223-000/DRN 06-913
Section 3.7.2.1.1.4	
Section 3.7.3.1.1.2	
Section 3.7.3.14.1.2	
Table 3.9-1 Sh. 1	ER-W3-2006-0245-000/DRN 06-1001
Table 3.9-3	
Table 3.9-9 Sh. 9	ER-W3-1999-0557-004/DRN 06-1183
Table 3.6A-3 Sh. 3	ER-W3-2007-0030-000/DRN 07-39
Figure 3.6A-16	

Revision 301

Section 3.1.37	EC-5000082443
Section 3.1.38	

Revision 302

Section 3.11.1	EC-658
Section 3.11.3	
Table 3.9-9 Sh. 22	EC-935
Section 3.9.1.1.1	
Section 3.9.1.2.1.22	
Table 3.11-1 Sh. 3	EC-10297

Revision 304

Section 3.8.2.3	EC-706 EC-18219
Table 3.9-9 Sh. 22	EC-13981
Table 3.9C-2	
Section 3.9.1.1.2	
Table 3.9-9 Sh. 16	EC-18248
Section 3.7.2.6	EC-18996
Section 3.7.3.1.1.2	
Table 3.9-9 Sh. 11	EC-19716
Table 3.9C-3 Sh. 1	

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

<u>Section</u>	<u>Cross References</u>
<u>Revision 305</u>	
Table 3.2-1 Sheet 5 of 27	EC-4019
Section 3.6.1.2	EC-19087
Section 3.6.2.3.1	
Section 3.6.2.5	
Section 3.6.3	
Section 3.6: References	
Section 3.6A	
Table 3.6A-8	
Figure 3.6A-36a	
Figure 3.6A-36b	
Figure 3.6A-38c	
Section 3.8.3.8	EC-26170
Section 3.8.4.8	
Table 3.9-8 Sheet 2 of 2	EC-26496
Table 3.9-9 Sheet 22 of 24	EC-14765
Table 3.9C-1 Sheet 12 of 12	
Section 3.4-1	EC-29230
<u>Revision 306</u>	
Section 3.8.4.1.3	EC-14275
Section 3.6.2.3.4	EC-29816
Section 3.9.1.5.2	
<u>Revision 307</u>	
Section 3.7.3.14.2.5	EC-1020
Section 3.7.4.1	
Section 3.9.1.2.2.1.3	
Section 3.9.1.2.2.1.4	
Section 3.9.1.2.2.1.9	
Section 3.9.1.2.2.2.3	
Section 3.9.5.1.4	
Figure 3.9-9	
Figure 3.9-18	
Table 3.5-4 (Sh. 2 of 2)	EC-2800
Section 3.7.3.14.2.2	
Section 3.7.3.14.2.3	
Section 3.7.3.14.2.5	
Section 3.9.1.2.2.2.1 b	
Section 3.9.1.2.2.2.2	
Section 3.9.1.2.2.2.3	
Section 3.9.4.1.1.3	
Section 3.9.4.2	
Section 3.9.4.4.1.1	
Section 3.9.4.4.1.2	
Section 3.9.4.4.1.3	
Section 3.9: References	
Table 3.9-12	
Section 3.8.4.1.1	EC-8427
Figure 3.8-44	

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

<u>Section</u>	<u>Cross References</u>
<u>Revision 307 (continued)</u>	
Section 3.6.2.5.1 Figure 3.8-37 Figure 3.8-38 Figure 3.8-39	EC-8433
Section 3.9.1.2.1.23 Section 3.9.1.2.2 Table 3.6A-1 Figure 3.6A-1 Figure 3.6A-3	EC-8435
Section 3.8.3.1.5 Figure 3.8-35 Figure 3.8-36	EC-8438
Table 3.6A-3 Sh. 1 of 5 Table 3.6A-3 Sh. 3 of 5 Table 3.6A-3 Sh. 4 of 5 Table 3.6A-3 Sh. 5 of 5 Table 3.6A-8 Figure 3.6A-8 Figure 3.6A-14 Figure 3.6A-21 Figure 3.6A-26 Figure 3.6A-38c Table 3.6-5 Sh. 5 of 10 Table 3.6-5 Sh. 7 of 10 Table 3.6-5 Sh. 8 of 10 Table 3.6-5 Sh. 9 of 10	EC-8439
Section 3.7.3.1.2.1 Section 3.7.3.1.2.2 Section 3.7.3.1.2.3 Section 3.7.3.1.3 Section 3.7.3.1.4 Table 3.7-12 Table 3.7-13 Figure 3.7-23 Figure 3.7-25 Section 3.7.3.14.2.2 Section 3.7.3.14.2.5 Section 3.7.4.1 Section 3.7: REFERENCES Section 3.9.1.1 Section 3.9.1.2.2.1.1 Section 3.9.1.2.2.1.2 Section 3.9.1.2.2.2.3 Section 3.9.1.2.2.2.4 Section 3.9.1.5.2 Section 3.9: REFERENCES Table 3.9-1 Table 3.9-3 Appendix 3.9E Section 3.9.1.2.2.1.34 Section 3.9.1.2.2.1.35	EC-8458
Section 3.9.1.2.2.3	EC-12610
Table 3.2-1 Sh. 2 of 27 Table 3.2-1 Sh. 26 of 27	EC-33471

WSES-FSAR-UNIT-3

UPDATE REFERENCE LIST

Chapter 3

<u>Section</u>	<u>Cross References</u>
<u>Revision 307 (continued)</u>	
Figure 3.6A-20	EC-38445
Section 3.4.1	EC-41046
Table 3.9-9 Sh. 1 of 24	EC-41355
Table 3.9-9 Sh. 4 of 24	
Table 3.9-9 Sh. 5 of 24	
Table 3.9-9 Sh. 6 of 24	
Table 3.9-9 Sh. 11 of 24	
Table 3.9-9 Sh. 17 of 24	
Table 3.8-37 Sh. 1 of 2	EC-41857
Table 3.2-1 Sh. 25 of 27	EC-44877
<u>Revision 308</u>	
Section 3.5.3.2.1	EC 40242
Table 3.5-13	
Section 3.8.3.2.3	LBDCR 14-018
Section 3.8.6.13	
Section 3.8.4.1.1	
Table 3.2-1 Sh. 13 of 27	LBDCR 13-016
Table 3.2-1 Sh. 23 of 27	
Table 3.6a-26	EC 45581
Table 3.6a-27	
<u>Revision 309</u>	
Section 3.1.8	LBDCR 13-014
Table 3.2-1	LBDCR 15-001
Section 3.5.1.4.2	
Table 3.2-2 Sh. 2	LBDCR 15-021
Section 3.9.1.1.2	
Section 3.9.3.3	
Section 3.9.4.1	LBDCR 15-039
Table 3.6-4	LBDCR 14-026
Section 3.9.1	LBDCR 14-015
Appendix 3.9B	LBDCR 15-006
Table 3.9C-1 Sh. 12	LBDCR 15-013
Table 3.9-9 Sh. 12	LBDCR 15-010
Table 3.9-9 Sh. 16	
Table 3.11-2 Sh. 12	LBDCR 16-004