



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D.C. 20555-0001

September 23, 2016

GLACIAL LAKES CORN  
PROCESSING  
ATTN: PETE BULLENE  
301 20TH AVENUE SE  
WATERTOWN, SD 57201

**SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GL-709807-20)**

Dear PETE BULLENE,

This letter is to confirm that we have received your response to the registration package for GL-709807-20.

We have completed processing your annual registration of certain general licensed devices. Please note that no further action is required from you at this time. If you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, for additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your registration or your responsibilities as a General Licensee please call (301) 415-6202 or visit [www.nrc.gov/materials/medical.html](http://www.nrc.gov/materials/medical.html).

You may submit your device transfer and change notification to:

Director, Office of Nuclear Material Safety and Safeguards  
ATTN: GLTS  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

Sincerely,  
**/RA/**  
Katie Wagner  
Office of Nuclear Material Safety  
and Safeguards  
Division of Material Safety, State, Tribal  
and Rulemaking Programs  
Material Safety Licensing Branch

GLACIAL LAKES CORN  
PROCESSING  
ATTN: PETE BULLENE  
301 20TH AVENUE SE  
WATERTOWN, SD 57201

**SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GL-709807-20)**

Dear PETE BULLENE,

This letter is to confirm that we have received your response to the registration package for GL-709807-20.

We have completed processing your annual registration of certain general licensed devices. Please note that no further action is required from you at this time. If you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, for additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your registration or your responsibilities as a General Licensee please call (301) 415-6202 or visit [www.nrc.gov/materials/medical.html](http://www.nrc.gov/materials/medical.html).

You may submit your device transfer and change notification to:

Director, Office of Nuclear Material Safety and Safeguards  
ATTN: GLTS  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

Sincerely,  
**/RA/**  
Katie Wagner  
Office of Nuclear Material Safety  
and Safeguards  
Division of Material Safety, State, Tribal  
and Rulemaking Programs  
Material Safety Licensing Branch

Distribution:  
MSTR r/f

**ML16265A549**

<b>Office</b>	NMSS
<b>Name</b>	KWagner
<b>Date</b>	09/16/2016

**OFFICIAL RECORD ONLY**