NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 4 PAGES Amendment No. 33

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Lice 1. Connecticut Departmen Office of Construction	ensee t of Transportation	In accordance with letter dated August 24, 2016,	4. Expiration Date: May 31, 2023		
2. 2800 Berlin Turnpike Newington, CT 06131		 License number: 06-07945-01 is amended in its entirety to read as follows: 	5. Docket No.: 030-03799 Reference No.:		
 Byproduct, source, and/or special nuclear material 	7. Chemical and/or physical for	rm 8. Maximum amount that licens may possess at any one time under this license			
A. Cesium-137	A. Sealed Sources (CPN Int Division of Instro'Tek, Inc. CPN Model CPN-131)		 A. For use in CPN International Division of InstroTek, Inc., Model MC Series PORTAPROBE portable gauges for measuring physical properties of materials. 		
B. Americium-241	B. Sealed Sources (CPN Int Division of Instro'Tek, Inc CPN Model CPN-131)		B. For use in CPN International Division of InstroTek, Inc., Model MC Series PORTAPROBE portable gauges for measuring physical properties of materials.		
CONDITIONS					
10. Licensed material may be used or stored at the licensee's facilities located at:					
1. 280 West Street, Rocky Hill, Connecticut, 06067 2. 1107 Cromwell Avenue, Rocky Hill, Connecticut, 06067					

NRC F	NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 2 OF 4 PAGES				
	MATERIALS LICENSE	License Number 06-07945-01	Docket or Reference Number 030-03799	۰.	
	SUPPLEMENTARY SHEET	Amendment No. 33			
	3. 171 Salem Turnpike, Norwich, Conne	ecticut, 06360			
	4. 140 Pond Lily Avenue, New Haven, Connecticut, 06525				
	 4. 140 Pond Lily Avenue, New Haven, Connecticut, 06525 5. 359 South Main Street, Thomaston, Connecticut, 06787 				
	Licensed material may be used at temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.				
	controlling the job site in question to de	ility within an Agreement State is unknow termine whether the proposed job site is a in Agreement States not under exclusive	an area of exclusive Federal	jurisdiction. Authorization for	
	training described in the application dat years following the last use of licensed	len wo			
12.	The Radiation Safety Officer for this lice	ense is Eric Theriault.			
13.	the certificate of registration issued	by the U.S. Nuclear Regulatory Commiss , sealed sources shall be tested for leakag	ion under 10 CFR 32.210 or	by an Agreement State. In the	
	registration issued by the U.S. Nucle	a transferor indicating that a leak test has ear Regulatory Commission under 10 CF er person shall not be put into use until te	R 32.210 or by an Agreemer	nt State, prior to the transfer, a	

NRC F	ORM 374A	U.S. NUCLEAR REGULATORY COMM	ISSION	PAGE 3 OF 4 PAGES		
MATERIALS LICENS SUPPLEMENTARY SH	MATERIALSLICENSE	License Number 06-07945-01	Docket or Reference Number 030-03799			
	SUPPLEMENTARY SHEET	Amendment No. 33				
	C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.					
	D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.					
	E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.					
	F. Records of leak test results shall be	kept in units of becquerels (microcuries)	and shall be maintained for 3	years.		
14.	Sealed sources or source rods containin from source rods by the licensee, except		or sources removed from sou	rce holders or detached		
15.	The licensee shall conduct a physical inv Commission, to account for all sealed so maintained for 3 years from the date of e numbers, and the date of the inventory.	ventory every 6 months, or at other inter ources and/or devices received and poss	sessed under the license. Rec	cords of inventories shall be		

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION PAGE 4 OF 4 PAGE					
MATERIALS LICENSE SUPPLEMENTARY SHEET		License Number 06-07945-01	Docket or Reference Number 030-03799		
		Amendment No. 33			
	Each portable nuclear gauge shall have sealed source from its shielded position. direct surveillance of an authorized user. Any cleaning, maintenance, or repair of t only by the manufacturer or by other per	The gauge or its container must be lock the gauge(s) that requires detaching the	ed when in transport or storage source or source rod from the	e, or when not under the gauge shall be performed	
	perform such services.				
18.	18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.				
	A. Application dated March 4, 2013 (ML	-13073A300)			
		FOR	THE U.S. NUCLEAR REGULA	TORY COMMISSION	
Date	e: <u>September 28, 2016</u>	By:	Dennis Lawyer Region 1		