

Appendix H36 –  
RESRAD 7.0 Output for Area 2.2

## Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0 T½ Limit = 180 days 07/22/2016 11:15 Page 1  
Summary : RESRAD Default Parameters  
File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

### Table of Contents

#### Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	3
Summary of Pathway Selections .....	7
Contaminated Zone and Total Dose Summary .....	8
Total Dose Components	
Time = 0.000E+00 .....	9
Time = 1.000E+00 .....	10
Time = 3.000E+00 .....	11
Time = 1.000E+01 .....	12
Time = 3.000E+01 .....	13
Time = 1.000E+02 .....	14
Time = 3.000E+02 .....	15
Time = 1.000E+03 .....	16
Dose/Source Ratios Summed Over All Pathways .....	17
Single Radionuclide Soil Guidelines .....	17
Dose Per Nuclide Summed Over All Pathways .....	18
Soil Concentration Per Nuclide .....	18

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 2  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Dose Conversion Factor (and Related) Parameter Summary  
 Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1( 1)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1( 2)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2( 1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3( 1)
D-34	Food transfer factors:			
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 1,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-02	3.000E-02	RTF( 1,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	8.000E-03	8.000E-03	RTF( 1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC( 1,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 1,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETEG table in Ground Pathway of Detailed Report.  
 \*Base Case means Default.Lib w/o Associate Nuclide contributions.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 3  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

#### Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	3.500E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICKO
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.650E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Cs-137	6.600E-02	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1( 1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.700E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	0.000E+00	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.600E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.400E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	1.400E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.600E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.800E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.160E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.700E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.100E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.370E+07	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.700E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.600E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.500E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.400E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	5.000E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	5.720E+03	2.500E+02	---	UW

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 4  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

#### Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	2.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.700E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.600E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	1.400E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.400E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	2.800E+02	4.600E+03	---	DCNUCC( 1)
R016	Unsat. zone 1 (cm**3/g)	2.800E+02	4.600E+03	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	2.800E+02	4.600E+03	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.333E-04	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.480E-05	1.000E-04	---	MLINH
R017	Exposure duration	1.000E+00	3.000E+01	---	ED
R017	Shielding factor, inhalation	1.000E+00	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.730E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.600E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 5  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.500E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	9.000E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	0.000E+00	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMLK
R019	Livestock fodder intake for meat (kg/day)	2.730E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	6.420E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LW15
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LW16
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LS1
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 6  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

#### Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	6.700E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	1.800E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIK
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 7  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

#### Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

#### Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

## Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 8  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g
Area:      350.00 square meters	Cs-137      6.600E-02
Thickness:      1.00 meters	
Cover Depth:      0.00 meters	

Total Dose TDOSE(t), mrem/yr  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr  
 Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.278E-01	1.248E-01	1.191E-01	1.010E-01	6.313E-02	1.218E-02	1.105E-04	7.874E-12
M(t):	5.112E-03	4.993E-03	4.764E-03	4.041E-03	2.525E-03	4.870E-04	4.421E-06	3.149E-13

Maximum TDOSE(t): 1.278E-01 mrem/yr      at t = 0.000E+00 years.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 9  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	8.165E-02	0.6388	2.685E-08	0.0000	0.000E+00	0.0000	1.735E-02	0.1358	1.013E-02	0.0792	1.866E-02	0.1460	1.901E-05	0.0001
<b>Total</b>	<b>8.165E-02</b>	<b>0.6388</b>	<b>2.685E-08</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.735E-02</b>	<b>0.1358</b>	<b>1.013E-02</b>	<b>0.0792</b>	<b>1.866E-02</b>	<b>0.1460</b>	<b>1.901E-05</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.278E-01	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.278E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0 T½ Limit = 180 days 07/22/2016 11:15 Page 10  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	7.975E-02	0.6388	2.623E-08	0.0000	0.000E+00	0.0000	1.695E-02	0.1358	9.893E-03	0.0792	1.822E-02	0.1460	1.857E-05	0.0001
<b>Total</b>	<b>7.975E-02</b>	<b>0.6388</b>	<b>2.623E-08</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.695E-02</b>	<b>0.1358</b>	<b>9.893E-03</b>	<b>0.0792</b>	<b>1.822E-02</b>	<b>0.1460</b>	<b>1.857E-05</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.248E-01	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.248E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 11  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	7.609E-02	0.6388	2.502E-08	0.0000	0.000E+00	0.0000	1.617E-02	0.1358	9.438E-03	0.0792	1.739E-02	0.1460	1.772E-05	0.0001
<b>Total</b>	<b>7.609E-02</b>	<b>0.6388</b>	<b>2.502E-08</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.617E-02</b>	<b>0.1358</b>	<b>9.438E-03</b>	<b>0.0792</b>	<b>1.739E-02</b>	<b>0.1460</b>	<b>1.772E-05</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.191E-01	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.191E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 12  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	6.454E-02	0.6388	2.122E-08	0.0000	0.000E+00	0.0000	1.372E-02	0.1358	8.006E-03	0.0792	1.475E-02	0.1460	1.503E-05	0.0001
<b>Total</b>	<b>6.454E-02</b>	<b>0.6388</b>	<b>2.122E-08</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.372E-02</b>	<b>0.1358</b>	<b>8.006E-03</b>	<b>0.0792</b>	<b>1.475E-02</b>	<b>0.1460</b>	<b>1.503E-05</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.010E-01	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.010E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 13  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	4.033E-02	0.6388	1.326E-08	0.0000	0.000E+00	0.0000	8.572E-03	0.1358	5.003E-03	0.0792	9.216E-03	0.1460	9.390E-06	0.0001
<b>Total</b>	<b>4.033E-02</b>	<b>0.6388</b>	<b>1.326E-08</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.572E-03</b>	<b>0.1358</b>	<b>5.003E-03</b>	<b>0.0792</b>	<b>9.216E-03</b>	<b>0.1460</b>	<b>9.390E-06</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.313E-02	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>6.313E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0 T½ Limit = 180 days 07/22/2016 11:15 Page 14  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	7.778E-03	0.6388	2.558E-09	0.0000	0.000E+00	0.0000	1.653E-03	0.1358	9.649E-04	0.0792	1.778E-03	0.1460	1.811E-06	0.0001
Total	7.778E-03	0.6388	2.558E-09	0.0000	0.000E+00	0.0000	1.653E-03	0.1358	9.649E-04	0.0792	1.778E-03	0.1460	1.811E-06	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.218E-02	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.218E-02	1.0000

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 15  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	7.060E-05	0.6388	2.322E-11	0.0000	0.000E+00	0.0000	1.501E-05	0.1358	8.758E-06	0.0792	1.613E-05	0.1460	1.644E-08	0.0001
<b>Total</b>	<b>7.060E-05</b>	<b>0.6388</b>	<b>2.322E-11</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.501E-05</b>	<b>0.1358</b>	<b>8.758E-06</b>	<b>0.0792</b>	<b>1.613E-05</b>	<b>0.1460</b>	<b>1.644E-08</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.105E-04	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.105E-04</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 16  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years  
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	5.030E-12	0.6388	1.654E-18	0.0000	0.000E+00	0.0000	1.069E-12	0.1358	6.240E-13	0.0792	1.149E-12	0.1460	1.171E-15	0.0001
<b>Total</b>	<b>5.030E-12</b>	<b>0.6388</b>	<b>1.654E-18</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.069E-12</b>	<b>0.1358</b>	<b>6.240E-13</b>	<b>0.0792</b>	<b>1.149E-12</b>	<b>0.1460</b>	<b>1.171E-15</b>	<b>0.0001</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years  
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.874E-12	1.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>7.874E-12</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 17  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Dose/Source Ratios Summed Over All Pathways											
Parent and Progeny Principal Radionuclide Contributions Indicated											
0	Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
				0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
	Cs-137+D	Cs-137+D	1.000E+00	1.936E+00	1.891E+00	1.805E+00	1.531E+00	9.565E-01	1.845E-01	1.675E-03	1.193E-10

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g									
Basic Radiation Dose Limit = 2.500E+01 mrem/yr									
0Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Cs-137		1.291E+01	1.322E+01	1.385E+01	1.633E+01	2.614E+01	1.355E+02	1.493E+04	2.096E+11

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)						
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g						
at tmin = time of minimum single radionuclide soil guideline						
and at tmax = time of maximum total dose = 0.000E+00 years						
0Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Cs-137	6.600E-02	0.000E+00	1.936E+00	1.291E+01	1.936E+00	1.291E+01

### Appendix H36: RESRAD 7.0 Output for Area 2.2

RESRAD, Version 7.0      T½ Limit = 180 days      07/22/2016 11:15 Page 18  
 Summary : RESRAD Default Parameters  
 File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\AREA 2.2.RAD

Individual Nuclide Dose Summed Over All Pathways  
 Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Cs-137	Cs-137	1.000E+00	1.278E-01	1.248E-01	1.191E-01	1.010E-01	6.313E-02	1.218E-02	1.105E-04	7.874E-12

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration  
 Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Cs-137	Cs-137	1.000E+00	6.600E-02	6.447E-02	6.151E-02	5.217E-02	3.260E-02	6.288E-03	5.707E-05	4.066E-12

THF(i) is the thread fraction of the parent nuclide.  
 ORESCALC.EXE execution time = 0.37 seconds