



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
WASHINGTON, D.C. 20555-0001

November 1, 2016

Tom Hogan, Director
Environmental Health Division
Department of Health
625 Robert Street North
P.O. Box 64975
St. Paul, MN 55155-0975

Dear Mr. Hogan:

The U.S. Nuclear Regulatory Commission (NRC) uses the Integrated Materials Performance Evaluation Program (IMPEP) in the evaluation of Agreement State programs. Enclosed for your review is the draft IMPEP report, which documents the results of the Agreement State review held in Minnesota on October 3-7, 2016. The review team's preliminary findings were discussed with you and your staff on the last day of the review. The review team's proposed recommendations are that the Minnesota Agreement State Program be found adequate to protect public health and safety, and compatible with the NRC's program.

The NRC conducts periodic reviews of Agreement State programs to ensure that public health and safety are adequately protected from the potential hazards associated with the use of radioactive materials and that Agreement State programs are compatible with the NRC's program. The process, titled IMPEP, employs a team of NRC and Agreement State staff to assess Agreement States' and NRC Regional Offices' radioactive materials programs. All reviews use common criteria in the assessment and place primary emphasis on performance. The final determination of adequacy and compatibility of each Agreement State program, based on the review team's report, is made by a Management Review Board (MRB) composed of NRC managers and an Agreement State program manager who serves as a liaison to the MRB.

In accordance with procedures for implementation of IMPEP, we are providing you with a copy of the draft report for your review and comment prior to submitting the report to the MRB. Comments are requested within 4 weeks from your receipt of this letter. This schedule will permit the issuance of the final report in a timely manner that will be responsive to your needs.

The team will review the response, make any necessary changes to the report, and issue it to the MRB as a proposed final report. The MRB meeting is scheduled for Thursday, January 5, 2017, at 1:00 p.m. ET. The NRC will provide invitational travel for you or your designee to attend the MRB meeting at the NRC Headquarters in Rockville, Maryland. The NRC has video conferencing capability if it is more convenient for the State to participate through this medium. Please contact me if you desire to attend in person or establish a video conference for the meeting.

T. Hogan

-2-

If you have any questions regarding the enclosed report, please contact me at 301-415-5804.

Thank you for your cooperation.

Sincerely,

/RA/

Paul Michalak, Chief
Agreement State Programs Branch
Division of Material Safety, State, Tribal, and
Rulemaking Programs
Office of Nuclear Material Safety and Safeguards

Enclosure:
2016 Draft IMPEP Report

cc: Mary B. Navara RN, COHN-S, MPH, Manager
Indoor Environments and Radiation

Sherrie Flaherty, MHP, DC, Supervisor
Radioactive Materials Unit

T. Hogan

-2-

If you have any questions regarding the enclosed report, please contact me at 301-415-5804.

Thank you for your cooperation.

Sincerely,

/RA/

Paul Michalak, Chief
Agreement State Programs Branch
Division of Material Safety, State, Tribal, and
Rulemaking Programs
Office of Nuclear Material Safety and Safeguards

Enclosure:
2016 Draft IMPEP Report

cc: Mary B. Navara RN, COHN-S, MPH, Manager
Indoor Environments and Radiation

Sherrie Flaherty, MHP, DC, Supervisor
Radioactive Materials Unit

DISTRIBUTION: (SP07)

Jack Giessner, RIII	Paul Michalak, NMSS
Christine Lipa, RIII	Duncan White, NMSS
James Lynch, RIII	Lisa Dimmick, NMSS
Daniel Collins, NMSS	Karen Meyer, NMSS
Pamela Henderson, NMSS	

ADAMS: ML16300A237

X SUNSI Review By: RRE		ADAMS X Yes <input type="checkbox"/> No	X Publicly Available <input type="checkbox"/> Non-Publicly Available		X Non-Sensitive <input type="checkbox"/> Sensitive	Keyword:
OFFICE	RIV:SAO	NMSS/ASPB	NMSS/ASPB	ASPB:BC		
NAME	RRErickson	KMeyer	LDimmick	PMichalak		
SIGNATURE	/RA/	knm	LCD e/edits			
DATE	10/25/16	10/26/16	10/27/16	11/01/16		

OFFICIAL RECORD COPY



INTEGRATED MATERIALS PERFORMANCE EVALUATION PROGRAM
REVIEW OF THE MINNESOTA AGREEMENT STATE PROGRAM

OCTOBER 3-7, 2016

DRAFT REPORT

Enclosure

EXECUTIVE SUMMARY

This report presents the results of the Integrated Materials Performance Evaluation Program (IMPEP) review of the Minnesota Agreement State Program. The review was conducted during the period of October 3-7, 2016, by a review team composed of technical staff members from the U.S. Nuclear Regulatory Commission (NRC) and the Commonwealth of Virginia.

Based on the results of this review, Minnesota's performance was found to be satisfactory for all the performance indicators reviewed. The review team did not make any recommendations for improvement regarding Minnesota's performance.

Accordingly, the review team recommends that the Minnesota Agreement State Program is adequate to protect public health and safety and is compatible with the NRC's program. The review team recommends that the next IMPEP review take place in approximately 5 years.

1.0 INTRODUCTION

This report presents the results of the review of the Minnesota Agreement State Program radioactive materials safety program. The review was conducted during the period of October 3-7, 2016, by a review team composed of technical staff members from the U.S. Nuclear Regulatory Commission (NRC) and the Commonwealth of Virginia. Team members are identified in Appendix A. The review was conducted in accordance with the "Implementation of the Integrated Materials Performance Evaluation Program and Rescission of Final General Statement of Policy," published in the *Federal Register* on October 16, 1997, and NRC Management Directive 5.6 (MD 5.6), "Integrated Materials Performance Evaluation Program (IMPEP)," dated February 26, 2004. Preliminary results of the review, which covered the period of November 19, 2011 to October 7, 2016, were discussed with Minnesota managers on the last day of the review.

In preparation for the review, a questionnaire addressing the common and applicable non-common performance indicators was sent to the State on March 24, 2016. The State provided its response to the questionnaire by electronic mail on September 14, 2016. A copy of the questionnaire response is available in the NRC's Agencywide Documents Access and Management System (ADAMS) using the Accession Number ML16259A321.

The Minnesota Department of Health (the Department) is designated as the State's radiation control agency. The Agreement State Program is administered by the Radioactive Materials Unit (the Unit), which is located within the Indoor Environments and Radiation Section (the Section) of the Division of Environmental Health (the Division). The Division is part of the Health Protection Bureau (the Bureau), which is one of four bureaus in the Department. The Unit's Environmental Health Supervisor reports directly to the Section's Environmental Health Manager. Organization charts for the State are available in ADAMS (Accession Number ML16258A313).

At the time of the review, the Minnesota Agreement State Program regulated 160 specific licenses authorizing possession and use of radioactive materials. The review focused on the radioactive materials program as it is carried out under the Section 274b (of the Atomic Energy Act of 1954, as amended) Agreement between the NRC and the State of Minnesota.

The review team evaluated the information gathered against the established criteria for each common and the applicable non-common performance indicator and made a preliminary assessment of the Minnesota Agreement State Program's performance.

2.0 PREVIOUS IMPEP REVIEW AND STATUS OF RECOMMENDATIONS

The previous IMPEP review concluded on November 18, 2011. The final report is available in ADAMS (Accession Number ML120520266). The results of that review were as follows:

Technical Staffing and Training: Satisfactory
Recommendation: None

Status of Materials Inspection Program: Satisfactory
Recommendation: None

Technical Quality of Inspections: Satisfactory
Recommendation: None

Technical Quality of Licensing Actions: Satisfactory
Recommendation: None

Technical Quality of Incident and Allegation Activities: Satisfactory
Recommendation: None

Compatibility Requirements: Satisfactory
Recommendation: None

Overall finding: Adequate to protect public health and safety and Compatible with NRC's program.

3.0 COMMON PERFORMANCE INDICATORS

Five common performance indicators are used to review the NRC regional and Agreement State radioactive materials programs. These indicators are (1) Technical Staffing and Training, (2) Status of Materials Inspection Program, (3) Technical Quality of Inspections, (4) Technical Quality of Licensing Actions, and (5) Technical Quality of Incident and Allegation Activities.

3.1 Technical Staffing and Training

The ability to conduct effective licensing and inspection programs is largely dependent on having a sufficient number of experienced, knowledgeable, and well-trained technical personnel. Under certain conditions, staff turnover could have an adverse effect on the implementation of these programs, and thus could affect public health and safety. Apparent trends in staffing must be explored. Review of staffing also requires a consideration and evaluation of the levels of training and qualification. The evaluation standard measures the overall quality of training available to, and taken by, materials program personnel.

a. Scope

The review team used the guidance in State Agreements procedure SA-103, "Reviewing the Common Performance Indicator: Technical Staffing and Training," and evaluated Minnesota's performance with respect to the following performance indicator objectives:

- A well-conceived and balanced staffing strategy has been implemented throughout the review period.

- Agreement State training and qualification program is equivalent to NRC Inspection Manual Chapter (IMC) 1248, "Formal Qualifications Program for Federal and State Material and Environmental Management Programs."
- Qualification criteria for new technical staff are established and are being followed or that qualification criteria will be established if new staff members are hired.
- Any vacancies, especially senior-level positions, are filled in a timely manner.
- There is a balance in staffing of the licensing and inspection programs.
- Management is committed to training and staff qualification.
- Individuals performing materials licensing and inspection activities are adequately qualified and trained to perform their duties.
- License reviewers and inspectors are trained and qualified in a reasonable period of time.

b. Discussion

The Minnesota Agreement State Program includes six full-time equivalents (FTE) in the Unit. Five of the FTE are classified as Industrial Hygienists and perform both licensing and inspection activities and one FTE is the Environmental Health Supervisor who serves as the Unit Supervisor. At the time of the review there were no vacancies in the Unit. One vacancy remaining from the previous review period was filled early in this review period. One additional individual left the Unit during the review period and was replaced, and one new position was added during the review period. Each of the open positions were vacant for no more than four months before being filled. Minnesota has developed and is following a training and qualification program compatible to NRC's IMC 1248.

c. Evaluation

The team determined that during the review period the Minnesota program met the performance indicator objectives listed in Section 3.1.a.

d. Results

Based on the IMPEP evaluation criteria in MD 5.6, the review team recommends that Minnesota's performance with respect to the indicator, Technical Staffing and Training, be found satisfactory.

3.2 Status of Materials Inspection Program

Periodic inspections of licensed operations are essential to ensure that activities are being conducted in compliance with regulatory requirements and consistent with good safety practices. The frequency of inspections is specified in NRC IMC, Chapter 2800, "Materials Inspection Program" and is dependent on the amount and kind of material, the type of operation licensed, and the results of previous inspections. There must be a capability for maintaining and retrieving statistical data on the status of the inspection program.

a. Scope

The review team used the guidance in State Agreements procedure SA-101, "Reviewing the Common Performance Indicator: Status of the Materials Inspection Program," and evaluated Minnesota's performance with respect to the following performance indicator objectives:

- Initial inspections and inspections of Priority 1, 2, and 3 licensees are performed at the frequency prescribed in IMC 2800.
- Candidate licensees working under reciprocity are inspected in accordance with the criteria prescribed in IMC 1220, "Processing of NRC Form 241, Report of Proposed Activities in Non-Agreement States, Areas of Exclusive Federal Jurisdiction, and Offshore Waters, and Inspection of Agreement State Licensees Operating Under 10 CFR 150.20."
- Deviations from inspection schedules are normally coordinated between technical staff and management.
- There is a plan to perform any overdue inspections and reschedule any missed or deferred inspections; or a basis has been established for not performing any overdue inspections or rescheduling any missed or deferred inspections.
- Inspection findings are communicated to licensees in a timely manner (30 calendar days, or 45 days for a team inspection, as specified in IMC 0610, "Nuclear Material Safety and Safeguards Inspection Reports").

b. Discussion

The Unit's inspection frequency is the same for similar license types found in IMC 2800, except for non-broad scope licenses possessing Category 2 sources. The Unit's inspection frequency for these licensees is every two years, as opposed to NRC's five year inspection interval.

The Unit performed 158 Priority 1, 2, 3, and initial inspections during the review period. Two Priority 1 inspections were performed overdue. One overdue inspection was the result of an isolated database error, and one inspection was held so that it could be used for training purposes. The number of inspections performed overdue was less than one percent of all Priority 1, 2, 3, and initial inspections performed over the review period. All initial inspections of new licenses were performed within 12 months of license issuance.

The team evaluated 29 inspection reports and found that all were communicated to the licensee within the Unit's goal of 30 days following the inspection exit.

In each year of the review period, the Unit performed inspections on more than 20 percent of candidate licensees as defined by Inspection Manual Chapter 1220.

c. Evaluation

The team determined that during the review period Minnesota met the performance indicator objectives listed in Section 3.2.a.

d. Results

Based on the IMPEP evaluation criteria in MD 5.6, the review team recommends that Minnesota's performance with respect to the indicator, Status of the Materials Inspection Program, be found satisfactory.

3.3 Technical Quality of Inspections

Inspections, both routine and reactive, provide assurance that licensee activities are carried out in a safe and secure manner. Accompaniments of inspectors performing inspections, and the critical evaluation of inspection records are used to assess the technical quality of a program's inspection capability.

a. Scope

The review team used the guidance in State Agreements procedure SA-102, "Reviewing the Common Performance Indicator: Technical Quality of Inspections," and evaluated Minnesota's performance with respect to the following performance indicator objectives:

- Inspections of licensed activities focus on health, safety, and security.
- Inspection findings are well-founded and properly documented in reports.
- Management promptly reviews inspection results.
- Procedures are in place and used to help identify root causes and poor licensee performance.
- Inspections address previously identified open items and violations.
- Inspection findings lead to appropriate and prompt regulatory action.
- Supervisors conduct annual accompaniments of each inspector to assess performance and assure consistent application of inspection policies.
- For programs with separate licensing and inspection staffs, to verify that procedures are established and followed to provide feedback information to license reviewers.
- For Agreement States, to determine if inspection guides are consistent with NRC guidance.
- An adequate supply of calibrated survey instruments is available to support the inspection program.

b. Discussion

The review team evaluated the inspection reports, enforcement documentation, and interviewed inspectors for 26 materials inspections conducted during the review period. The casework reviewed included inspections conducted by seven of the Unit's inspectors and covered medical, industrial, commercial, academic, research, and service licenses.

The review team verified that the Unit maintains an adequate supply of appropriately calibrated survey instruments to support the inspection program, and to respond to radioactive materials incidents and emergency situations. The Unit also has multiple hand-held instruments for portable gamma spectrometry with both medical and industrial

libraries of radionuclides. These instruments provide staff the ability to rapidly identify radionuclides of concern in various settings such as landfills and recycling centers.

The Unit performs annual supervisory accompaniments for each of the materials inspectors. Each accompaniment is performed either by the Environmental Health Supervisor or by the senior Industrial Hygienist.

A review team member accompanied three Unit inspectors during the week of September 19, 2016. The inspectors were found to be well-prepared, thorough, and conducted performance-based inspections. The inspections were adequate to assess radiological health, safety and security. The inspector accompaniments are identified in Appendix B.

c. Evaluation

The team determined that during the review period Minnesota met the performance indicator objectives listed in Section 3.3.a.

d. Results

Based on the IMPEP evaluation criteria in MD 5.6, the review team recommends that Minnesota's performance with respect to the indicator, Technical Quality of Inspections, be found satisfactory.

3.4 Technical Quality of Licensing Actions

The quality, thoroughness, and timeliness of licensing actions can have a direct bearing on public health and safety, and security. An assessment of licensing procedures, actual implementation of these procedures, and documentation of communications and associated actions between the Minnesota licensing staff and regulated community will be a significant indicator of the overall quality of the program.

a. Scope

The review team used the guidance in State Agreements procedure SA-104, "Reviewing the Common Performance Indicator: Technical Quality of Licensing Actions," and evaluated Minnesota's performance with respect to the following performance indicator objectives:

- Licensing action reviews are thorough, complete, consistent, and of acceptable technical quality with health, safety, and security issues properly addressed.
- Essential elements of license applications have been submitted and elements meet current regulatory guidance (e.g. financial assurance, increased controls, pre-licensing guidance).
- License reviewers, if applicable, have the proper signature authority for the cases they review independently.
- License conditions are stated clearly and are inspectable.

- Deficiency letters clearly state regulatory positions and are used at the proper time.
- Reviews of renewal applications demonstrate a thorough analysis of a licensee's inspection and enforcement history.
- Applicable guidance documents are available to reviewers and are followed (e.g., NUREG-1556 series, pre-licensing guidance, regulatory guides, etc.).
- Licensing practices for risk significant radioactive materials are appropriately implemented including increased controls and fingerprinting orders (Part 37 equivalent).
- Documents containing sensitive security information are properly marked, handled, controlled and secured.

b. Discussion

Over the review period, the Unit performed 493 radioactive materials licensing actions. The review team evaluated 29 of these licensing actions which included casework for five current and former license reviewers. The licensing actions selected for review included 8 new applications, 4 amendments, 11 renewals, 4 terminations and 2 reciprocity licensing actions. The review team evaluated casework which included the following license types and actions: broad scope medical and academic, medical diagnostic and therapy, industrial radiography, research and development, academic, nuclear pharmacy, gauges, self-shielded irradiators, well-logging, veterinary, decommissioning actions and financial assurance casework.

The Unit currently has four fully qualified license reviewers: three Industrial Hygienists and the Environmental Health Supervisor. Once completed, all licensing actions are peer reviewed, approved by another qualified license reviewer, and then submitted to the Environmental Health Supervisor for final review and signature.

The review team assessed the Unit's implementation of the pre-licensing requirements. The Unit implements the "Checklist to Provide a Basis for Confidence That Radioactive Material Will Be Used as Specified on a License" and the "Checklist for Risk-Significant Radioactive Material." The team found that the Unit conducts pre-licensing visits for all new license applications as well as amendments requesting major facility changes involving the physical protection program. During each pre-licensing visit a security inspection is performed. Final licensing documents are then mailed to the licensee. Licensing documents reviewed were found to be handled and marked in accordance with Unit's policy for marking and security of documents.

The Unit recently moved to Web Based Licensing (WBL) as its primary source for licensing. While not fully converted at the time of the review, the Unit is currently in the process of converting licenses over to the WBL system.

c. Evaluation

The team determined that during the review period Minnesota met the performance indicator objectives listed in Section 3.4.a.

d. Results

Based on the IMPEP evaluation criteria in MD 5.6, the review team recommends that Minnesota's performance with respect to the indicator, Technical Quality of Licensing Actions, be found satisfactory.

3.5 Technical Quality of Incident and Allegation Activities

The quality, thoroughness, and timeliness of response to incidents and allegations of safety concerns can have a direct bearing on public health and safety. An assessment of incident response and allegation investigation procedures, actual implementation of these procedures, internal and external coordination, and investigative and follow-up procedures and actions will be a significant indicator of the overall quality of the program.

a. Scope

The review team used the guidance in State Agreements procedure SA-105, "Reviewing the Common Performance Indicator: Technical Quality of Incident and Allegation Activities," and evaluated Minnesota's performance with respect to the following performance indicator objectives:

- Incident response, investigation, and allegation procedures are in place and followed.
- Response actions are appropriate, well-coordinated, and timely.
- On-site responses are performed when incidents have potential health, safety or security significance.
- Appropriate follow-up actions are taken to ensure prompt compliance by licensees.
- Follow-up inspections are scheduled and completed, as necessary.
- Notifications are made to the NRC Headquarters Operations Center for incidents requiring a 24-hour or immediate notification to the Agreement State or NRC.
- Incidents are reported to the Nuclear Material Events Database (NMED).
- Allegations are investigated in a prompt, appropriate manner.
- Concerned individuals are notified of investigation conclusions.
- Concerned individuals' identities are protected, as allowed by law.

b. Discussion

During the review period, a total of 15 incidents were reported by the Unit to the NMED database. The review team examined each of the 15 case files to evaluate the Unit's response to each event. The team found that inspectors properly evaluated each event, interviewed involved individuals and thoroughly documented their findings and enforcement action was taken where appropriate. The casework reviewed included lost/stolen radioactive materials events, damaged equipment incidents, gauge events, medical events, a misdirected radiopharmaceutical shipment, a radiography source disconnect, an effluent release from a cyclotron, and a leaking source.

When an incident is reported to the Unit, the Environmental Health Supervisor evaluates the event to determine the appropriate response which can range anywhere from an immediate response to reviewing the event during the next inspection. For most of the events, the Environmental Health Supervisor directed inspectors to respond immediately. The review team also found that the Unit responded to events in accordance with their established procedure.

During the review period, the Unit received four allegations directly and two were referred to the Unit from the NRC. The review team evaluated all six materials allegations and found that the Unit took prompt and appropriate action in response to the concerns raised. Concerned individuals were notified of the findings in each case. All of the allegations reviewed were appropriately closed, individuals were notified of the actions taken, and alleged identities were protected.

c. Evaluation

The team determined that during the review period Minnesota met the performance indicator objectives listed in Section 3.5.a.

d. Results

Based on the IMPEP evaluation criteria in MD 5.6, the review team recommends that Minnesota's performance with respect to the indicator, Technical Quality of Incident and Allegation Activities, be found satisfactory.

4.0 NON-COMMON PERFORMANCE INDICATORS

Four non-common performance indicators are used to review Agreement State programs: (1) Compatibility Requirements, (2) Sealed Source and Device (SS&D) Evaluation Program, (3) Low-Level Radioactive Waste Disposal (LLRW) Program, and (4) Uranium Recovery (UR) Program. The NRC's Agreement with Minnesota does not relinquish regulatory authority for a sealed source and device evaluation program, low-level radioactive waste disposal program or uranium recovery program; therefore, only the first non-common performance indicator applied to this review.

4.1 Compatibility Requirements

State statutes should authorize the State to establish a program for the regulation of agreement material and provide authority for the assumption of regulatory responsibility under the agreement. The statutes must authorize the State to promulgate regulatory requirements necessary to provide reasonable assurance of protection of public health, safety, and security. The State must be authorized through its legal authority to license, inspect, and enforce legally binding requirements, such as regulations and licenses. The NRC regulations that should be adopted by an Agreement State for purposes of compatibility or health and safety should be adopted in a time frame so that the effective date of the State requirement is not later than 3 years after the effective date of NRC's final rule. Other program elements, as defined in Appendix A of State Agreements procedure SA-200, "Compatibility Categories and Health and Safety Identification for

NRC Regulations and Other Program Elements,” that have been designated as necessary for maintenance of an adequate and compatible program should be adopted and implemented by an Agreement State within 6 months following NRC designation.

a. Scope

The review team used the guidance in State Agreements procedure SA-107, “Reviewing the Non-Common Performance Indicator: Compatibility Requirements,” and evaluated Minnesota’s performance with respect to the following performance indicator objectives. A complete list of regulation amendments can be found on the NRC website at the following address: <https://scp.nrc.gov/regtoolbox.html>.

- The Agreement State program does not create conflicts, duplications, gaps, or other conditions that jeopardize an orderly pattern in the regulation of radioactive materials under the Atomic Energy Act, as amended.
- Regulations adopted by the Agreement State for purposes of compatibility or health and safety were adopted no later than 3 years after the effective date of the NRC regulation.
- Other program elements, as defined in SA-200 that have been designated as necessary for maintenance of an adequate and compatible program have been adopted and implemented within 6 months of NRC designation.
- The State statutes authorize the State to establish a program for the regulation of agreement material and provide authority for the assumption of regulatory responsibility under the agreement.
- The State is authorized through its legal authority to license, inspect, and enforce legally binding requirements such as regulations and licenses.
- Impact of sunset requirements, if any, on the State’s regulations.

b. Discussion

Minnesota became an Agreement State on March 31, 2006. The Minnesota Agreement State Program’s statutory authority is contained in the Minnesota Statutes, Sections 144.12 through 144.1205. The Department is designated as the State’s radiation control agency. No legislation affecting the radiation control program was passed during the review period. The State implemented Part 37 requirements by rule on August 17, 2015.

The State’s administrative rule making process takes approximately 18 months from drafting to finalizing a rule. The public, NRC, other agencies, and potentially impacted licensees and registrants are offered an opportunity to comment during the process. Comments are considered and incorporated, as appropriate, before the regulations are finalized and approved by the Minnesota legislature. The review team noted that the State’s rules and regulations are not subject to “sunset” laws.

During the review period, the Unit submitted eight proposed and nine final regulation amendments to the NRC for a compatibility review. Two of the final amendments were adopted overdue. At the time of the review, no amendments were overdue for adoption.

c. Evaluation

The team determined that during the review period Minnesota met the performance indicator objectives listed in Section 4.1.a.

d. Results

Based on the IMPEP evaluation criteria in MD 5.6, the review team recommends that Minnesota's performance with respect to the indicator, Compatibility Requirements, be found satisfactory.

5.0 SUMMARY

As noted in Sections 3.0 and 4.0 above, Minnesota's performance was found satisfactory for all performance indicators reviewed. The review team did not make any recommendations regarding program performance by the State.

Accordingly, the review team recommends that the Minnesota Agreement State Program be found adequate to protect public health and safety and compatible with the NRC's program. Based on the results of the current IMPEP review, the review team recommends that the next full IMPEP review take place in approximately 5 years.

LIST OF APPENDICES

Appendix A	IMPEP Review Team Members
Appendix B	Inspection Accompaniments

APPENDIX A

IMPEP REVIEW TEAM MEMBERS

Name	Area of Responsibility
Randy Erickson, Region IV	Team Leader Technical Quality of Incident and Allegation Activities Compatibility Requirements
Jim Lynch, Region III	Status of Materials Inspection Program Technical Quality of Inspections Inspector Accompaniments
Henry Lynn, NRC Technical Training Center	Technical Staffing and Training Technical Quality of Inspections
Asfaw Fenta, Commonwealth of Virginia	Technical Quality of Licensing Actions

APPENDIX B

INSPECTION ACCOMPANIMENTS

The following inspection accompaniments were performed prior to the on-site IMPEP review:

Accompaniment No.: 1	License No.: 1015-27
License Type: Portable Gauge	Priority: 5
Inspection Date: 9/20/16	Inspector: MS

Accompaniment No.: 2	License No.: 1082-27
License Type: Industrial Radiography	Priority: 1
Inspection Date: 9/21/16	Inspector: TK

Accompaniment No.: 3	License No.: 1052-27
License Type: Medical – HDR	Priority: 2
Inspection Date: 9/22/16	Inspector: LF