

U.S. NUCLEAR REGULATORY
COMMISSION
DOCKET 50-410
LICENSE NPF-69

NINE MILE POINT
NUCLEAR STATION
UNIT 2

UPDATED SAFETY
ANALYSIS REPORT

OCTOBER 2016

REVISION 22

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2.1-1	A13	2.3-37	A00
2.1-2	R15	2.3-38	A00
2.1-3	R06	2.3-39	A00
2.1-4	R06	2.3-40	A05
2.1-5	R06	2.3-40a	A05
		2.3-41	A03
2.2-1	A09	2.3-42	A03
		2.3-43	A03
2.3-1	A00	2.3-44	A03
2.3-2	A00	2.3-45	A03
2.3-3	A00	2.3-46	A03
2.3-4	A00		
2.3-5	A00		
2.3-6	A00	2.4-1	R21
2.3-7	A00	2.4-2	A08
2.3-8	A00	2.4-3	A00
2.3-9	A00	2.4-4	A26
2.3-10	A00	2.4-5	A00
2.3-11	A00	2.4-6	A26
2.3-12	A00	2.4-7	A00
2.3-13	A00	2.4-8a	R00
2.3-14	A00	2.4-8b	R00
2.3-15	A00	2.4-9	A00
2.3-16	A00	2.4-10	A08
2.3-17	A00	2.4-11	A00
2.3-18	A00	2.4-12	A00
2.3-19	A00	2.4-13	A00
2.3-20	A00	2.4-14	A00
2.3-21	A00	2.4-15	A00
2.3-22	A00	2.4-16	A03
2.3-23	A00	2.4-17	A03
2.3-24	A00	2.4-18	A26
2.3-25	A00		
2.3-26	A00	2.5-1	A00
2.3-27	A00	2.5-2	A00
2.3-28	A00	2.5-3	A00
2.3-29	A00	2.5-4	A00
2.3-30	A00	2.5-5	A00
2.3-31	A00	2.5-6	A00
2.3-32	A00	2.5-7	A06
2.3-33	A00	2.5-8	A00
2.3-34	A00	2.5-9	A00
2.3-35	A00	2.5-10	A00
2.3-36	A00	2.5-11	A00

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2.5-12	A00	2.5-54	A00
2.5-13	A00	2.5-55	A00
2.5-14	A00	2.5-56	A00
2.5-15	A00	2.5-57	A00
2.5-16	A00	2.5-58	A00
2.5-17	A00	2.5-59	A00
2.5-18	A00	2.5-60	A00
2.5-19	A00	2.5-61	A00
2.5-20	A00	2.5-62	A00
2.5-21	A00	2.5-63	A00
2.5-22	A00	2.5-64	A00
2.5-23	A00	2.5-65	A00
2.5-24	A00	2.5-66	A00
2.5-25	A00	2.5-67	A00
2.5-26	A00	2.5-68	A00
2.5-27	A00	2.5-69	A00
2.5-28	A06	2.5-70	A00
2.5-28A	A13	2.5-71	A03
2.5-29	A00	2.5-72	A00
2.5-30	A00	2.5-73	A00
2.5-31	A00	2.5-74	A00
2.5-32	A00	2.5-75	A00
2.5-33	A00	2.5-76	A00
2.5-34	A00	2.5-77	A00
2.5-35	A00	2.5-78	A00
2.5-36	A00	2.5-79	A00
2.5-37	A00	2.5-80	A00
2.5-38	A00	2.5-81	A00
2.5-39	A00	2.5-82	A00
2.5-40	A00	2.5-83	A00
2.5-41	A00	2.5-84	A06
2.5-42	A00	2.5-85	A00
2.5-43	A00	2.5-86	A00
2.5-44	A00	2.5-87	A00
2.5-45	A00	2.5-88	A00
2.5-46	A00	2.5-89	A00
2.5-47	A00	2.5-90	A00
2.5-48	A00	2.5-91	A00
2.5-49	A00	2.5-92	A00
2.5-50	A00	2.5-93	A00
2.5-51	A00	2.5-94	A00
2.5-52	A00	2.5-95	A00
2.5-53	A00	2.5-96	A00

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2.5-96A	A05	2.5-119 Sh 2	A00
2.5-96B	A05	2.5-119 Sh 3	A00
2.5-96C	A05	2.5-119 Sh 4	A00
2.5-96D	A05	2.5-120 Sh 1	A00
2.5-96E	A27	2.5-120 Sh 2	A00
2.5-96F	A27	2.5-120 Sh 3	A00
2.5-97	A00	2.5-120 Sh 4	A00
2.5-98	A00	2.5-121 Sh 1	A00
2.5-99	A00	2.5-121 Sh 2	A00
2.5-100	A00	2.5-121 Sh 3	A00
2.5-101	A00	2.5-122	A00
2.5-102	A00	2.5-123	A00
2.5-102A	A05	2.5-124	A00
2.5-102B	A05	2.5-125	A00
2.5-103	A00	2.5-126	R21
2.5-104	A00	2.5-127	A22
2.5-105	A00	2.5-127a	A09
2.5-105A	A05	2.5-127b	A09
2.5-105B	A05	2.5-128	R21
2.5-105C	A05	2.5-129	A05
2.5-105D	A05	2.5-130	A05
2.5-105E	A05	2.5-131	A05
2.5-105F	A05	2.5-132	A05
2.5-105G	A05	2.5-133	A05
2.5-105H	A05	2.5-134	A05
2.5-105I	A05	2.5-135	A11
2.5-105J	A11	2.5-136	A12
2.5-106	A00	2.5-137	A12
2.5-107	A00	2.5-138	A12
2.5-108	A00	2.5-139	A12
2.5-109	A00	2.5-140	A12
2.5-110	A05	2.5-141	A12
2.5-111	A05	2.5-142	A12
2.5-112	A00	2.5-143	A12
2.5-113	A05	2.5-144	A12
2.5-114	A00	2.5-145	A12
2.5-115 Sh 1	A00	2.5-146	A12
2.5-115 Sh 2	A00	2.5-147	A12
2.5-116	A00	2.5-148	A12
2.5-117 Sh 1	A00	2.5-149	A12
2.5-117 Sh 2	A00	2.5-150	A28
2.5-118	A00	2.5-151	A13
2.5-119 Sh 1	A00	2.5-152	A13

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2.5-153	A13	2.5-193 Sh 2	A14
2.5-154	R21	2.5-194	A14
2.5-155	R21	2.5-195	A14
2.5-156	A14	2.5-196	A14
2.5-157	A14	2.5-197 Sh 1	A14
2.5-158	A14	2.5-197 Sh 2	A14
2.5-159	A14	2.5-197 Sh 3	A14
2.5-160	A14	2.5-198 Sh 1	A14
2.5-161	A14	2.5-198 Sh 2	A14
2.5-162	A14	2.5-198 Sh 3	A14
2.5-163	A14	2.5-198 Sh 4	A14
2.5-164	A14	2.5-198 Sh 5	A14
2.5-165	A14	2.5-198 Sh 6	A14
2.5-166	A14	2.5-199 Sh 1	A14
2.5-167	A14	2.5-199 Sh 2	A14
2.5-168	A14	2.5-199 Sh 3	A14
2.5-169	A14	2.5-199 Sh 4	A14
2.5-170	A14	2.5-199 Sh 5	A14
2.5-171	A14	2.5-200 Sh 1	A14
2.5-172	A14	2.5-200 Sh 2	A14
2.5-173	A14	2.5-201 Sh 1	A14
2.5-174	A14	2.5-201 Sh 2	A14
2.5-175	A14	2.5-201 Sh 3	A14
2.5-176	A14	2.5-202	A14
2.5-177	A14	2.5-203	A14
2.5-178	A14	2.5-204	A14
2.5-179	A14	2.5-205	A14
2.5-180	A14	2.5-206	A14
2.5-181	A14	2.5-207	A14
2.5-182	A14	2.5-208 Sh 1	A14
2.5-183	A14	2.5-208 Sh 2	A14
2.5-184	A14	2.5-208 Sh 3	A14
2.5-185	A14	2.5-208 Sh 4	A14
2.5-186	A14	2.5-208 Sh 5	A14
2.5-187	A14	2.5-208 Sh 6	A14
2.5-188	A27	2.5-208 Sh 7	A14
2.5-189	A14	2.5-208 Sh 8	A14
2.5-190	A14	2.5-208 Sh 9	A14
2.5-191	A14	2.5-208 Sh 10	A14
2.5-192 Sh 1	A14	2.5-209	A23
2.5-192 Sh 2	A14	2.5-210 Sh 1	A26
2.5-193 Sh 1	A14	2.5-210 Sh 2	A26

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2.5-210 Sh 3	A26	2H-24	A00
2.5-210 Sh 4	A26	2H-25	A00
2.5-211 Sh 1	A26	2H-26	A00
2.5-211 Sh 2	A26	2H-27	A00
2.5-212 Sh 1	A26	2H-28	A00
2.5-212 Sh 2	A26	2H-29	A00
2.5-212 Sh 3	A26	2H-30	A00
		2H-31 Sh 1	A00
2A-1		2H-31 Sh 2	A00
		2H-32	A00
2C-1	A00	2H-33	A00
2C-2	A00	2H-34	A00
2C-3	A00	2H-35	A00
		2H-36	A00
2D-1	A00	2H-37	A00
2D-2	A00	2H-38	A00
2D-3	A03	2H-39	A00
		2H-40	A00
2H-1	A00	2H-41	A00
2H-1A	A09	2H-42	A00
2H-2	A00	2H-43	A00
2H-3	A00	2H-44	A00
2H-4	A00	2H-45	A00
2H-5	A00	2H-46	A00
2H-6	A00	2H-47	A00
2H-7	A00	2H-48	A00
2H-8	A00	2H-49	A00
2H-9	A00	2H-50	A00
2H-10	A00	2H-51	A00
2H-11	A00	2H-52	A00
2H-12	A00	2H-53	A00
2H-13	A00	2H-54 Sh 1	A00
2H-14	A00	2H-54 Sh 2	A00
2H-15	A00	2H-55	A00
2H-16	A00	2H-56	A00
2H-17	A00	2H-57	A00
2H-18	A00	2H-58	A00
2H-19	A00	2H-59	A00
2H-20	A00	2H-60	A00
2H-21	A00	2H-61	A00
2H-22	A00	2H-62	A00
2H-23	A00	2H-63	A00

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2H-64	A00	2K-1	A00
2H-65	A00	2K-2	A00
2H-66	A00	2K-3	A00
2H-67	A00	2K-4A	A00
2H-68	A00	2K-4B	A00
2H-69	A00	2K-5A	A00
2H-70	A00	2K-5B	A00
2H-71	A00	2K-6A	A00
2H-72	A00	2K-6B	A00
2H-73	A00	2K-6C	A00
2H-74	A00	2K-7A	A00
2H-75	A00	2K-7B	A00
2H-76 Sh 1	A00	2K-7C	A00
2H-76 Sh 2	A00	2K-8A	A00
2H-77	A00	2K-8B	A00
2H-78	A00	2K-8C	A00
2H-79	A00	2K-9A	A00
2H-80	A00	2K-9B	A00
2H-81	A00	2K-9C	A00
2H-82	A00	2K-10A	A00
2H-83	A00	2K-10B	A00
2H-84	A00	2K-11A	A00
2H-85	A00	2K-11B	A00
2H-86	A00	2K-12A	A00
2H-87 Sh 1	A00	2K-12B	A00
2H-87 Sh 2	A00	2K-12C	A00
2H-88	A00	2K-12D	A00
2H-89	A00	2K-12E	A00
2H-90	A00	2K-12F	A00
2H-91	A00	2K-13A	A00
2H-92	A00	2K-13B	A00
2H-93	A00	2K-13C	A00
2H-94	A00	2K-13D	A00
2H-95	A00	2K-13E	A00
2H-96	A09	2K-13F	A00
2H-97	A09	2K-14A	A00
2H-98	A09	2K-14B	A00
2H-99	A09	2K-14C	A00
2H-100	A09	2K-15	A00
2H-101	A09	2K-16A	A00

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2K-16B	A00	2K-27D	A00
2K-17A	A00	2K-27E	A00
2K-17B	A00	2K-27F	A00
2K-17C	A00	2K-28A	A00
2K-18A	A00	2K-28B	A00
2K-18B	A00	2K-28C	A00
2K-18C	A00	2K-28D	A00
2K-19A	A00	2K-28E	A00
2K-19B	A00	2K-28F	A00
2K-19C	A00	2K-29A	A00
2K-20A	A00	2K-29B	A00
2K-20B	A00	2K-29C	A00
2K-20C	A00	2K-29D	A00
2K-21A	A00	2K-29E	A00
2K-21B	A00	2K-29F	A00
2K-21C	A00	2K-30A	A00
2K-22A	A00	2K-30B	A00
2K-22B	A00	2K-30C	A00
2K-22C	A00	2K-30D	A00
2K-23A	A00	2K-30E	A00
2K-23B	A00	2K-30F	A00
2K-23C	A00	2K-31A	A00
2K-24A	A00	2K-31B	A00
2K-24B	A00	2K-31C	A00
2K-24C	A00	2K-31D	A00
2K-24D	A00	2K-31E	A00
2K-24E	A00	2K-31F	A00
2K-24F	A00	2K-32A	A00
2K-25A	A00	2K-32B	A00
2K-25B	A00	2K-32C	A00
2K-25C	A00	2K-32D	A00
2K-25D	A00	2K-32E	A00
2K-25E	A00	2K-32F	A00
2K-25F	A00	2K-33A	A00
2K-26A	A00	2K-33B	A00
2K-26B	A00	2K-33C	A00
2K-26C	A00	2K-34A	A00
2K-26D	A00	2K-34B	A00
2K-26E	A00	2K-34C	A00
2K-26F	A00	2K-35A	A00
2K-27A	A00	2K-35B	A00
2K-27B	A00	2K-35C	A00
2K-27C	A00	2K-36A	A00

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
2K-36B	A00	2L-1	A07
2K-36C	A00	2L-2	A13
2K-37A	A00		
2K-37B	A00	1	A16
2K-37C	A00	2	A16
2K-37D	A00	3	A16
2K-37E	A00	4	A16
2K-37F	A00		
2K-38A	A00	241.16-1	R21
2K-38B	A00	241.16-2	R00
2K-38C	A00	241.16-3	R00
2K-38D	A00	241.16-4	R00
2K-38E	A00	241.16-5	R00
2K-38F	A00	241.16-6	R00
2K-39A	A00	241.16-7	R00
2K-39B	A00	241.16-8	R00
2K-39C	A00	241.16-9	R00
2K-39D	A00	241.16-10	R00
2K-39E	A00	241.16-11	R00
2K-39F	A00	241.16-12	R00
2K-40A	A00	241.16-13	R00
2K-40B	A00	241.16-14	R00
2K-40C	A00	241.16-15	R00
2K-41A	A00	241.16-16	R00
2K-41B	A00	241.16-17	R00
2K-42A	A00	241.16-18	R00
2K-42B	A00	241.16-19	R00
2K-43A	A00	241.16-20	R00
2K-43B	A00	241.16-21	R00
2K-44A	A00	241.16-22	R00
2K-44B	A00	241.16-23	R00
2K-45A	A00	241.16-24	R00
2K-45B	A00	241.16-25	R00
2K-45C	A00	241.16-26a	R00
2K-45D	A00	241.16-26b	R00
2K-46A	A00	241.16-27a	R00
2K-46B	A00	241.16-27b	R00
2K-46C	A00	241.16-27c	R00
2K-46D	A00	241.16-28a	R00
2K-47A	A00	241.16-28b	R00
2K-47B	A00	241.16-29	R00
2K-47C	A00	241.16-30	R00
2K-47D	A00	241.16-31a	R00

NMP UNIT 2 USAR

Chapter 2

LIST OF EFFECTIVE FIGURES

<u>Figure No.</u>	<u>Revision Number</u>	<u>Figure No.</u>	<u>Revision Number</u>
241.16-31b	R00		
241.16-32a	R00		
241.16-32b	R00		
241.16-32c	R00		
241.16-33	R00		
241.16-34	R00		
241.16-35	R00		
241.16-36	R00		
241.16-37	R00		
241.16-38	R00		
241.16-39	R00		
241.16-40	R00		
241.16-41	R00		
241.16-42	R00		
241.16-43	R00		
241.16-44	R00		
241.16-45	R00		
241.16-46	R00		

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>
2.1	GEOGRAPHY AND DEMOGRAPHY
2.1.1	Site Location and Description
2.1.1.1	Specification of Location
2.1.1.2	Site Area Map
2.1.1.3	Boundaries for Establishing Effluent Release Limits
2.1.2	Exclusion Area Authority and Control
2.1.2.1	Authority
2.1.2.2	Control of Activities Unrelated to Plant Operation
2.1.2.3	Arrangements for Traffic Control
2.1.2.4	Abandonment or Relocation of Roads
2.1.3	Population Distribution
2.1.3.1	Population Within 16 km (10 mi)
2.1.3.2	Population Within 80 km (50 mi)
2.1.3.3	Transient Population
2.1.3.4	Low Population Zone
2.1.3.5	Population Centers
2.1.3.6	Population Density
2.1.4	References
2.2	NEARBY INDUSTRIAL, TRANSPORTATION, AND MILITARY FACILITIES
2.2.1	Locations and Routes
2.2.2	Description
2.2.2.1	Description of Facilities
2.2.2.2	Description of Products and Materials
2.2.2.3	Projections of Industrial Growth
2.2.3	Evaluation of Potential Accidents
2.2.3.1	Determination of Design Basis Events
2.2.3.1.1	Explosions
2.2.3.1.2	Flammable Vapor Clouds (Delayed Ignition)
2.2.3.1.3	Toxic Chemicals
2.2.3.1.4	Fires
2.2.3.1.5	Collisions with Intake and Discharge Structures
2.2.3.1.6	Liquid Spills
2.2.3.1.7	Airplane Crashes
2.2.3.2	Effects of Design Basis Events
2.2.4	References
2.3	METEOROLOGY

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.3.1	Regional Climatology
2.3.1.1	Data Sources
2.3.1.2	General Climate
2.3.1.2.1	Local Climatic Effects
2.3.1.2.2	Climatological Normals and Extremes
2.3.1.3	Regional Meteorological Conditions for Design and Operating Bases
2.3.1.3.1	Seasonal and Annual Frequencies of Severe Weather
2.3.1.3.2	Maximum Snow Load
2.3.1.3.3	Design Basis Tornado
2.3.1.3.4	Fastest Mile of Wind
2.3.1.3.5	Ultimate Heat Sink
2.3.2	Local Meteorology
2.3.2.1	Data Sources
2.3.2.2	Normal and Extreme Values of Meteorological Parameters
2.3.2.2.1	Wind Direction and Speed
2.3.2.2.2	Wind Direction Persistence
2.3.2.2.3	Atmospheric Stability
2.3.2.2.4	Temperature Inversions
2.3.2.2.5	Mixing Heights
2.3.2.2.6	Temperature
2.3.2.2.7	Precipitation
2.3.2.2.8	Atmospheric Moisture
2.3.2.2.9	Fog and Haze
2.3.2.2.10	Hourly Data Tape
2.3.2.3	Potential Influence of the Plant and Its Facilities on Local Meteorology
2.3.2.3.1	Visible Plume Occurrence
2.3.2.3.2	Ground Level Fogging and Icing
2.3.2.3.3	Cooling Tower Drift
2.3.2.3.4	Cloud Development and Cloud Shadowing
2.3.2.3.5	Vapor Plume Interaction
2.3.2.3.6	Humidity Increases
2.3.2.3.7	Topography
2.3.2.4	Local Meteorological Conditions for Design and Operating Bases
2.3.3	Onsite Meteorological Measurements Program
2.3.3.1	Preoperational Measurements Program
2.3.3.1.1	Description
2.3.3.1.2	Instrument Siting

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.3.3.1.3	Meteorological Instrumentation
2.3.3.1.4	Methodologies
2.3.3.1.5	Instrumentation Surveillance
2.3.3.1.6	Data Acquisition and Reduction
2.3.3.1.7	Data Analysis Procedures
2.3.3.2	Operational Measurements Program
2.3.3.2.1	Description
2.3.3.2.2	Meteorological Instrumentation
2.3.3.2.3	Processing, Storage, Display, and Recording of Meteorological Data
2.3.3.2.4	Instrument Calibration and Maintenance
2.3.3.2.5	Data Analysis
2.3.4	Short-Term (Accident) Diffusion Estimates
2.3.4.1	Objective
2.3.4.2	X/Q Estimates
2.3.4.3	Accident Assessment
2.3.4.3.1	Methodology
2.3.4.3.2	Meteorological Data
2.3.4.4	Atmospheric Diffusion Models
2.3.4.4.1	Main Stack X/Q Calculations
2.3.4.4.2	Vent X/Q Calculations
2.3.4.4.3	Additional Release Points X/Q Calculations
2.3.5	Long-Term (Routine) Diffusion Estimates
2.3.5.1	Objective
2.3.5.2	X/Q and D/Q Estimates
2.3.5.3	Methodology
2.3.5.3.1	Meteorological Input
2.3.5.3.2	Source Configuration
2.3.5.3.2.1	Main Stack Release
2.3.5.3.2.2	Vent Release
2.3.5.3.2.3	Site Impacts on the Main Stack and Vent Releases
2.3.5.3.3	Plume Rise
2.3.5.3.4	Diffusion Model
2.3.5.3.5	Terrain Corrections
2.3.5.3.6	Wind Speed Adjustment
2.3.5.3.7	Atmospheric Stability
2.3.5.3.8	Dispersion Coefficients
2.3.5.3.9	Land/Lake Breeze
2.3.5.3.10	Deposition
2.3.6	References

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.4	HYDROLOGIC ENGINEERING
2.4.1	Hydrologic Description
2.4.1.1	Site and Facilities
2.4.1.2	Hydrosphere
2.4.2	Floods
2.4.2.1	Flood History
2.4.2.2	Flood Design Considerations
2.4.2.3	Effects of Local Intense Precipitation
2.4.2.3.1	Probable Maximum Precipitation
2.4.2.3.2	Precipitation Losses
2.4.2.3.3	Probable Maximum Flood Flow
2.4.3	Probable Maximum Flood on Streams and Rivers
2.4.4	Potential Dam Failures
2.4.5	Probable Maximum Surge and Seiche Flooding
2.4.5.1	Probable Maximum Winds and Associated Meteorological Parameters
2.4.5.2	Surge and Seiche Water Levels
2.4.5.3	Wave Action
2.4.5.3.1	Wave Action Effect on Main Stack
2.4.5.4	Resonance
2.4.5.5	Protective Structures
2.4.6	Probable Maximum Tsunami Flooding
2.4.7	Ice Effects
2.4.8	Cooling Water Canals and Reservoirs
2.4.9	Channel Diversions
2.4.10	Flooding Protection Requirements
2.4.11	Low Water Considerations
2.4.11.1	Low Flow in Streams
2.4.11.2	Low Water Resulting from Surges, Seiches, or Tsunami
2.4.11.3	Historical Low Water
2.4.11.4	Future Controls
2.4.11.5	Plant Requirements
2.4.11.6	Heat Sink Dependability Requirements
2.4.12	Dispersion, Dilution, and Travel Times of Accidental Releases of Liquid Effluents in Surface Waters
2.4.13	Groundwater
2.4.13.1	Description and Onsite Use
2.4.13.1.1	Regional Groundwater Conditions
2.4.13.1.2	Local Aquifers
2.4.13.1.3	Recharge and Discharge

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.4.13.1.4	Onsite Use
2.4.13.2	Sources
2.4.13.2.1	Groundwater Elevations
2.4.13.2.2	Permeability and Porosity
2.4.13.2.3	Effects of Local Groundwater Use Upon Water Level at the Site
2.4.13.2.4	Recharge Within the Influence of the Station
2.4.13.2.5	Effects of Temporary Dewatering of Construction Excavations
2.4.13.3	Accident Effects
2.4.13.4	Monitoring or Safeguard Requirements
2.4.13.5	Design Bases for Hydrostatic Loading
2.4.14	Technical Specification, Technical Requirements Manual, and Emergency Operation Requirements
2.4.15	References
2.5	GEOLOGY, SEISMOLOGY, AND GEOTECHNICAL ENGINEERING
2.5.1	Basic Geologic and Seismic Information
2.5.1.1	Regional Geology
2.5.1.1.1	Physiography and Geologic Setting
2.5.1.1.2	Stratigraphy
2.5.1.1.3	Structural Geology of the North-Central Appalachian Basin
2.5.1.1.4	Geologic History
2.5.1.1.5	Geologic Hazards
2.5.1.2	Site Geology
2.5.1.2.1	Physiography
2.5.1.2.2	Stratigraphy
2.5.1.2.3	Structure
2.5.1.2.4	Broad Low-Amplitude Folds and Associated Normal Faults (Demster Structural Zone)
2.5.1.2.5	Relationship of Site Structures to Near-Site Structures
2.5.1.2.6	Geologic History
2.5.1.2.7	Engineering Geology
2.5.2	Vibratory Ground Motion
2.5.2.1	Seismicity
2.5.2.2	Geologic Structures and Tectonic Activity

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.5.2.2.1	Introduction
2.5.2.2.2	Central Stable Region Eastern Stable Platform
2.5.2.2.3	Northern Appalachian Fold Belt
2.5.2.2.4	Appalachian Mobile Belt
2.5.2.2.5	Alternative Tectonic Province Models
2.5.2.3	Correlation of Earthquake Activity with Geologic Structures or Tectonic Provinces
2.5.2.3.1	Introduction
2.5.2.3.2	Correlations with Structures
2.5.2.3.3	Correlations with Tectonic Provinces
2.5.2.4	Maximum Earthquake Potential
2.5.2.5	Seismic Wave Transmission Characteristics of the Site
2.5.2.6	Safe Shutdown Earthquake
2.5.2.7	Operating Basis Earthquake
2.5.3	Surface Faulting
2.5.3.1	Geologic Conditions of the Site
2.5.3.2	Evidence of Fault Offset
2.5.3.3	Earthquakes Associated with Capable Faults
2.5.3.4	Investigation of Capable Faults
2.5.3.5	Correlation of Epicenters with Capable Faults
2.5.3.6	Description of Capable Faults
2.5.3.7	Zone Requiring Detailed Faulting Investigation
2.5.3.8	Results of Faulting Investigation
2.5.4	Stability of Subsurface Materials and Foundations
2.5.4.1	Geologic Features
2.5.4.1.1	Collapse, Subsidence, and Uplift
2.5.4.1.2	Loading History
2.5.4.1.3	Weathering, Alteration, and Bedrock Structure
2.5.4.1.4	Unrelieved Residual Stresses
2.5.4.1.5	Hazardous Soil and Rock Conditions
2.5.4.2	Properties of Subsurface Materials
2.5.4.2.1	Index Properties
2.5.4.2.2	Deformational Properties
2.5.4.2.3	Strength Properties
2.5.4.3	Exploration
2.5.4.3.1	General Exploration

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.5.4.3.2	Bedrock Inspection and Mapping
2.5.4.3.3	Supplementary Geologic Exploration
2.5.4.3.4	Rock Mechanics Investigations
2.5.4.3.5	Geologic Subsurface Profiles
2.5.4.4	Geophysical Surveys
2.5.4.4.1	3-D Velocity Logging
2.5.4.4.2	Uphole Compressional Wave Survey
2.5.4.4.3	Crosshole Shear Wave Survey
2.5.4.4.4	Crosshole Compressional Wave Velocity
2.5.4.4.5	Summary
2.5.4.5	Excavation and Backfill
2.5.4.5.1	Excavation
2.5.4.5.2	Backfill
2.5.4.5.2.1	Compressible Fill
2.5.4.5.2.2	Concrete
2.5.4.6	Groundwater Conditions
2.5.4.6.1	Groundwater Effects on Foundation Integrity
2.5.4.6.2	Groundwater Distribution and Regime
2.5.4.6.3	Dewatering
2.5.4.6.4	Permeability Determinations
2.5.4.6.5	Fluctuation and Monitoring of Groundwater Levels
2.5.4.7	Response of Soil and Rock to Dynamic Loading
2.5.4.7.1	Response of Rock to Dynamic Loading
2.5.4.7.2	Response of Soil to Dynamic Loading
2.5.4.8	Liquefaction Potential
2.5.4.9	Earthquake Design Basis
2.5.4.10	Static Stability
2.5.4.10.1	Bearing Capacity and Settlement
2.5.4.10.2	Lateral Soil Pressure
2.5.4.11	Design Criteria
2.5.4.12	Techniques to Improve Subsurface Conditions
2.5.4.13	Subsurface Instrumentation
2.5.4.13.1	Rock Slot Monitoring
2.5.4.13.2	Heave Monuments
2.5.4.13.3	Survey Control Pins
2.5.4.13.4	Survey Monuments
2.5.4.13.5	12-Line Wall Strain Gauges
2.5.4.13.6	Stressmeters
2.5.4.13.7	Inclinometers
2.5.4.13.8	Extensometers

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
2.5.4.13.9	Piezometers
2.5.4.13.10	Linear Displacement Sensors
2.5.4.14	Construction Notes
2.5.5	Stability of Slopes
2.5.5.1	Slope Characteristics
2.5.5.2	Design Criteria and Analyses
2.5.5.3	Soil Investigation
2.5.5.4	Compacted Fill
2.5.5.4.1	Rock Fill
2.5.5.4.2	Construction Procedure
2.5.5.4.3	Post-Construction Considerations
2.5.6	Flood Control Berm
2.5.6.1	General
2.5.6.2	Exploration
2.5.6.2.1	Field Exploration Program
2.5.6.2.2	Laboratory Testing Program
2.5.6.3	Foundation and Abutment Treatment
2.5.6.3.1	Liquefaction Potential
2.5.6.4	Embankment
2.5.6.4.1	General Features
2.5.6.4.2	Compaction and Placement Control of Structural Fill
2.5.6.4.3	Slope Protection
2.5.6.5	Slope Stability
2.5.6.6	Seepage Control
2.5.7	References
APPENDIX 2A	HAZARDOUS MATERIALS DATA COLLECTION
APPENDIX 2B	ONSITE AND SYRACUSE NATIONAL WEATHER SERVICE STATION METEOROLOGICAL SUMMARIES
APPENDIX 2C	VISIBLE PLUME MODEL DESCRIPTION
APPENDIX 2D	SALT DRIFT MODEL DESCRIPTION
APPENDIX 2E	DESCRIPTION OF RELATIVE HUMIDITY AUGMENTATION MODEL
APPENDIX 2F	CONSERVATIVE AND REALISTIC SHORT TERM DIFFUSION ESTIMATES FOR HYPOTHETICAL RELEASES FROM THE UNIT 2 MAIN STACK, COMBINED RADWASTE AND REACTOR BUILDING VENT, AND THE MAIN STEAM TUNNEL BLOWOUT PANELS

NMP Unit 2 USAR

CHAPTER 2

SITE CHARACTERISTICS

TABLE OF CONTENTS (Contd.)

<u>Section</u>	<u>Title</u>
APPENDIX 2G	LONG-TERM (ROUTINE) DIFFUSION ESTIMATES FOR THE MAIN STACK AND COMBINED RADWASTE AND REACTOR BUILDING VENT
APPENDIX 2H	EXCAVATION MAPS
APPENDIX 2I	DEMSTER STRUCTURAL ZONE WITH DISCUSSION ON ORIGIN AND EXTENT
APPENDIX 2J	TEST PROCEDURES
APPENDIX 2K	BORING LOGS
APPENDIX 2L	POPULATION DISTRIBUTION
APPENDIX 2M	ADDITIONAL INFORMATION ON TRENCH 1
APPENDIX 2N	RESPONSES TO NRC OPERATING-LICENSE-STAGE REVIEW QUESTIONS RELATED TO FSAR SECTION 2.5
APPENDIX 2P	RESPONSES TO NRC OPERATING-LICENSE-STAGE REVIEW QUESTIONS RELATED TO FSAR SECTION 2.3
APPENDIX 2Q	GEOLOGY ITEMS

NMP Unit 2 USAR

CHAPTER 2

LIST OF TABLES

<u>Table Number</u>	<u>Title</u>
2.1-1	MINIMUM DISTANCE BY SECTOR BETWEEN RESTRICTED AREA BOUNDARY AND ROUTINE RELEASE POINTS
2.1-2	1980 POPULATION AND POPULATION DENSITIES FOR TOWNS AND CITIES WITHIN 16 KM (10 MI) OF UNIT 2
2.1-3	1970-1980 POPULATION GROWTH FOR TOWNS AND CITIES WITHIN 16 KM (10 MI) OF UNIT 2
2.1-4	POPULATION CENTERS WITH OVER 25,000 PEOPLE IN 1980
2.2-1	DAILY TRAFFIC VOLUME OF COUNTY HIGHWAYS IN THE VICINITY OF UNIT 2
2.2-2	1978 FREIGHT TRAFFIC FOR LAKE ONTARIO AROUND OSWEGO HARBOR
2.2-3	INDUSTRIAL FIRMS WITHIN 8 KM (5 MI) OF UNIT 2
2.2-4	ARMY CORPS OF ENGINEERS HAZARDOUS MATERIAL COMMODITY DESIGNATION FOR WATERBORNE COMMERCE
2.2-5	HAZARDOUS MATERIALS STORED/USED BY INDUSTRIES WITHIN 8 KM (5 MI)
2.2-6	1978 LAKE ONTARIO CARGO TRANSPORT FOR OSWEGO HARBOR
2.2-7	SOURCES OF TOXIC CHEMICALS WITHIN 8 KM (5 MI) OF UNIT 2 SITE
2.2-8	PREDICTED VAPOR CONCENTRATION IN THE UNIT 2 CONTROL ROOM
2.2-9	INPUT DATA FOR VAPOR RUN
2.3-1	DESIGN BASIS TORNADO PARAMETERS
2.3-2	VERTICAL PROFILE OF THE 100-YEAR RECURRENCE INTERVAL FASTEST MILE OF WIND
2.3-3	GROUND-LEVEL INCREASES IN AMBIENT RELATIVE HUMIDITY (RH) DUE TO OPERATION OF THE NATURAL-DRAFT COOLING TOWER AT NINE MILE POINT
2.3-4	METEOROLOGICAL INSTRUMENTATION SPECIFICATIONS - PREOPERATIONAL MEASUREMENTS PROGRAM

NMP Unit 2 USAR

CHAPTER 2

LIST OF TABLES (Cont'd.)

<u>Table Number</u>	<u>Title</u>
2.3-4A	METEOROLOGICAL INSTRUMENTATION SPECIFICATIONS - OPERATIONAL MEASUREMENTS PROGRAM
2.3-5	METEOROLOGICAL INSTRUMENTATION SYSTEM ACCURACIES - PREOPERATIONAL MEASUREMENTS PROGRAM
2.3-5A	METEOROLOGICAL INSTRUMENTATION SYSTEM ACCURACIES - OPERATIONAL MEASUREMENTS PROGRAM
2.3-6	FASTEST MILE WIND SPEEDS AT OSWEGO, SYRACUSE, AND ROCHESTER
2.3-7	NORTHEAST STATE SNOWFALL RECORDS ABSTRACTED BY LUDLUM
2.4-1	HISTORICAL MAXIMUM PRECIPITATION
2.4-2	MAXIMUM INSTANTANEOUS WATER LEVELS OF LAKE ONTARIO AT OSWEGO, NEW YORK
2.4-3	PROBABLE MAXIMUM PRECIPITATION (PMP)
2.4-4	STORMS CAUSING HIGH RECORDED SURGES ON LAKE ERIE AND LAKE ONTARIO
2.4-5	DIURNAL VARIATION OF RATIO OF OVERWATER SPEED TO OVERLAND SPEED
2.4-6	PREDICTED HOURLY VALUES OF PRESSURE, WIND SPEED, AND WIND DIRECTION FOR PMWS ON LAKE ONTARIO
2.4-7	BRETSCHNEIDER'S JOINT DISTRIBUTION OF \bar{H} AND \bar{T} FOR ZERO CORRELATION
2.4-8	JOINT DISTRIBUTION OF WAVE HEIGHT AND WAVE PERIOD AT THE MAXIMUM WAVE DURING PMWS
2.4-9	PUBLIC WATER SUPPLY DATA
2.4-10	DOMESTIC WELLS WITHIN 2-MI RADIUS OF PLANT
2.4-11	PUBLIC AND PRIVATE WATER SUPPLY SYSTEMS IN THE UNITED STATES DRAWING FROM LAKE ONTARIO WITHIN 80 KM (50 MI) OF UNIT 2

NMP Unit 2 USAR

CHAPTER 2

LIST OF TABLES (Cont'd.)

<u>Table Number</u>	<u>Title</u>
2.4-12	CANADIAN WATER SUPPLIERS AND INDUSTRIAL USERS DRAWING FROM LAKE ONTARIO WITHIN 80 KM (50 MI) OF UNIT 2
2.4-13	UNITED STATES IRRIGATION INTAKES ON LAKE ONTARIO WITHIN 80 KM (50 MI) OF UNIT 2
2.4-14	CANADIAN IRRIGATION INTAKES ON LAKE ONTARIO WITHIN 80 KM (50 MI) OF UNIT 2
2.4-15	SUMMARY OF RESULTS ANALYSIS OF BUILDING FLOODING DUE TO PMP BASED ON HYDROMET 51 AND 52
2.5-1	HOMOGENIZATION TEMPERATURES FROM FLUID INCLUSIONS IN MINERALIZATION
2.5-2	HISTORIC SEISMIC EVENTS KNOWN TO HAVE OCCURRED WITHIN 321.8 KM (200 MI) OF NINE MILE POINT
2.5-3	IN SITU STRESS MEASUREMENTS BY OVERCORING
2.5-4	OC-100 OVERCORE RESULTS
2.5-5	DENSITY VALUES FOR ROCK
2.5-6	IN SITU ELASTIC PROPERTIES FROM CROSSHOLE SURVEYS - BORING GP-1 TO BORING GP-2
2.5-7	IN SITU ELASTIC PROPERTIES FROM CROSSHOLE SURVEYS - BORING GP-1 TO BORING RT-1
2.5-8	IN SITU ELASTIC PROPERTIES FROM CROSSHOLE SURVEYS - BORING RT-1 TO BORING GP-2
2.5-9	POROSITY AND WATER CONTENT
2.5-10	MINERALOGICAL COMPOSITION - ESTIMATED MODAL ANALYSIS BY PETROGRAPHIC EXAMINATION OF THIN SECTIONS
2.5-11	MINERALOGICAL COMPOSITION - MODAL ANALYSIS BY X-RAY DIFFRACTION
2.5-12	MODULI FROM SONIC TESTING
2.5-13	TRIAXIAL TEST RESULTS (T-3-3 SERIES)
2.5-14	TRIAXIAL TEST RESULTS (30 DEGREES TO BEDDING)

NMP Unit 2 USAR

CHAPTER 2

LIST OF TABLES (Cont'd.)

<u>Table Number</u>	<u>Title</u>
2.5-15	TRIAXIAL TEST RESULTS (RT SERIES)
2.5-16	UNIAXIAL MODULUS DETERMINATIONS
2.5-17	YOUNG'S MODULUS DETERMINED BY BIAXIAL TEST
2.5-18	SWELL TEST RESULTS
2.5-19	TRIAXIAL SWELL AND CREEP TEST RESULTS
2.5-20	DIRECT SHEAR STRENGTH OF INTACT BEDDING PLANES AS A FUNCTION OF NORMAL STRESS AND MULTIPLE DISPLACEMENT
2.5-21	EXPLORATION AT THE UNIT 2 SITE AFTER GENERAL SITE EXPLORATION (POST-PSAR)
2.5-22	PARTICIPANTS OF POST-PSAR INVESTIGATIONS
2.5-23	SUMMARY OF BORINGS COMPLETED ON THE NINE MILE POINT SITE
2.5-24	SOURCES OF CATEGORY I STRUCTURAL FILL
2.5-25	TRIAXIAL SHEAR TEST RESULTS
2.5-26	TRIAXIAL SHEAR TEST RESULTS
2.5-27	TRIAXIAL SHEAR TEST RESULTS
2.5-28	INDEX AND MECHANICAL PROPERTIES OF CATEGORY I STRUCTURAL FILL
2.5-28A	QUALITY CONTROL PROGRAM FOR CATEGORY I STRUCTURAL FILL AND GRANULAR FILL
2.5-29	PIEZOMETER READINGS, P-SERIES
2.5-30	PIEZOMETER READINGS, PI-SERIES
2.5-31	SUMMARY OF CYCLIC TRIAXIAL TESTS - CHAUVIN PIT
2.5-32	SUMMARY OF CYCLIC TRIAXIAL TESTS - MEANY ENGLS ROAD PIT
2.5-33	INSTRUMENTATION

NMP Unit 2 USAR

CHAPTER 2

LIST OF TABLES (Cont'd.)

<u>Table Number</u>	<u>Title</u>
2.5-34	GRADATION LIMITS AND WEIGHT REQUIREMENTS FOR BACKSLOPE ARMOR AND UNDERLAYERS
2.5-35	GRADATION LIMITS FOR GRANULAR FILTERS
2.5-36	STANDARD VERMICULITE GRADES
2.5-37	CONCRETE SAND GRADATION REQUIREMENTS
2.5-38	QUALITY CONTROL PROGRAM FOR VERMICULITE
2.5-39	QUALITY CONTROL PROGRAM FOR VERMICULITE - CONCRETE
2.5-40	QUALITY CONTROL PROGRAM FOR VERMICULITE - SAND
2.5-41	QUALITY CONTROL PROGRAM FOR NUFOAM/RODAFOAM
2.5-42	DESIGN SOIL AND ROCK PARAMETERS USED IN THE DESIGN OF CATEGORY I STRUCTURES
2.5-43	FOUNDATION DESIGN PARAMETERS FOR MAJOR STRUCTURES
2.5-44	RESULTS OF LIQUEFACTION ANALYSIS
2.5-45	MAXIMUM RESPONSES OF INPUT EARTHQUAKES TO DUCTLINES 907 AND 922 AND MANHOLE NO. 1, CL-1E
2.5-45A	SUMMARY OF FIELD PERCOLATION TEST RESULTS
2.5-46	SUMMARY OF FIELD PERCOLATION TEST RESULTS
2.5-46A	TRIAXIAL COMPRESSION TEST DATA SUMMARY FOR WHELISKY PIT SPECIMENS
2.5-46B	TRIAXIAL COMPRESSION TEST DATA SUMMARY FOR KELLER PIT SPECIMENS
2.5-46C	TRIAXIAL COMPRESSION TEST DATA SUMMARY FOR MEANY PIT SPECIMENS
2.5-47	SUMMARY OF ATTERBERG LIMITS TESTS ON BOREHOLE SAMPLES
2.5-48A	TRIAXIAL COMPRESSION TEST DATA SUMMARY FOR LACUSTRINE SILTY CLAY SPECIMENS
2.5-48B	TRIAXIAL COMPRESSION TEST DATA SUMMARY FOR LACUSTRINE SILTY CLAY SPECIMENS

NMP Unit 2 USAR

CHAPTER 2

LIST OF TABLES (Cont'd.)

<u>Table Number</u>	<u>Title</u>
2.5-48C	TRIAXIAL COMPRESSION TEST DATA SUMMARY FOR ORGANIC SILT SPECIMENS
2.5-49	SUMMARY OF LIQUEFACTION ANALYSIS
2.5-50	SUMMARY OF TESTING, INSPECTION, AND DOCUMENTATION REQUIREMENTS DURING EMBANKMENT BACKFILLING OPERATIONS

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES

<u>Figure Number</u>	<u>Title</u>
2.1-1	REGION WITHIN 80 KM OF SITE - NY STATE AND ONTARIO PROVINCE CENSUS DISTRICTS
2.1-2	SITE BOUNDARIES AND TRANSPORTATION ROUTES
2.1-3	TOWNS OF OSWEGO COUNTY WITHIN 16 KM OF SITE
2.1-4	LOW POPULATION ZONE BOUNDARY
2.1-5	ZONING MAP, CITY OF OSWEGO, NEW YORK
2.2-1	TRANSPORTATION ROUTES WITHIN A 10-KM RADIUS OF UNIT 2
2.3-1	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR N, NNE, NE, ENE WIND DIRECTIONS - WINTER NATURAL DRAFT COOLING TOWER
2.3-2	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR E, ESE, SE, SSE WIND DIRECTIONS - WINTER NATURAL DRAFT COOLING TOWER
2.3-3	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR S, SSW, SW, WSW WIND DIRECTIONS - WINTER NATURAL DRAFT COOLING TOWER
2.3-4	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR W, WNW, NW, NNW WIND DIRECTIONS - WINTER NATURAL DRAFT COOLING TOWER
2.3-5	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR ALL WIND DIRECTIONS - WINTER NATURAL DRAFT COOLING TOWER
2.3-6	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR N, NNE, NE, ENE WIND DIRECTIONS - SPRING NATURAL DRAFT COOLING TOWER
2.3-7	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR E, ESE, SE, SSE WIND DIRECTIONS - SPRING NATURAL DRAFT COOLING TOWER
2.3-8	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR S, SSW, SW, WSW WIND DIRECTIONS - SPRING NATURAL DRAFT COOLING TOWER

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.3-9	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR W, WNW, NW, NNW WIND DIRECTIONS - SPRING NATURAL DRAFT COOLING TOWER
2.3-10	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR ALL WIND DIRECTIONS - SPRING NATURAL DRAFT COOLING TOWER
2.3-11	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR N, NNE, NE, ENE WIND DIRECTIONS - SUMMER NATURAL DRAFT COOLING TOWER
2.3-12	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR E, ESE, SE, SSE WIND DIRECTIONS - SUMMER NATURAL DRAFT COOLING TOWER
2.3-13	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR S, SSW, SW, WSW WIND DIRECTIONS - SUMMER NATURAL DRAFT COOLING TOWER
2.3-14	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR W, WNW, NW, NNW WIND DIRECTIONS - SUMMER NATURAL DRAFT COOLING TOWER
2.3-15	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR ALL WIND DIRECTIONS - SUMMER NATURAL DRAFT COOLING TOWER
2.3-16	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR N, NNE, NE, ENE WIND DIRECTIONS - FALL NATURAL DRAFT COOLING TOWER
2.3-17	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR E, ESE, SE, SSE WIND DIRECTION - FALL NATURAL DRAFT COOLING TOWER
2.3-18	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR S, SSW, SW, WSW WIND DIRECTION - FALL NATURAL DRAFT COOLING TOWER
2.3-19	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR W, WNW, NW, NNW WIND DIRECTIONS - FALL NATURAL DRAFT COOLING TOWER
2.3-20	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR ALL WIND DIRECTIONS - FALL NATURAL DRAFT COOLING TOWER

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.3-21	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR N, NNE, NE, ENE WIND DIRECTIONS - 3 YEARS NATURAL DRAFT COOLING TOWER
2.3-22	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR E, ESE, SE, SSE WIND DIRECTION - 3 YEARS NATURAL DRAFT COOLING TOWER
2.3-23	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR S, SSW, SW, WSW WIND DIRECTIONS - 3 YEARS NATURAL DRAFT COOLING TOWER
2.3-24	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR W, WNW, NW, NNW WIND DIRECTIONS - 3 YEARS NATURAL DRAFT COOLING TOWER
2.3-25	PREDICTED FREQUENCY OF PLUME OCCURRENCE FOR ALL WIND DIRECTIONS - 3 YEARS NATURAL DRAFT COOLING TOWER
2.3-26	AVERAGE ANNUAL SALT DEPOSITION (LB/ACRE/YR)
2.3-27	AVERAGE ANNUAL WATER DEPOSITION (LB/ACRE/YR)
2.3-28	AVERAGE MONTHLY SALT DEPOSITION - JANUARY (LB/ACRE/MO)
2.3-29	AVERAGE MONTHLY SALT DEPOSITION - FEBRUARY (LB/ACRE/MO)
2.3-30	AVERAGE MONTHLY SALT DEPOSITION - MARCH (LB/ACRE/MO)
2.3-31	AVERAGE MONTHLY SALT DEPOSITION - APRIL (LB/ACRE/MO)
2.3-32	AVERAGE MONTHLY SALT DEPOSITION - MAY (LB/ACRE/MO)
2.3-33	AVERAGE MONTHLY SALT DEPOSITION - JUNE (LB/ACRE/MO)
2.3-34	AVERAGE MONTHLY SALT DEPOSITION - JULY (LB/ACRE/MO)
2.3-35	AVERAGE MONTHLY SALT DEPOSITION - AUGUST (LB/ACRE/MO)

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.3-36	AVERAGE MONTHLY SALT DEPOSITION - SEPTEMBER (LB/ACRE/MO)
2.3-37	AVERAGE MONTHLY SALT DEPOSITION - OCTOBER (LB/ACRE/MO)
2.3-38	AVERAGE MONTHLY SALT DEPOSITION - NOVEMBER (LB/ACRE/MO)
2.3-39	AVERAGE MONTHLY SALT DEPOSITION - DECEMBER (LB/ACRE/MO)
2.3-40	LOCATION OF PRIMARY AND BACKUP METEOROLOGICAL TOWERS
2.3-40A	LOCATION OF PRIMARY, INLAND, AND BACKUP METEOROLOGICAL TOWERS
2.3-41	SITE VICINITY MAP
2.3-42	GENERAL AREA TOPOGRAPHY TO 50 MILES
2.3-43	MAXIMUM TOPOGRAPHIC ELEVATIONS (NORTHEAST QUADRANT)
2.3-44	MAXIMUM TOPOGRAPHIC ELEVATIONS (SOUTHEAST QUADRANT)
2.3-45	MAXIMUM TOPOGRAPHIC ELEVATIONS (SOUTHWEST QUADRANT)
2.3-46	MAXIMUM TOPOGRAPHIC ELEVATIONS (NORTHWEST QUADRANT)
2.4-1	PMF DRAINAGE
2.4-2	DRAINAGE BASIN AND WATERSHED
2.4-3	ICE RIDGES IN THE VICINITY OF THE SITE
2.4-4	RELATIONSHIP OF OVERLOAD ISOTACHS ≥ 50 KM/HR (27 KNOTS) TO ISOBARS FOR PROBABLE MAXIMUM WINDSTORM
2.4-5	DESIGN PATH OF PROBABLE MAXIMUM WINDSTORM
2.4-6	ZONES FOR METEOROLOGICAL PARAMETERS ON LAKE ONTARIO

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.4-7	PREDICTED WIND SPEED AND DIRECTION FOR EASTERN END OF LAKE ONTARIO DURING PROBABLE MAXIMUM WINDSTORM
2.4-8A	LOCATION OF THE MAIN STACK AND THE NEARBY LAKE BATHYMETRY
2.4-8B	TRANSECT PROFILE
2.4-9	PUBLIC WATER SUPPLIES IN VICINITY OF SITE
2.4-10	PRIVATE WATER WELLS NEAR SITE
2.4-11	GENERALIZED GEOLOGIC CROSS SECTION
2.4-12	CROSS SECTION SHOWING LOCATION OF PIEZOMETERS IN THE VICINITY OF THE INTAKE SHAFT
2.4-13	DRAWDOWN PROGRESSION
2.4-14	GROUNDWATER CONTOURS AROUND REACTOR BUILDING USED FOR DESIGN
2.4-15	GROUNDWATER PROFILE UNDER THE CONDENSATE STORAGE TANK BUILDING
2.4-16	WATER SUPPLIES AND INDUSTRIAL USERS ON LAKE ONTARIO WITHIN 80-KM REGION
2.4-17	DISCHARGE ZONE AT NINE MILE POINT UNIT 1
2.4-18	WIND SPEED AND DURATION FOR GENERATING A 10.5 FT WAVE
2.5-1	REGIONAL LOCATION MAP
2.5-2	REGIONAL PHYSIOGRAPHIC MAP
2.5-3	GENERALIZED REGIONAL GEOLOGY MAP
2.5-4	REGIONAL TECTONIC MAP SHOWING TECTONIC PROVINCES
2.5-5	GENERALIZED REGIONAL SW-NE GEOLOGIC CROSS SECTION A-A'
2.5-6	GENERALIZED REGIONAL NW-SE GEOLOGIC CROSS SECTION B-B'

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-7	REGIONAL AND SITE STRATIGRAPHIC COLUMN (NEW YORK STATE)
2.5-8	SIMPLE BOUGUER GRAVITY MAP OF NEW YORK
2.5-9	AEROMAGNETIC MAP OF NEW YORK
2.5-10	REGIONAL ISOPACH MAPS OF PALEOZOIC APPALACHIAN BASIN
2.5-11	ALKALIC IGNEOUS ROCKS OF WESTERN APPALACHIANS
2.5-12	TECTONIC PROVINCES OF NORTHEASTERN UNITED STATES AND ADJACENT CANADA SHOWING HISTORIC SEISMICITY
2.5-13	STRUCTURE CONTOUR MAP OF PRECAMBRIAN BASEMENT, NY
2.5-14	REGIONAL DISTRIBUTION OF VERTICAL TO NEAR VERTICAL FRACTURES
2.5-15	CONTOUR DIAGRAM OF POLES TO 42 SMALL FAULTS IN CENTRAL AND WESTERN UPSTATE NEW YORK
2.5-16	MAP OF POSTGLACIAL DEFORMATIONAL FEATURES
2.5-17	MAP OF POST-TACONIC MINERALIZATION
2.5-18	HEAT FLOW IN NEW YORK AND PENNSYLVANIA
2.5-19	CROSS-STRIKE LINEAMENTS OF PENNSYLVANIA AND NEW YORK
2.5-20	FOCAL MECHANISM SOLUTIONS (LOWER HEMISPHERE) NORTHEAST U.S. - SOUTHEAST CANADA
2.5-21	INTERPRETATION OF VERTICAL CRUSTAL VELOCITY FOR LAKE ONTARIO REGION RELATIVE TO CAPE VINCENT, NY
2.5-22	SELECTED LATE WISCONSINAN ICE MARGINS
2.5-23	LATE WISCONSINAN EVENTS IN THE ONTARIO BASIN
2.5-24	TIME VS WATER LEVEL IN THE LAKE ONTARIO BASIN
2.5-25	SURFICIAL GEOLOGIC MAP SHOWING 5 MILE RADIUS AROUND NINE MILE POINT UNIT 2 SITE
2.5-26	CROSS SECTION X-X'

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-27	SITE LOCATION MAP SHOWING SURFACE TOPOGRAPHY
2.5-28	SITE LOCATION MAP SHOWING GENERAL CONFIGURATION OF BEDROCK AND LOCATIONS OF KNOWN GEOLOGIC STRUCTURES
2.5-28A	TRENCH LOCATIONS AND EXPOSURES OF COOLING TOWER FAULT
2.5-29	COMPOSITE TIME-STRATIGRAPHIC COLUMN OF OVERBURDEN AT NINE MILE POINT
2.5-30	GENERALIZED SITE CROSS SECTION UNCONSOLIDATED SEDIMENTS
2.5-31	CROSS SECTION PT-2 EAST WALL, PIT 1
2.5-32	CROSS SECTION PT-1 WEST WALL, PIT 1
2.5-33	RELATIVE POLLEN PERCENTAGES, SPORE AND MISCELLANEOUS MICROFOSSIL ABUNDANCE (SURFICIAL SEDIMENTS)
2.5-34	CROSS SECTION 3-1 EAST WALL, TRENCH 3
2.5-35	POLLEN SAMPLES EAST WALL, TRENCH 3
2.5-36	COMPOSITE SITE STRATIGRAPHIC COLUMN
2.5-37	STEREOGRAMS OF POLES TO FRACTURES NORTHERN SECTION OF SITE
2.5-38	STEREOGRAMS OF POLES TO FRACTURES IN THE COOLING TOWER PIPING TRENCH OUTSIDE THE FAULT ZONE
2.5-39	STRATIGRAPHIC CORRELATION CHART BORINGS T-3-1 THROUGH T-3-10
2.5-40	STRATIGRAPHIC CORRELATION CHART BORINGS T-4-1 THROUGH T-4-12
2.5-41	GENERALIZED GEOLOGIC CROSS SECTION BORINGS T-3-1 THROUGH T-3-10
2.5-42	GENERALIZED GEOLOGIC CROSS SECTION BORINGS T-4-1 THROUGH T-4-12

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-43	GEOLOGIC PLAN VIEW OF FAULT COOLING TOWER PIPING TRENCH
2.5-44	GENERALIZED BLOCK DIAGRAM, WEST WALL COOLING TOWER PIPING TRENCH EXCAVATION
2.5-45	CROSS SECTION 5-3B ROCK SLOT, TRENCH 5
2.5-46	CROSS SECTION 5-3A ROCK SLOT, TRENCH 5
2.5-47	CROSS SECTION 3-3A ROCK SLOT, TRENCH 3, NORTH AND EAST WALLS
2.5-48	GENERALIZED BLOCK DIAGRAM, EAST WALL, TRENCH 3
2.5-49	GENERALIZED BLOCK DIAGRAM, WEST WALL, TRENCH 4
2.5-50	GENERALIZED BLOCK DIAGRAM, WEST WALL, TRENCH 5
2.5-51	CROSS SECTION 3-2 EAST WALL, TRENCH 3
2.5-52	DIAGRAM SHOWING RELATIONSHIP BETWEEN STRATIGRAPHIC DISPLACEMENT AND DEPTH IN BORINGS T-3-1 THROUGH T-3-10
2.5-53	DIAGRAM SHOWING RELATIONSHIP BETWEEN STRATIGRAPHIC DISPLACEMENT AND DEPTH IN BORINGS T-4-1 THROUGH T-4-12
2.5-54	DIAGRAM SHOWING DIFFERENCES IN THICKNESS OF THE STRATIGRAPHIC SECTION ON BOTH SIDES OF THE FAULT
2.5-55	REVERSE SLIP DISPLACEMENTS DUE TO BUCKLING ON COOLING TOWER FAULT
2.5-56	MECHANICS OF BUCKLING ON COOLING TOWER FAULT
2.5-57	SIMPLIFIED GEOLOGIC CROSS SECTION AT THE NINE MILE POINT SITE
2.5-58	PEAK SHEAR STRENGTH OF BEDDING AND ACCUMULATION OF SHEAR STRESS ON BEDDING PLANES AS Φ_1 , TRAJECTORY PLUNGES PROGRESSIVELY AWAY FROM FREE BOUNDARY
2.5-59	DEVELOPMENT OF MAXIMUM POTENTIAL DEPTH OF REVERSE-SLIP DEFLECTION

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-60	RELATIONSHIP OF LAYER-PARALLEL STRESS TO SLENDERNESS RATIO FOR BEDS 12, 18 AND 24 INCHES THICK
2.5-61	DIAGRAM OF POSSIBLE CHANGES IN THE FLUID PRESSURE IN BEDROCK WITH TIME
2.5-62	GEOLOGIC CROSS SECTION BASED ON 800 SERIES BOREHOLES
2.5-63	DETAILED CROSS SECTION - NORTHEAST WALL, NORTH RADWASTE TRENCH
2.5-64	DETAILED CROSS SECTION - SOUTHWEST WALL, NORTH RADWASTE TRENCH
2.5-65	DETAILED CROSS SECTION OF EXPLORATORY EXCAVATION INTO SOUTH WALL OF NORTH RADWASTE TRENCH (SOUTH WALL)
2.5-66	PHOTOGRAPHS OF LATE PLEISTOCENE CLAY
2.5-67	RELATIVE POLLEN PERCENTAGES, SPORE AND MISC. MICROFOSSIL ABUNDANCE (INTERSTITIAL SEDIMENT)
2.5-68	POSTULATED BOUNDARY CONDITIONS
2.5-69	INTERPRETED GEOLOGIC HISTORY OF THE PALEOZOIC SEDIMENTARY ROCKS IN THE VICINITY OF NINE MILE POINT, NY
2.5-70	BURIAL DEPTH VS TIME
2.5-71	FLUID INCLUSION TEMPERATURE DISTRIBUTION
2.5-72	FREQUENCY CURVE OF FLUID INCLUSION TEMPERATURE DISTRIBUTION
2.5-73	SITE PARAGENETIC RELATIONSHIPS
2.5-74	RELATIONSHIPS OF FLUID INCLUSION FILLING TEMPERATURES TO GEOLOGICAL STRUCTURES IN SITE AREA
2.5-75	PARAGENETIC RELATIONSHIPS OF GROUNDWATER CALCITE MINERALIZATION AT NINE MILE POINT UNIT 2 SITE
2.5-76	COMPARISON OF ELASTIC MODULII VS ROCK TYPE

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-77	MAP OF APPALACHIAN BASIN SHOWING DEPTH TO PRECAMBRIAN BASEMENT ROCKS
2.5-78	BLOCK DIAGRAMS REPRESENTING THE APPALACHIAN BASIN
2.5-79	STRESS PROVINCES
2.5-80	COMPARISON OF GENERAL EASTERN UNITED STATES ATTENUATION WITH ACTUAL EXPERIENCE IN SITE REGION
2.5-81	ISOSEISMAL MAP OF THE CORNWALL-MASSENA EARTHQUAKE, SEPTEMBER 5, 1944, MMI VIII
2.5-82	ISOSEISMAL MAP OF THE ATTICA EARTHQUAKE OF AUGUST 12, 1929, MMI VII
2.5-83	HORIZONTAL RESPONSE SPECTRA SAFE SHUTDOWN EARTHQUAKE (0.15G)
2.5-84	VERTICAL RESPONSE SPECTRA SAFE SHUTDOWN EARTHQUAKE (0.15G)
2.5-85	HORIZONTAL RESPONSE SPECTRA OPERATING BASIS EARTHQUAKE (0.075G)
2.5-86	VERTICAL RESPONSE SPECTRA OPERATING BASIS EARTHQUAKE (0.075G)
2.5-87	SITE LOCATION MAP SHOWING OVERCORE BORING LOCATIONS
2.5-88	OC-100 PROFILES
2.5-89	ROCK PROPERTY TESTS
2.5-90	COMPARISON OF ELASTIC MODULII VS STRATIGRAPHIC UNIT
2.5-91	COMPARISON OF POISSON'S RATIO VS ROCK TYPE
2.5-92	DIRECT SHEAR TESTS
2.5-93	LOCATION MAPS SHOWING BORING LOCATIONS
2.5-94	GEOLOGIC AND EXCAVATION PROFILES A-A', B-B', C-C', AND D-D' - MAIN PLANT AREA

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-95	GEOLOGIC AND EXCAVATION PROFILES E-E', F-F', AND G-G' - MAIN PLANT AREA
2.5-96	LOCATION OF CROSS SECTIONS OF ROCK EXCAVATIONS AND FOUNDATION GRADES FOR CATEGORY I STRUCTURES
2.5-96A	SCALED DISTANCE VERSUS PARTICLE VELOCITY - CONFINED PRESPLIT BLASTING GUIDELINE BLASTING ENVELOPE
2.5-96B	SCALED DISTANCE VERSUS PARTICLE VELOCITY - CONFINED PRODUCTION BLASTING GUIDELINE BLASTING ENVELOPE
2.5-96C	SCALED DISTANCE VERSUS PARTICLE VELOCITY - BLASTING TO AN OPEN FACE GUIDELINE BLASTING ENVELOPE
2.5-96D	PEAK RADIAL PARTICLE VELOCITY VERSUS FREQUENCY - UNIT 1
2.5-96E	TYPICAL ROCK DOWEL DETAILS
2.5-96F	TYPICAL PLANS OF ROCK DOWEL
2.5-97	PLOT PLAN - GEOPHYSICAL SURVEY ILLUSTRATING BOREHOLE POSITION WITH DEPTH
2.5-98	UPHOLE COMPRESSIONAL WAVE VELOCITY SURVEY BORING GP-1
2.5-99	UPHOLE COMPRESSIONAL WAVE VELOCITY SURVEY BORING GP-2
2.5-100	SHEAR WAVE VELOCITY RESULTS CROSSHOLE SURVEY
2.5-101	COMPRESSIONAL WAVE VELOCITY RESULTS CROSSHOLE SURVEY
2.5-102	GRADATION REQUIREMENTS OF STRUCTURAL FILL
2.5-102A	GRADATION REQUIREMENTS OF GRANULAR FILL
2.5-102B	RESULTS OF IN-PLACE DENSITY TESTS ON CATEGORY I STRUCTURAL FILL
2.5-103	PIEZOMETER LOCATIONS

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-104	DESIGN DATA FOR SOIL LIQUEFACTION ANALYSES - BORROW SOURCE: CHAUVIN PIT
2.5-105	DESIGN DATA FOR SOIL LIQUEFACTION ANALYSES - BORROW SOURCE: MEANY ENGLÉS ROAD PIT
2.5-105A	LOCATION OF COMPRESSIBLE MATERIALS BETWEEN ROCK AND CATEGORY I STRUCTURES AT EL 170'
2.5-105B	LOCATION OF COMPRESSIBLE MATERIALS BETWEEN ROCK AND CATEGORY I STRUCTURES AT EL 190'
2.5-105C	LOCATION OF COMPRESSIBLE MATERIALS BETWEEN ROCK AND CATEGORY I STRUCTURES AT EL 210'
2.5-105D	LOCATION OF COMPRESSIBLE MATERIALS BETWEEN ROCK AND CATEGORY I STRUCTURES AT EL 220'
2.5-105E	LOCATION OF COMPRESSIBLE MATERIALS BETWEEN ROCK AND CATEGORY I STRUCTURES AT EL 232'
2.5-105F	LOCATION OF COMPRESSIBLE MATERIALS BETWEEN ROCK AND CATEGORY I STRUCTURES AT EL 245'
2.5-105G	CROSS SECTION 1-1 TYPICAL BACKFILL DETAIL
2.5-105H	CROSS SECTION 2-2 TYPICAL BACKFILL DETAIL
2.5-105I	DYNAMIC INCREMENT COEFFICIENT VS HORIZONTAL SEISMIC COEFFICIENT
2.5-105J	PLAN AND TYPICAL CROSS SECTION OF HVT TUNNEL
2.5-106	VERMICULITE TYPICAL CONSOLIDATION TEST RESULTS
2.5-107	VERMICULITE CONCRETE COMPOSITE CURVE CONFINED COMPRESSION TESTS
2.5-108	COMPREHENSIVE STRESS-STRAIN FOR NUFOAM TYPE 1
2.5-109	COMPREHENSIVE STRESS-STRAIN FOR RODOFOAM II
2.5-110	LATERAL PRESSURE DISTRIBUTION
2.5-111	STRESS-STRAIN CURVE OF VERMICULITE-SAND
2.5-112	GROUNDWATER CONTOURS AROUND REACTOR BUILDING USED FOR DESIGN

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-113	DOWEL LOCATION PLAN
2.5-114	BOREHOLE OC-1 STRESSMETER RECORD
2.5-115	BOREHOLE OC-2 STRESSMETER RECORD (SHEETS 1 AND 2)
2.5-116	BOREHOLE OC-5 STRESSMETER RECORD
2.5-117	BOREHOLE OC-7 STRESSMETER RECORD (SHEETS 1 AND 2)
2.5-118	PLOT PLAN OF 800 SERIES INSTRUMENTATION
2.5-119	TIME DISPLACEMENT PLOTS FOR INCLINOMETER INSTALLATION SI-4 (SHEETS 1 THROUGH 4)
2.5-120	TIME DISPLACEMENT PLOTS FOR INCLINOMETER INSTALLATION 803 (SHEETS 1 THROUGH 4)
2.5-121	TIME DISPLACEMENT PLOTS FOR INCLINOMETER INSTALLATION 805 (SHEETS 1 THROUGH 3)
2.5-122	RELATIVE DISPLACEMENT PLOT INCLINOMETER 803, 23'-27'
2.5-123	VECTOR TRACE INCLINOMETER 803, 5'-21'
2.5-124	EXTENSOMETER EX-4 RECORD
2.5-125	PLOT PLAN LINEAR DISPLACEMENT SENSORS
2.5-126	PLOT PLAN REVETMENT DITCH
2.5-127	REVETMENT DITCH PLAN AND TYPICAL SECTIONS
2.5-127A	REVETMENT DITCH WEST END DETAILS
2.5-127B	REVETMENT DITCH EAST END DETAILS
2.5-128	FLOOD CONTROL BERM
2.5-129	TRIAXIAL TEST PLOT EFFECTIVE CONSOLIDATION PRESSURE 10.0 LB/SQ IN
2.5-130	TRIAXIAL TEST PLOT EFFECTIVE CONSOLIDATION PRESSURE 20.0 LB/SQ IN

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-131	TRIAXIAL TEST PLOT EFFECTIVE CONSOLIDATION PRESSURE 40.0 LB/SQ IN
2.5-132	TRIAXIAL SHEAR TEST RESULTS
2.5-133	REACTOR DEWATERING SYSTEM TYPICAL CROSS SECTION
2.5-134	REACTOR DEWATERING SYSTEM TYPICAL PLANS
2.5-135	SEISMIC STABILITY ANALYSIS FOR THE REVETMENT DITCH SYSTEM - INPUTS AND RESULTS
2.5-136	DESIGN CRITERIA: RADWASTE FAULT MOVEMENT
2.5-137	SCHEMATIC REPRESENTATIONS - STRUCTURES AND FAULT
2.5-138	PLAN VIEW: PLANT COMPLEX
2.5-139	CROSS SECTION D-D CONTROL BUILDING
2.5-140	CROSS SECTION E-E DIESEL GENERATOR BUILDING
2.5-141	CROSS SECTION F-F NORTH ELECTRICAL TUNNEL
2.5-142	CROSS SECTION G-G SOUTH ELECTRICAL TUNNEL
2.5-143	CROSS SECTION H-H EXHAUST TUNNEL
2.5-144	CROSS SECTION I-I REACTOR BUILDING
2.5-145	CROSS SECTION J-J SCREENWELL BUILDING
2.5-146	CROSS SECTION K-K RAILROAD ACCESS LOCK
2.5-147	CROSS SECTION L-L ELECTRICAL DUCTLINE 907
2.5-148	CROSS SECTION M-M AUXILIARY SERVICES BUILDING
2.5-149	ELECTRICAL BAY
2.5-150	THE INPUT SOIL SYSTEM
2.5-151	SHEAR MODULUS AND DAMPING VERSUS STRAIN - SEISMIC RESPONSE OF BACKFILL ATOP ROCK
2.5-152	ENVELOPE OF MAXIMUM RESPONSES

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-153	PLAN AND TYPICAL SECTIONS OF ELECTRICAL DUCTLINES 907 AND 922 AND MANHOLE NO. 1
2.5-154	PLOT PLAN OF FLOOD CONTROL BERM
2.5-155	PLOT PLAN OF BORING AND PIEZOMETER LOCATIONS
2.5-156	CROSS SECTIONS OF UNDISTURBED BLOCK SAMPLES
2.5-157	WATER LEVEL VERSUS TIME MEASUREMENTS IN PIEZOMETERS
2.5-158	BORING LOG NO. BB-1
2.5-159	BORING LOG NO. BB-2
2.5-160	BORING LOG NO. BB-3
2.5-161	BORING LOG NO. BB-4
2.5-162	BORING LOG NO. BB-5
2.5-163	BORING LOG NO. BB-6
2.5-164	BORING LOG NO. BB-7
2.5-165	BORING LOG NO. BB-8
2.5-166	BORING LOG NO. BB-9
2.5-167	BORING LOG NO. BB-10
2.5-168	BORING LOG NO. BB-11
2.5-169	BORING LOG NO. BB-12
2.5-170	BORING LOG NO. BB-13
2.5-171	BORING LOG NO. BB-14
2.5-172	BORING LOG NO. BB-15
2.5-173	BORING LOG NO. BB-16
2.5-174	BORING LOG NO. BB-17
2.5-175	BORING LOG NO. BB-18

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-176	BORING LOG NO. BB-19
2.5-177	BORING LOG NO. BB-20
2.5-178	BORING LOG NO. BB-21
2.5-179	BORING LOG NO. BB-22
2.5-180	BORING LOG NO. BB-23
2.5-181	BORING LOG NO. BB-24
2.5-182	BORING LOG NO. BB-25
2.5-183	BORING LOG NO. BB-26
2.5-184	BORING LOG NO. BB-27
2.5-185	BORING LOG NO. BB-28
2.5-186	SUBSURFACE PROFILE EAST BERM
2.5-187	SUBSURFACE PROFILE LAKE ROAD BERM
2.5-188	SUBSURFACE PROFILE WEST BERM
2.5-189	SUBSURFACE PROFILE SOUTHEAST BERM
2.5-190	BORROW PIT GRADATION RESULTS FOR EMBANKMENT FILL
2.5-191	COMPACTION TEST RESULTS FOR STRUCTURAL FILL FROM WHELISKY PIT
2.5-192	COMPACTION TEST RESULTS FOR STRUCTURAL FILL FROM KELLER PIT (SHEETS 1 AND 2)
2.5-193	COMPACTION TEST RESULTS FOR STRUCTURAL FILL FROM MEANY PIT (SHEETS 1 AND 2)
2.5-194	MOHR CIRCLES AND EFFECTIVE STRESS PLOTS FOR TRIAXIAL COMPRESSION TESTS ON STRUCTURAL FILL FROM MEANY PIT
2.5-195	MOHR CIRCLES AND EFFECTIVE STRESS PLOTS FOR TRIAXIAL COMPRESSION TESTS ON STRUCTURAL FILL FROM KELLER PIT

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-196	MOHR CIRCLES AND EFFECTIVE STRESS PLOTS FOR TRIAXIAL COMPRESSION TESTS ON STRUCTURAL FILL FROM WHELISKY PIT
2.5-197	CONSTANT HEAD PERMEABILITY TESTS ON STRUCTURAL FILL FROM MEANY PIT (SHEETS 1 THROUGH 3)
2.5-198	CONSTANT HEAD PERMEABILITY TESTS ON STRUCTURAL FILL FROM WHELISKY PIT (SHEETS 1 THROUGH 6)
2.5-199	CONSTANT HEAD PERMEABILITY TESTS ON STRUCTURAL FILL FROM KELLER PIT (SHEETS 1 THROUGH 5)
2.5-200	GRADATION TEST RESULTS ON FOUNDATION MATERIALS (SHEETS 1 AND 2)
2.5-201	CONSOLIDATION TEST RESULTS ON LACUSTRINE SILTY CLAY (SHEETS 1 AND 2)
2.5-201	CONSOLIDATION TEST RESULTS ON ORGANIC SILT (SHEET 3)
2.5-202	DIRECT SHEAR TEST RESULTS ON LACUSTRINE SILTY CLAY
2.5-203	MOHR CIRCLES AND EFFECTIVE STRESS PLOTS FOR TRIAXIAL COMPRESSION TESTS ON LACUSTRINE SILTY CLAY
2.5-204	MOHR CIRCLES AND EFFECTIVE STRESS PLOTS FOR TRIAXIAL COMPRESSION TESTS ON LACUSTRINE SILTY CLAY
2.5-205	MOHR CIRCLES AND EFFECTIVE STRESS PLOTS FOR TRIAXIAL COMPRESSION TESTS ON ORGANIC SILT
2.5-206	TYPICAL CROSS SECTIONS OF EMBANKMENT FOUNDATIONS
2.5-207	CROSS SECTIONS OF LAKE ROAD ABUTMENT
2.5-208	BLOW COUNT PROFILE FOR BORING NO. BB-1, 2, 6, 7, 8, 9, 19, 20, 22, 23 (SHEETS 1 THROUGH 10)
2.5-209	TYPICAL BERM CROSS SECTIONS
2.5-210	SLOPE STABILITY - EAST BERM AT STATION 5+68 (SHEETS 1 AND 2)

NMP Unit 2 USAR

CHAPTER 2

LIST OF FIGURES (Cont'd.)

<u>Figure Number</u>	<u>Title</u>
2.5-210	SLOPE STABILITY - EAST BERM AT STATION 10+22 (SHEETS 3 AND 4)
2.5-211	SLOPE STABILITY - LAKE ROAD BERM AT STATION 13+00 (SHEETS 1 AND 2)
2.5-212	SLOPE STABILITY - WEST BERM AT STATION 5+30 (SHEETS 1 THROUGH 3)