

AEC DISTRIBUTION FOR PART 50 DOCKET MATERIAL
(TEMPORARY FORM)

CONTROL NO: 8410

FILE:

FROM: Pacific Gas & Electric Company San Francisco, Cal. 94106 F. T. Searls			DATE OF DOC 11-19-73	DATE REC'D 11-23-73	LTR X	MEMO	RPT	OTHER
TO: R. C. DeYoung			ORIG 1 signed	CC	OTHER	SENT AEC PDR X SENT LOCAL PDR X		
CLASS	UNCLASS XX	PROP INFO	INPUT	NO CYS REC'D 1	DOCKET NO: <u>50-275</u> /323			

DESCRIPTION:
Ltr repour 11-5-73 ltr.....advising that Federal Register notice not in local public docket Rm, advising periodic ckeck of material on file will be madefurnishing correct name & mailing address.....

ENCLOSURES:

ACKNOWLEDGED

DO NOT REMOVE

PLANT NAME: Diablo Canyon Unit 1 & 2

FOR ACTION/INFORMATION

11-23-73 GC

BUTLER(L) W/ Copies	SCHWENCER(L) W/ Copies	ZIEMANN(L) W/ Copies	REGAN(E) W/ Copies
CLARK(L) W/ Copies	STOLZ(L) W/ Copies	✓DICKER(E) W/ 2 Copies (info)	W/ Copies
✓GOLLER(L) W/ 2 Copies	VASSALLO(L) W/ Copies	KNIGHTON(E) W/ Copies	W/ Copies
KNIEL(L) W/ Copies	SCHEMEL(L) W/ Copies	YOUNGBLOOD(E) W/ Copies	W/ Copies

INTERNAL DISTRIBUTION

✓REG FILE	TECH REVIEW	DENTON	LIC ASST	A/T IND
✓AEC PDR	HENDRIE	GRIMES		BRAITMAN
✓OGC, ROOM P-506A	SCHROEDER	GAMMILL	DIGGS (L)	SALTZMAN
MUNTZING/STAFF	MACCARY	KASTNER	GEARIN (L)	B. HURT
CASE	KNIGHT	BALLARD	GOULBOURNE (L)	PLANS
GIAMBUSSO	PAWLICKI	SPANGLER	LEE (L)	MCDONALD
BOYD	SHAO		MAIGRET (L)	DUBE
MOORE (L) (BWR)	STELLO	ENVIRO	SERVICE (L)	INFO
✓DEYOUNG(L) (PWR)	HOUSTON	MULLER	SHEPPARD (E)	C. MILES
✓SKOVHOLT (L)	NOVAK	DICKER	SMITH (L)	
P. COLLINS	ROSS	KNIGHTON	TEETS (L)	
	IPPOLITO	YOUNGBLOOD	✓WADE (E)	
REG OPR	TEDESCO	REGAN	WILLIAMS (E)	
FILE & REGION(3)	LONG	PROJECT LDR	✓WILSON (L)	
MORRIS	LAINAS			
STEELE	BENAROYA	HARLESS		
	VOLLMER			

EXTERNAL DISTRIBUTION

1 - LOCAL PDR	(1) (2) (10) - NATIONAL LAB'S	1 - PDR - SAN/LA/NY
1 - DTIE (ABERNATHY)	1 - ASLBP (E/W Bldg, Rm 529)	1 - GERALD LELLOUCHE
1 - NSIC (BUCHANAN)	1 - W. PENNINGTON, Rm E-201 GT	BROOKHAVEN NAT. LAB
1 - ASLB (YORE/SAYRE/ WOODARD/"H" ST.	1 - CONSULTANT'S NEWMARK/BLUME/AGBABIAN	1 - AGMED (Ruth Gussman) RM - B-127, GT.
16 - CYS ACRS HOLDING	1 - GERALD ULRIKSON...ORNL	1 - RD..MULLER..F-309 GT

muc

... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..

... ..


PACIFIC GAS AND ELECTRIC COMPANY

PG&E + 77 BEALE STREET • SAN FRANCISCO, CALIFORNIA 94106 • (415) 781-4211

FREDERICK T. SEARLS
VICE PRESIDENT AND GENERAL COUNSEL

JOHN C. MORRISSEY
ASSOCIATE GENERAL COUNSEL

WILLIAM B. KUDER
WILLIAM E. JOHNS
MALCOLM H. FURBUSH
CHARLES T. VAN DEUSEN
MALCOLM A. MACKILLOP
PHILIP A. CRANE, JR.
ASSISTANT GENERAL COUNSEL



NOEL KELLY
HENRY J. LAPLANTE
RICHARD A. CLARKE
GILBERT L. HARRICK
EDWARD J. MCDANNEY
JOHN B. GIBSON
GLENN WEST, JR.
ARTHUR L. HILLMAN, JR.
CHARLES W. THIBSELL
ROBERT OHLBACH
DANIEL T. SKINNER
STANLEY E. GIBSON
SENIOR COUNSEL

DAN GRAYSON LUSBOOK
J. BRADLEY BUNNIN
BERNARD J. DELLABANTA
JACK F. FALLON, JR.
HOWARD V. GOULB
DONALD L. FREITAS
JAMES G. LOOSDON
JOSEPH S. ENGLERT, JR.
LOUIS F. SCHOFIELD
ROBERT L. BORDON
DENNIS C. SULLIVAN
KATHY TODRANK
ROBERT L. HARRIS
ATTORNEYS

Mr. R. C. DeYoung
Assistant Director for
Pressurized Water Reactors
Directorate of Licensing
Office of Regulation
U. S. Atomic Energy Commission
Washington, D. C. 20545

Re: Dockets 50-275, 50-323

Dear Mr. DeYoung:

In response to your letter dated November 5, 1973 we looked into the material on file in the local public document room in San Luis Obispo. We discovered that they never received a copy of the notice published in the Federal Register concerning the opportunity for a hearing on the operating license and we have undertaken to furnish them a copy of this notice. For your information the correct name and mailing address of the local public document room is as follows:

San Luis Obispo City-County Library
P. O. Box X
San Luis Obispo, California 93406

The correct street address is 888 Morrow Street.

We will undertake to review the material on file in the local document room and make certain that it is kept up to date.

Very truly yours,

F. T. Searls

ST. J. ...

...
...
...
...
...

ST. J. ...

...

...
...
...
...
...
...
...
...
...
...
...
...

...

...

...

...
...
...
...

...