



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D. C. 20555

MAR 17 1982

Docket Nos. 50-275  
and 50-323



Ms. Lois M. Barber, President  
LMB Hand Rehab Products, Inc.  
P.O. Box 1181  
San Luis Obispo, CA 93406

Dear Ms. Barber:



This is in response to your recent message to President Reagan expressing your opposition to the licensing of the Diablo Canyon Nuclear Power Plant. NRC has a mandate to assure adequate protection of the public health and safety and the implementation of this mandate is our principal concern. Indeed, we issued no licenses following the TMI accident until we were assured that the lessons learned could be suitably incorporated into the plant designs. Similarly, no full-power licenses are issued without the Federal Emergency Management Agency's review and evaluation of the applicants' emergency preparedness plans.

Extensive public hearings have been held before an Atomic Safety and Licensing Board (ASLB) on various matters concerning the status of Diablo Canyon. The Hosgri Fault, which is located 2½ miles offshore from the Diablo Canyon plants, was discovered in 1971 and has been the subject of intensive investigation by the Pacific Gas & Electric Company (PG&E), the U.S. Geological Survey (USGS) and the Nuclear Regulatory Commission. As a principal geological advisor for the Commission, the USGS in 1975 suggested that a magnitude of 7.5 be assigned as a potential seismic value for the Hosgri Fault. On September 26, 1979, the ASLB assigned to conduct the licensing hearings issued its partial initial decision which found that a 7.5 magnitude earthquake is reasonable and meets regulatory requirements. On July 17, 1981, the Board issued its findings, concluding that operation of the Diablo facility at power levels not to exceed 5% rated power would not pose an undue risk to the health and safety of the general public. The NRC issued a low power license on September 22, 1981.

On September 28, 1981, PG&E notified the NRC staff that incorrect vertical response spectra were used in the design of seismic restraints for certain piping and components. The Commission suspended the low power operating license on November 19, 1981, and requested that additional information be submitted to assure that the piping and components restraints have been properly designed prior to a decision on re-instating the low power license.

8203300078 820317  
PDR ADOCK 05000275  
H PDR

OFFICE▶	.....	.....	.....	.....	.....	.....	.....
SURNAME▶	.....	.....	.....	.....	.....	.....	.....
DATE▶	.....	.....	.....	.....	.....	.....	.....




The thoroughness with which these matters are being considered should reassure you that every effort is being made to protect the public health and safety in the event that the Nuclear Regulatory Commission reinstates the low-power operating license to Diablo Canyon. Your comments and interest in this matter are appreciated.

Sincerely,  
Original Signed by  
Richard C. Brady

*for* Herbert N. Berkow, Chief  
Management Analysis Branch  
Planning and Program Analysis Staff  
Office of Nuclear Reactor Regulation

OFFICE ▶	MAB: NRR	MAB: NRR					
SURNAME ▶	Wilson: nh	H Berkow					
DATE ▶	3/17/82	3/17/82					



IDENTICAL LETTER SENT TO:

Ms. Lois M. Barber, President  
LMB Hand Rehab Products, Inc.  
P.O. Box 1181  
San Luis Obispo, CA 93406

Dear Ms. Barber:

Ms. Virginia F. Bruno  
Pecho Ranch  
Box 6289  
Los Osos, CA 93401

Dear Ms. Bruno:

Ms. Nancy Langert  
6504 Raymond Street  
Oakland, CA 94609

Dear Ms. Langert:

Ms. Elizabeth Burke  
2000 Las Canoas Road  
Santa Barbara, CA 93105

Dear Ms. Burke:

Mr. Joey Hutchinson  
3103 Maplethorpe Lane  
Soquel, CA 95073

Dear Mr. Hutchinson:

Mr. Cris Eggers  
7662 Old Redwood Highway  
Cotati, CA 94928

Dear Mr. Eggers:


Mr. Jesse Almanza  
6100 Stow Canyon Road  
Goleta, CA 93017

Dear Mr. Almanza:

DISTRIBUTION:

Docket Files 50-275  
50-323

LPDR (2)  
NRC PDR (2)  
TERA/DCS  
HBerkow  
PPAS  
MAB R/F  
VWilson



Ms. Rebecca J. Goetze  
925 Roble Lane  
Santa Barbara, CA 93103

Dear Ms. Goetze:

Ms. Linda Nespole  
6743 Del Playa B  
Goleta, CA 93117

Dear Ms. Nespole:

Mr. Gerald A. Crawford  
6640 B Pasado Road  
Goleta, CA 93117

Dear Mr. Crawford:

Mr. Terry Cummings  
6650 Picasso Road  
Goleta, CA 93117

Dear Mr. Cummings:

Mr. Edward H. Rehberg  
225 Los Aquazes  
Santa Barbara, CA 93101


Dear Mr. Rehberg:

Mr. Todd Spillman  
P.O. Box 5099  
Tahoe City, CA 95730

Dear Mr. Spillman:

Mr. Paul Chen  
30521 Canwood Drive  
Agoura, CA 91301

Dear Mr. Chen:





Ms. Lisa Losada  
5210 Los Coyotes Diag  
Long Beach, CA 90815

Dear Ms. Losada:

Ms. Suellen Hose  
28970 Sherwood Road  
Willits, CA 95490

Dear Ms. Hose:

Ms. Teresa Bertsch  
260 Santa Monica  
Menlo Park, CA 94025

Dear Ms. Bertsch:

Mrs. Francis P. Howley  
1582 North Hill Avenue  
Pasadena, CA 91104

Dear Mrs. Howley:

Ms. Lynn Greenberg  
766 Kingman Road  
Santa Monica, CA 90402

Dear Ms. Greenberg:

Ms. Catherine Rooney  
2600 Ridge Road  
Berkeley, CA 94709

Dear Ms. Rooney:

Mr. and Mrs. Nick Carra  
Box 189 C See Canyon Road  
San Luis Obispo, CA 93401

Dear Mr. and Mrs. Carra:



Ms. Jean T. Day  
6448½ Colby Street  
Oakland, CA 94618

Dear Ms. Day:

Ms. Diane Buckley Griffin  
104 Del Norte Way  
San Luis Obispo, CA 93401

Dear Ms. Griffin:

Ms. Erika Hazen  
Route 1, Box 172  
San Luis Obispo, CA 93401

Dear Ms. Hazen:

Mr. and Mrs. Paul J. Smith  
103 Park View Avenue  
Grover City, CA 93433

Dear Mr. and Mrs. Smith:

Ms. Robin Ranker  
512 N. Nicholson #3  
Monterey Park, CA 91754


Dear Ms. Ranker:

Mr. Eli Atkins  
3131 Hawes Drive  
Santa Cruz, CA 95062

Dear Mr. Atkins:

Mr. and Mrs. James F. Bruzenak  
257 Travis Drive  
Los Osos, CA 93402

Dear Mr. and Mrs. Bruzenak:



Dr. and Mrs. Dugald D. Chisholm  
10420 El Camino Real  
Atascadero, CA 93422

Dear Dr. and Mrs. Chisholm:

Ms. Nancy Willison  
230 Catalina  
San Luis Obispo, CA 93401

Dear Ms. Willison:

Ms. Miki Sanders  
3017 South Conyer  
Visalia, CA 93277

Dear Ms. Sanders:

Mr. and Mrs. Jack R. Biesek  
193 See Canyon Road  
San Luis Obispo, CA 93401

Dear Mr. and Mrs. Biesek:

Mr. Ruben Navarro  
3702 Harriman Avenue  
Los Angeles, CA 90032


Dear Mr. Navarro:

Ms. Lucia DiPietro  
16407 Rinaldi Street  
Granada Hills, CA 91344

Dear Ms. DiPietro:

Ms. Mary Olofson  
4068 Rio Road  
Carmel, CA 93923

Dear Ms. Olofson:



Ms. Jonnie Oakley  
1165 5th Place  
Port Hueneme, CA 93041

Dear Ms. Oakley:

Ms. Linda Sorensen  
2737 Southview  
Arroyo Grand, CA 93420

Dear Ms. Sorensen:

Mr. Marty Caspe  
2115 Alice Street  
Santa Cruz, CA 95062

Dear Mr. Caspe:

Mr. Mike Sokoloff  
30782 Main Mast Drive  
Agoura, CA 91301

Dear Mr. Sokoloff:

Ms. Maya M. Ashworth  
113 Del Sur Way  
San Luis Obispo, CA 93401


Dear Ms. Ashworth:

Ms. Vicky A. Peterson  
4317 Abbington Court  
Westlake Village, CA 91361

Dear Ms. Peterson:

Ms. D. Bonita Shaiken  
2788 Crockett Circle  
Los Osos, CA 93402

Dear Ms. Shaiken:





Ms. Mary L. Basch  
1517 Dutton Avenue  
Santa Barbara, CA 93101

Dear Ms. Basch:

Mr. Michael D. Peck  
28738 W. Pisces  
Agoura, CA 91301

Dear Mr. Peck:

Mr. Charles S. Chapman  
P.O. Box 2026  
Ventura, CA 93002

Dear Mr. Chapman:

Ms. Lori Sutton  
2559 Harbor Boulevard #3  
Ventura, CA 93001

Dear Ms. Sutton:

Ms. Susan Yelda  
1402 Palm Street  
San Luis Obispo, CA 93401


Dear Ms. Yelda:

Ms. Jan Ng  
229 W. 19th Street  
Chico, CA 95926

Dear Ms. Ng:

Ms. Idris Hsi  
5519 N. Ember Court  
Agoura, CA 91301

Dear Ms. Hsi:



Ms. Jennifer Johnson  
1812 Alice Street  
Santa Cruz, CA 95062

Dear Ms. Johnson:

Mr. Jay Crosby  
P.O. Box 392  
Port Hueneme, CA 93041

Dear Mr. Crosby:

Ms. Marian G. Abrecht  
1178 Pinewood Drive  
Cambria, CA 93428

Dear Ms. Abrecht:

Ms. Mary Athanasiou  
122 Toyon Avenue  
So. San Francisco, CA 94080

Dear Ms. Athanasiou:

122





UNITED STATES  
 NUCLEAR REGULATORY COMMISSION  
 WASHINGTON, D. C. 20555

MAR 17 1982

Docket Nos. 50-275  
 and 50-323



Ms. Lois M. Barber, President  
 LMB Hand Rehab Products, Inc.  
 P.O. Box 1181  
 San Luis Obispo, CA 93406

Dear Ms. Barber:

This is in response to your recent message to President Reagan expressing your opposition to the licensing of the Diablo Canyon Nuclear Power Plant. NRC has a mandate to assure adequate protection of the public health and safety and the implementation of this mandate is our principal concern. Indeed, we issued no licenses following the TMI accident until we were assured that the lessons learned could be suitably incorporated into the plant designs. Similarly, no full-power licenses are issued without the Federal Emergency Management Agency's review and evaluation of the applicants' emergency preparedness plans.


*SGG  
 Ticket for  
 encl.*

Extensive public hearings have been held before an Atomic Safety and Licensing Board (ASLB) on various matters concerning the status of Diablo Canyon. The Hosgri Fault, which is located 2½ miles offshore from the Diablo Canyon plants, was discovered in 1971 and has been the subject of intensive investigation by the Pacific Gas & Electric Company (PG&E), the U.S. Geological Survey (USGS) and the Nuclear Regulatory Commission. As a principal geological advisor for the Commission, the USGS in 1975 suggested that a magnitude of 7.5 be assigned as a potential seismic value for the Hosgri Fault. On September 26, 1979, the ASLB assigned to conduct the licensing hearings issued its partial initial decision which found that a 7.5 magnitude earthquake is reasonable and meets regulatory requirements. On July 17, 1981, the Board issued its findings, concluding that operation of the Diablo facility at power levels not to exceed 5% rated power would not pose an undue risk to the health and safety of the general public. The NRC issued a low power license on September 22, 1981.

On September 28, 1981, PG&E notified the NRC staff that incorrect vertical response spectra were used in the design of seismic restraints for certain piping and components. The Commission suspended the low power operating license on November 19, 1981, and requested that additional information be submitted to assure that the piping and components restraints have been properly designed prior to a decision on re-instating the low power license.

8203300078 820317  
 PDR ADDCK 05000275  
 H PDR

OFFICE	.....	.....	.....	.....	.....	.....	.....
SURNAME	.....	.....	.....	.....	.....	.....	.....
DATE	.....	.....	.....	.....	.....	.....	.....



The thoroughness with which these matters are being considered should reassure you that every effort is being made to protect the public health and safety in the event that the Nuclear Regulatory Commission reinstates the low-power operating license to Diablo Canyon. Your comments and interest in this matter are appreciated.

Sincerely,  
Original Signed by  
Richard C. Brady

*for* Herbert N. Berkow, Chief  
Management Analysis Branch  
Planning and Program Analysis Staff  
Office of Nuclear Reactor Regulation

OFFICE	MAB: NRR	MAB: NRR					
SURNAME	Wilson: nh	H Berkow					
DATE	3/17/82	3/17/82					

