

INSTRUCTIONS FOR DISCHARGER

1. Remove COPY 4 (dark yellow) and use for your worksheet.
2. Use ballpoint pen or typewriter for data entry on forms.
3. Provide dates for beginning and ending in reporting period blocks.
4. Provide data as specified under column headings.
5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
6. Appropriate signature is required at the bottom of the form.
7. Remove COPY 3 and retain for your records.
8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT

CALIFORNIA REGIONAL WATER QUALITY
CONTROL BOARD
CENTRAL COAST REGION
1102A LAUREL LANE
SAN LUIS OBISPO, CA 93401

FACILITY NAME
PACIFIC GAS AND ELECTRIC CO
DIABLO CANYON NUCLEAR POWER PLANT

P O BOX 56
AVILA BEACH
0

CALIF

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST
BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Transaction Code Facility I.D. 3 40200300 Year / Month for this report 85/02 Reporting Period Beginning 85/02/01 Ending 85/02/31 State Code 06 NPDES Permit Number 0003751 Date form was computer printed 85/02/01 PAGE Year Mo. Day

STATION DESCRIPTION	INFLUENT		EFFL 001		EFFL 001		INFLUENT		EFFL 001		INFLUENT		EFFL 001		EFFL 001	
	CONSTITUENT NAME	TEMPERATURE DEGREES F	TEMPERATURE DEGREES F	FLOW BGD	PH UNITS	PH UNITS	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	TURBIDITY NTU	OIL & GREASE MG/L
SAMPLE TYPE	METERED	METERED	PUMP DATA	GRAB	CONTINUOUS	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY	CONTINUOUS	CONTINUOUS	DAILY	MONTHLY	DAILY/MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
MONTH	DAY	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
FEB	1		55		55		0.595		8.20							
	2		55		55		0.595		8.15							
	3		55		55		0.665		8.10							
	4		54		56		1.21	1	8.03							
	5		54		56		1.21		8.10							
	6		54		63		1.21		8.10				1	1.4	1	<3
	7		55		65		1.21		8.05							
	8		55		55		1.21		8.10							
	9		55		61		0.926		8.20							
	10		54		68		1.21		8.10							
	11		55		61		1.21		8.05							
	12		55		68		1.21	1	8.00	1	8.01	8.00				
	13		53		55		0.595		8.05							
	14		54		57		0.598		8.10							
	15		54		63		1.21		8.10							
	16		53		62		1.21		8.00							
	17		53		54		0.703		8.05							
	18		54		54		0.595	1	8.07	1	8.03	8.10				
	19		53		53		0.595		8.15							
	20		55		55		0.620		8.10							
	21		53		53		0.595		8.05							
	22		52		52		0.595		8.10							
	23		55		55		0.595		8.05							
	24		54		56		0.595		8.10							
	25		54		56		0.909		8.10							
	26		54		61		1.21		8.05							
	27		55		69		1.21		8.10							
	28		54		68		1.21		8.10							
+ MONTHLY AVERAGE		54	59	0.911	8.03	8.02	8.09	SEE REMARKS								
MONTHLY HIGH		55	69	1.21	8.07		8.20									
MONTHLY LOW		52	52	0.595	8.00		8.00									
TOTAL RECORDINGS/MO.		28	28	28	3	2	28									
REQUIREMENT #1		INTAKE + 20%		MAX 2.67 BGD		MIN 6.0		6-M M 5.0								
REQUIREMENT #2		MX 100 DEG F				MAX 9.0		D MAX 10.0								
REQUIREMENT #3						MAX .2 INCR		I MAX 20.0								

* Enter number of samples taken during the day. Typed Name of Principal Executive Officer: SHIFFER JAMES D. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that based on my inquiry of those individuals immediately responsible for its accuracy the information is true, accurate and complete to the best of my knowledge and belief. Signature: J. R. Krumpholtz 3.18.85 REGIONAL BOARD COPY

B504020379 B50228 PDR ADDCK 05000275 PDR

REMARKS--INFLUENT TURBIDITY WAS MISSED FOR FEBRUARY. THE 1-2-85 INF. TURB. WAS 0.40 NTU. THE 3-3-85 TURB. WAS 1.6 NTU

FEB 85



6. 2. 1.

INSTRUCTIONS FOR DISCHARGER

1. Remove COPY 4 (dark yellow) and use for your worksheet.
2. Use ballpoint pen or typewriter for data entry on forms.
3. Provide dates for beginning and ending in reporting period blocks.
4. Provide data as specified under column headings.
5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
6. Appropriate signature is required at the bottom of the form.
7. Remove COPY 3 and retain for your records.
8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

**CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT**

CALIFORNIA REGIONAL WATER QUALITY
CONTROL BOARD
CENTRAL COAST REGION
1102A LAUREL LANE
SAN LUIS OBISPO, CA 93401

FACILITY NAME
MAILING ADDRESS

PACIFIC GAS AND ELECTRIC CO.
DIABLO CYN NUCLEAR POWER PLANT
P O BOX 56
AVILA BEACH
4 0 CALIF

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Q2 Transaction Code Facility I.D. 3 402003001 Year / Month for this report Reporting Period Beginning 05/02/01 Ending 05/02/01 State Code 06 NPDES Permit Number 0003751 Date form was computer printed 05/02/01 PAGE 1 of 2

STATION DESCRIPTION	EEFL 001		EEFL 001		EEFL 001		EEFL 001		EEFL 001		EEFL 001		EEFL 001	
	OIL & GREASE		T N F RES*		T N F RES*		T CHROMIUM		T CHROMIUM		COPPER		COPPER	
CONSTITUENT NAME	KG/DAY		MG/L		MG/L		MG/L		MG/L		MG/L		MG/L	
SAMPLE TYPE	GRAB		GRAB		GRAB		GRAB		GRAB		GRAB		GRAB	
FREQUENCY	MONTHLY		MONTHLY		MONTHLY		MONTHLY		MONTHLY		MONTHLY		MONTHLY	
REMARKS	MONTH	DAY												
	FEB	1												
		2												
		3												
		4												
		5	<1.37E4	1	<0.5		<2.29E2	1	.0006		2.75			
		6												
		7												
		8								1	.001		4.58	1
		9												
		10												
		11												
		12												
		13												
		14												
		15												
		16												
		17												
		18												
		19												
		20												
		21												
		22												
		23												
		24												
		25												
		26												
		27												
		28												
	+ MONTHLY AVERAGE													
	MONTHLY HIGH													
	MONTHLY LOW													
	TOTAL RECORDINGS/MO.													
	REQUIREMENT #1													
		Times Exceeded					6-M M .002			6-M M .005			6-M M .02	
	REQUIREMENT #2													
		Times Exceeded					D MAX .008			D MAX .020			D MAX .08	
	REQUIREMENT #3													
		Times Exceeded					I MAX .02			I MAX .05			I MAX .2	

* Enter number of samples taken during the day. Typed Name of Principal Executive Officer: SHIFFER JAMES D. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am not aware of any false or misleading information or any attempt to influence the reporting process by submitting false information, including the possibility of false information. John R. Krenn Signature of Principal Executive Officer. 3/18/85 REGIONAL BOARD COPY



11

2

3

INSTRUCTIONS FOR DISCHARGER

1. Remove COPY 4 (dark yellow) and use for your worksheet.
2. Use ballpoint pen or typewriter for data entry on forms.
3. Provide dates for beginning and ending in reporting period blocks.
4. Provide data as specified under column headings.
5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
6. Appropriate signature is required at the bottom of the form.
7. Remove COPY 3 and retain for your records.
8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT

CALIFORNIA REGIONAL WATER QUALITY
 CONTROL BOARD
 CENTRAL COAST REGION
 1102A LAUREL LANE
 SAN LUIS OBISPO, CA 93401

FACILITY NAME
 PACIFIC GAS AND ELECTRIC CO
 DIABLO COY. NUCLEAR POWER PLANT
 ADDRESS
 P O BOX 56
 AVILA BEACH CALIF
 4 0

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST
 BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Transaction Code Facility I.D. 3 402003001 Year / Month for this report / Reporting Period Beginning Year Mo. Day 65/02/01 Ending Year Mo. Day 65/02/31 State Code 06 NPDES Permit Number 0003751 PAGE 3
 Date form was computer printed 65/02/01

STATION DESCRIPTION	EEFL 001	EEFL 001	EEFL 001	EEFL 001	EEFL 001	EEFL 001	EEFL 001	EEFL 001	EEFL 001
CONSTITUENT NAME UNITS	NICKEL KG/DAY	ZINC MG/L	ZINC KG/DAY	AMMONIA (N) MG/L	AMMONIA (N) KG/DAY	TOX CONC** TU	TITANIUM MG/L	BORON MG/L	
SAMPLE TYPE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
	*	*	*	*	*	*	*	*	*
	1								
	2								
	3								
	4								
	5						1 NO MORTALITIES		
	6								
	7	<4.58	1.005	22.9	1 0.12	550			1 4
	8								
	9								
	10								
	11								
	12								
	13								
	14								
	15								
	16								
	17								
	18								
	19								
	20								
	21								
	22								
	23								
	24								
	25								
	26								
	27								
	28								
+ MONTHLY AVERAGE									
MONTHLY HIGH									
MONTHLY LOW									
TOTAL RECORDINGS/MO.									
REQUIREMENT #1									
Times Exceeded									
REQUIREMENT #2									
Times Exceeded									
REQUIREMENT #3									
Times Exceeded									

* Enter number of samples taken during the day. Typed Name of Principal Executive Officer: SILFFER JAMES D. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am the principal executive officer of the facility. John R. Krenney 3.18.85 REGIONAL BOARD COPY



INSTRUCTIONS FOR DISCHARGER

1. Remove COPY 4 (dark yellow) and use for your worksheet.
2. Use ballpoint pen or typewriter for data entry on forms.
3. Provide dates for beginning and ending in reporting period blocks.
4. Provide data as specified under column headings.
5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
6. Appropriate signature is required at the bottom of the form.
7. Remove COPY 3 and retain for your records.
8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT

CALIFORNIA REGIONAL WATER QUALITY
 CONTROL BOARD
 CENTRAL COAST REGION
 1102A LAUREL LANE
 SAN LUIS OBISPO, CA 93401

FACILITY NAME: PACIFIC GAS AND ELECTRIC CO
 DIABLO CYN NUCLEAR POWER PLANT
 MAILING ADDRESS: P O BOX 56
 AVILA BEACH CALIF 94001

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST
 BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Transaction Code: Q2 Facility I.D.: 3 402003001 Year / Month for this report: Reporting Period Beginning: 05/02/81 Ending: 05/02/81 State Code: 06 NPDES Permit Number: 0003751 Date form was computer printed: 05/02/81 PAGE: 1

STATION DESCRIPTION		EEEL 001	EEEL 001	EEEL 001	EEEL 001	EEEL 001	EEEL 001	EEEL 001	EEEL 001
CONSTITUENT NAME		DIS OXYGEN	HYDRAZINE	T CL RES	T CL RES	T CL RES	T CL RES	T CL RES	CHLORINEUSED
UNITS		MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	LBS/DAY
SAMPLE TYPE		GRAB	GRAB-MONTHLY	GRAB	GRAB	GRAB	GRAB	GRAB	RECORDED
FREQUENCY		MONTHLY	DISC TO 001	2 PER CYCLE	2 PER CYCLE	2 PER CYCLE	2 PER CYCLE	2 PER CYCLE	MONTHLY
MONTH	DAY	*	*	*	DISCHARGE	*	*	*	*
FEB	1								
	2								
	3								
	4								
	5	1	8.2	1	<0.04				
	6								
	7								
	8								
	9								
	10								
	11								
	12								
	13								
	14								
	15				14	0.005			52.1
	16								
	17								
	18								
	19								
	20								
	21								
	22								
	23								
	24								
	25								
	26								
	27				15	0.024			52.1
	28				14	0.050			52.1
+ MONTHLY AVERAGE						0.026			
MONTHLY HIGH						0.050			
MONTHLY LOW						0.005			
TOTAL RECORDINGS/MO.						43			
REQUIREMENT #1					6-M M .03		6-M M .03		6-M M .03
Times Exceeded						0			
REQUIREMENT #2					D MAX .3		D MAX .1		D MAX .1
Times Exceeded						0			
REQUIREMENT #3					N/A		I MAX .3		I MAX .3
Times Exceeded									

* Enter number of samples taken during the day. Typed Name of Principal Executive Officer: SHIFFER JAMES D. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are strict civil penalties for submitting false information, including the possibility of fine. John R. Kremen Signature of Principal Executive Officer 3/18/85 Year Mo Day REGIONAL BOARD COPY 1



Small, faint, illegible marks or characters in the top right corner.

INSTRUCTIONS FOR DISCHARGER

1. Remove COPY 4 (dark yellow) and use for your worksheet.
2. Use ballpoint pen or typewriter for data entry on forms.
3. Provide dates for beginning and ending in reporting period blocks.
4. Provide data as specified under column headings.
5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
6. Appropriate signature is required at the bottom of the form.
7. Remove COPY 3 and retain for your records.
8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT

CALIFORNIA REGIONAL WATER QUALITY
CONTROL BOARD
CENTRAL COAST REGION
1102A LAUREL LANE
SAN LUIS OBISPO, CA 95401


FACILITY NAME
PACIFIC GAS AND ELECTRIC CO
HAWAII CYN NUCLEAR POWER PLANT
P O BOX 56
AVILA BEACH CALIF
4 0

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST
BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Transaction Code Q2 Facility I.D. 3 40200300 Year / Month for this report / Reporting Period Beginning Year Mo. Day 05/02/01 Ending Year Mo. Day 05/02/31 State Code 06 NPDES Permit Number 0003751 Date form was computer printed 05/02/01 PAGE Year Mo. Day 5

STATION DESCRIPTION	EEFL 001/C	EEFL 001/C	EEFL 001/D	EEFL 001/D	EEFL 001/D	EEFL 001/D	EEFL 001/D	EEFL 001/D	EEFL 001/E		
CONSTITUENT NAME	T NF RES	T NF RES	T NF RES	T NF RES	LITHIUM	BORON	HYDRAZINE	OIL & GREASE			
UNITS	MG/L	KG/DAY	MG/L	KG/DAY	MG/L	MG/L	MG/L	MG/L			
SAMPLE TYPE	GRAB	GRAB	GRAB	GRAB	GRAB - WHEN	GRAB - WHEN	GRAB - WHEN	GRAB			
FREQUENCY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	DISC TO 001	DISC TO 001	DISC TO 001	MONTHLY			
	*	*	*	*	* COMPOSITE	* COMPOSITE	*	*			
MONTH DAY											
FEB 1							1	0.37	1	4	
2									1	<3	
3								0.78	1	4	
4								2.0	1	<3	
5								0.9	1	11.2	
6								0.70	1	11	
7								.08	1	4.2	
8								0.52	1	4.5	
9								.06	1	7.9	
10									1	7.6	
11								0.392			
12								0.048	1	8	
13											
14								.05			
15			1	28	1.3E5			.08			
16											
17								9.0			
18								.07	3		
19								<.003			
20											
21											
22								.02	2		
23								.003	1	2.6	
24											
25											
26								1.55			
27											
28								.12			
+ MONTHLY AVERAGE								0.162	420	1.51	5.9
MONTHLY HIGH										12	11.2
MONTHLY LOW										<.003	<3
TOTAL RECORDINGS/MO.										27	12
REQUIREMENT #1					NO AVG 30		NO AVG 30				NO AVG 15
Times Exceeded											
REQUIREMENT #2					D MAX 100		D MAX 100				D MAX 20
Times Exceeded											
REQUIREMENT #3											
Times Exceeded											

* Enter number of samples taken during the day Typed Name of Principal Executive Officer SHIFFER JAMES D. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, the information is true, accurate, and complete to the best of my knowledge and belief. J.R. Krenn 3/18/05 REGIONAL BOARD COPY



INSTRUCTIONS FOR DISCHARGER

1. Remove COPY 4 (dark yellow) and use for your worksheet.
2. Use ballpoint pen or typewriter for data entry on forms.
3. Provide dates for beginning and ending in reporting period blocks.
4. Provide data as specified under column headings.
5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
6. Appropriate signature is required at the bottom of the form.
7. Remove COPY 3 and retain for your records.
8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL COAST REGION
1102A LAUREL LANE
SAN LUIS OBISPO, CA 93401

FACILITY NAME: PACIFIC GAS AND ELECTRIC CO
DIABLO CYN NUCLEAR POWER PLANT
MAILING ADDRESS: P O BOX 56
AVILA BEACH CALIF

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Transaction Code: Q2 Facility I.D.: 3 40200300 Year / Month for this report: 85/02 Reporting Period Beginning: 85/02/01 Ending: 85/02/31 State Code: 06 NPDES Permit Number: 0003751 Date form was computer printed: 85/02/01 PAGE: 6

STATION DESCRIPTION	EEFL 001/E	EEFL 001/E	EEFL 001/E	EEFL 001/G	EEFL 001/G	EEFL 001/H	EEFL 001/H	EEFL 001/I
CONSTITUENT NAME	OIL & GREASE	T NF RES	T NF RES	T NF RES	T NF RES	T NF RES	T NF RES	T NF RES
UNITS	KG/DAY	MG/L	KG/DAY	MG/L	KG/DAY	MG/L	KG/DAY	MG/L
SAMPLE TYPE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
MONTH DAY	* * *	* * *	* * *	* * *	* * *	* * *	* * *	* * *
FEB 1	1.3	1	5	1.6				
FEB 2	<.94	1	8	2.5				
FEB 3	1.4	1	12	4.2				
FEB 4	<1.7	1	4.2	2.4				
FEB 5	2.1	1	34.6	6.6				
FEB 6	2.5	1	26.5	6.0				
FEB 7	.97	1	9.2	2.1				1 2.7
FEB 8	.49	1	8	.87				
FEB 9	1.7	1	9.3	2.1				
FEB 10	1.3	1	18.5	3.1				
FEB 11								
FEB 12	1.3	1	18.3	3.1				
FEB 13		1	21.8	3.3				
FEB 14								
FEB 15								
FEB 16								
FEB 17								
FEB 18								
FEB 19								
FEB 20								
FEB 21								
FEB 22								
FEB 23								
FEB 24	.34	1	22.1	2.7		1	27.4	1.62
FEB 25								
FEB 26								
FEB 27								
FEB 28								
REMARKS:								
+ MONTHLY AVERAGE								
MONTHLY HIGH								
MONTHLY LOW								
TOTAL RECORDINGS/MO.								
REQUIREMENT #1								
REQUIREMENT #2								
REQUIREMENT #3								

* Enter number of samples taken during the day. Typed Name of Principal Executive Officer: SHIFFER JAMES D. Signature of Principal Executive Officer or Authorized Agent: [Signature] 3/18/85 REGIONAL BOARD COPY 1



1 2

1 2

1 2

1 2

1 2

1 2 3 4 5

- INSTRUCTIONS FOR DISCHARGER**
1. Remove COPY 4 (dark yellow) and use for your worksheet.
 2. Use ballpoint pen or typewriter for data entry on forms.
 3. Provide dates for beginning and ending in reporting period blocks.
 4. Provide data as specified under column headings.
 5. Enter monthly summary data (MONTHLY AVERAGE, MONTHLY HIGH, etc.).
 6. Appropriate signature is required at the bottom of the form.
 7. Remove COPY 3 and retain for your records.
 8. Send COPY 2 to EPA, Region 9, San Francisco and COPY 1 to:

**CALIFORNIA STATE WATER RESOURCES CONTROL BOARD
DISCHARGER SELF MONITORING REPORT**

CALIFORNIA REGIONAL WATER QUALITY
CONTROL BOARD
CENTRAL COAST REGION
1102A LAUREL LANE
SAN LUIS OBISPO, CA 93401

FACILITY NAME
ADDRESS

PACIFIC GAS AND ELECTRIC CO
DIABLO LYN NUCLEAR POWER PLANT

P O BOX 56
AVILA BEACH
CALIF

CALIF

YOUR REPORTING PERIOD IS MONTHLY AND YOUR REPORTS MUST
BE SUBMITTED BY 15 DAYS FOLLOWING THIS PERIOD.

Transaction Code Facility I.D. 3 46200300 Year / Month for this report Reporting Period Beginning Year Mo. Day 85/02/01 Ending Year Mo. Day 85/02/31 State Code 06 NPDES Permit Number 0003751 Date form was computer printed 85/02/01 PAGE Year Mo. Day

STATION DESCRIPTION	EEFL 001/T		EEFL 001/J		EEFL 001/L		EEFL 001/K		EEFL 001/K		EEFL 001/L		EEFL 001/L	
	T	NF RES	T	NF RES	T	NF RES	T	NF RES	T	NF RES	T	NF RES	T	NF RES
UNITS	KG/DAY		MG/L		KG/DAY		MG/L		KG/DAY		MG/L		KG/DAY	
SAMPLE TYPE	GRAB		GRAB		GRAB		GRAB		GRAB		GRAB		GRAB	
FREQUENCY	MONTHLY		MONTHLY		MONTHLY		MONTHLY		MONTHLY		MONTHLY		MONTHLY	
MONTH	DAY	*	*	*	*	*	*	*	*	*	*	*	*	*
FEB	1													
	2													
	3													
	4													
	5													
	6		1.32											
	7													
	8													
	9													
	10													
	11													
	12													
	13													
	14													
	15													
	16													
	17													
	18													
	19													
	20													
	21													
	22													
	23													
	24			7.4		1.6								
	25			1.5		.90								
	26													
	27													
	28											23.0		
												SEE REMARKS		
+ MONTHLY AVERAGE														
MONTHLY HIGH														
MONTHLY LOW														
TOTAL RECORDINGS/MO.														
REQUIREMENT #1				MO AVG 30		MO AVG 30		MO AVG 30		MO AVG 30				
Times Exceeded														
REQUIREMENT #2				D MAX 100		D MAX 100		D MAX 100		D MAX 100				
Times Exceeded														
REQUIREMENT #3														
Times Exceeded														

* Enter number of samples taken during the day Typed Name of Principal Executive Officer SHIFFER JAMES I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all other benefits and that, based on my inquiry of those individuals immediately responsible for entering the information, I believe that the information is true, accurate, and complete. I am not aware of any omission or violation of law. Date: 85/02/01 Signature: John R. Kennedy No. 318 Day 85 REGIONAL BOARD COPY

REMARKS.. EEFL 001/L TNF RES WAS PERFORMED ON A MONTHLY COMPOSITE RATHER THAN A GRAB SAMPLE.



11

PACIFIC GAS & ELECTRIC COMPANY
 DEPARTMENT OF ENGINEERING RESEARCH
 DIABLO CANYON BIOLOGICAL LABORATORY
 STATIC BIOASSAY REPORT SHEET

ASSAY NO. 132-N

TEST ORGANISM DATA

TEST SPECIES Red abalone
 SOURCE Estero Bay mariculture
 AVERAGE LENGTH 20MM RANGE 16-28 MM
 ACCLIMATION TIME 6mth TEMPERATURE ambient
 WATER SOURCE Sea water pump

TEST SOLUTION DATA

SOURCE OF TEST SOLUTION Diablo Canyon
Discharge

DATE/TIME SAMPLED

4 Feb 85 / 0900

DATE STARTED 4 Feb 85

TIME STARTED 1100 HRS.

VOLUME/DEPTH OF TEST SOLUTION 19l / 20cm

RENEWAL OF TEST SOLUTION AT / HR. INTERVALS

TYPE OF AERATION Conde

NUMBER OF ORGANISMS PER CONCENTRATION 20

DILUTION WATER SOURCE Sea water pump

TEST CONCENTRATIONS

	<u>100%</u>	<u>CONTROL</u>
<u>0 HOURS</u>		
TEMP.	<u>12.0°C</u>	<u>12.0°C</u>
D.O.	<u>8.0</u>	<u>9.2</u>
pH	<u>8.0</u>	<u>8.0</u>
SALINITY/HARDNESS		
<u>24 HOURS</u>		
ORGANISMS SURVIVING	<u>20</u>	<u>20</u>
% SURVIVAL	<u>100%</u>	<u>100%</u>
TEMP.	<u>11.9°C</u>	<u>11.9°C</u>
D.O.	<u>8.4</u>	<u>8.4</u>
pH	<u>8.0</u>	<u>7.9</u>
<u>48 HOURS</u>		
ORGANISMS SURVIVING	<u>20</u>	<u>20</u>
% SURVIVAL	<u>100%</u>	<u>100%</u>
TEMP.	<u>11.9°C</u>	<u>11.9°C</u>
D.O.	<u>8.4</u>	<u>8.4</u>
pH	<u>7.9</u>	<u>7.9</u>
<u>72 HOURS</u>		
ORGANISMS SURVIVING	<u>20</u>	<u>20</u>
% SURVIVAL	<u>100%</u>	<u>100%</u>
TEMP.	<u>12.4°C</u>	<u>12.4°C</u>
D.O.	<u>8.4</u>	<u>8.4</u>
pH	<u>7.9</u>	<u>7.8</u>
<u>96 HOURS</u>		
ORGANISMS SURVIVING	<u>20</u>	<u>20</u>
% SURVIVAL	<u>100%</u>	<u>100%</u>
TEMP.	<u>12.4°C</u>	<u>12.4°C</u>
D.O.	<u>8.0</u>	<u>8.0</u>
pH	<u>7.9</u>	<u>7.9</u>
SALINITY/HARDNESS		

TU: No mortality

Jess
1/4



Small, faint, illegible marks or characters in the top right corner.

PACIFIC GAS AND ELECTRIC COMPANY

PG&E +

DIABLO CANYON POWER PLANT
P.O. Box 56 • Avila Beach, California 93424 • (805) 595-7351

R.C. THORBERRY
PLANT MANAGER

March 18, 1985

Mr. Kenneth R. Jones
Executive Officer
California Regional Water Quality
Control Board
Central Coast Region
1102-A Laurel Lane
San Luis Obispo, CA 93401


Dear Mr. Jones:

Discharge Monitoring Program
Diablo Canyon Power Plant

The monthly report, consisting of Monitoring Report Form Q-2 and Static Bioassay Report, for the month of February 1985 is enclosed in accordance with amended order 82-24, NPDES No. CA 0003751.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in the enclosed document and all enclosures, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the information is true, accurate and complete. The results of influent and effluent monitoring present the observed results of the measurements and analyses required by the monitoring program, and is neither an assertion of the adequacy of any instrument reading or any analytical result, nor an endorsement of the appropriateness of any analytical or measurement procedure. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Sincerely,


R. C. THORBERRY

RCT/plm

enclosures

EE25
1/1



.

.

.

.

.

.

.

.

March 18, 1985

cc: Marine Resources Region
California Department of Fish and Game
350 Golden Shore
Long Beach, California 90802

Regional Administrator, Region IX
Environmental Protection Agency
215 Fremont Street
San Francisco, California 94105

Regional Administrator
U.S. Nuclear Regulatory Commission
Region 5
1450 Maria Lane, Suite 210
Walnut Creek, California 94596-5368

Mr. Ronald L. Ballard, Chief
Environmental and Hydrologic Engineering Branch
Division of Engineering
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, DC 20555

Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555

Chief, Marine Resources Branch
California Department of Fish and Game
Resources Building
1419 9th Street
Sacramento, California 95814

