

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Tel: (314)298-8566

TestAmerica Job ID: 160-11319-1

Client Project/Site: HDP

For:

Perma-Fix Environmental Services Inc.

2800 Solway Road

Knoxville, Tennessee 37931

Attn: Brian Miller



Authorized for release by:

4/27/2015 1:13:31 PM

Ivan Vania, Project Manager II

(314)298-8566

ivan.vania@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Chain of Custody	5
Receipt Checklists	7
Definitions/Glossary	8
Method Summary	9
Sample Summary	10
Client Sample Results	11
QC Sample Results	22
QC Association Summary	25
Tracer Carrier Summary	28

Case Narrative

Client: Perma-Fix Environmental Services Inc.

Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Job ID: 160-11319-1

Laboratory: TestAmerica St. Louis

Narrative

CASE NARRATIVE

Client: Perma-Fix Environmental Services Inc.

Project: HDP

Report Number: 160-11319-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica St. Louis attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results for Chemistry analyses are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header. All soil/sediment sample results for radiochemistry analyses are based upon sample as dried and disaggregated with the exception of tritium, carbon-14, and iodine-129 by gamma spectroscopy unless requested as wet weight by the client."

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 04/14/2015; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the coolers at receipt was 18.0 C.

TECHNETIUM-99 (ICPMS)

Samples L10-13-01-B-E-S-00 (160-11319-1), L10-13-02-B-R-S-00 (160-11319-2), L10-13-03-B-E-S-00 (160-11319-3), L10-13-04-B-E-S-00 (160-11319-4), L10-13-05-B-R-S-00 (160-11319-5), L10-13-06-B-E-S-00 (160-11319-6), L10-13-07-B-R-S-00 (160-11319-7), L10-13-08-B-E-S-00 (160-11319-8), L10-13-09-B-E-S-00 (160-11319-9), L10-13-10-B-R-S-00 (160-11319-10), L10-13-11-B-E-S-00 (160-11319-11), L10-13-12-B-E-S-00 (160-11319-12), L10-13-13-B-R-B-00 (160-11319-13) and L10-13-07-B-R-Q-00 (160-11319-14) were analyzed for Technetium-99 (ICPMS) in accordance with EPA SW-846 Method 6020A. The samples were prepared on 04/16/2015 and analyzed on 04/20/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PERCENT SOLIDS

Case Narrative

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Job ID: 160-11319-1 (Continued)

Laboratory: TestAmerica St. Louis (Continued)

Samples L10-13-01-B-E-S-00 (160-11319-1), L10-13-02-B-R-S-00 (160-11319-2), L10-13-03-B-E-S-00 (160-11319-3), L10-13-04-B-E-S-00 (160-11319-4), L10-13-05-B-R-S-00 (160-11319-5), L10-13-06-B-E-S-00 (160-11319-6), L10-13-07-B-R-S-00 (160-11319-7), L10-13-08-B-E-S-00 (160-11319-8), L10-13-09-B-E-S-00 (160-11319-9), L10-13-10-B-R-S-00 (160-11319-10), L10-13-11-B-E-S-00 (160-11319-11), L10-13-12-B-E-S-00 (160-11319-12), L10-13-13-B-R-B-00 (160-11319-13) and L10-13-07-B-R-Q-00 (160-11319-14) were analyzed for percent solids in accordance with EPA Method 160.3 MOD. The samples were analyzed on 04/15/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CESIUM-137 & OTHER GAMMA EMITTERS (GS)

Samples L10-13-01-B-E-S-00 (160-11319-1), L10-13-02-B-R-S-00 (160-11319-2), L10-13-03-B-E-S-00 (160-11319-3), L10-13-04-B-E-S-00 (160-11319-4), L10-13-05-B-R-S-00 (160-11319-5), L10-13-06-B-E-S-00 (160-11319-6), L10-13-07-B-R-S-00 (160-11319-7), L10-13-08-B-E-S-00 (160-11319-8), L10-13-09-B-E-S-00 (160-11319-9), L10-13-10-B-R-S-00 (160-11319-10), L10-13-11-B-E-S-00 (160-11319-11), L10-13-12-B-E-S-00 (160-11319-12), L10-13-13-B-R-B-00 (160-11319-13) and L10-13-07-B-R-Q-00 (160-11319-14) were analyzed for Cesium-137 & Other Gamma Emitters (GS) in accordance with DOE GA-01-R. The samples were leached on 04/14/2015, and prepared and analyzed on 04/16/2015.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Phone 314.298.8566 fax

Chain of Custody Record



160-11319 Chain of Custody

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Regulatory Program: DN NPDFS RCRA Other:

Project Manager: Brian Miller
Tel/Fax: (314) 810-3333

Analysis Turnaround Time

CALENDAR DAYS WORKING DAYS

TAT if different from Below _____
 2 weeks
 1 week
 2 days
 1 day

Sample Identification

Sample Date

Sample Time

Type

(C=Comp,
G=Grab)

Matrix

of Cont.

Site Contact: Ellen Jakub
Lab Contact: Ivan Vanya

Carrier: Courier

Date: 04/14/2015

COC No: 041415-FSS1

1 ____ of 2 COCs

Sampler:

For Lab Use Only:

Walk-in Client:

Lab Sampling:

Job / SDG No.:

Gamma Spec
(Ra-226, Th-232, U-235, U-238)

ICP/MS Spec
(Ra-226, Th-232, U-235, U-238)

Alpha Spec
(Ra-226; post-21 day migration)

Gamma MS / MSD (Y/N)

ICP/MS (Tc-99)

Alpha MS / MSD (Y/N)

Gamma Sample (Y/N)

Filtered Sample (Y/N)

Perfrom Sample (Y/N)

Sample Specific Notes:

L10-13-01-B-E-S-00 4/10/15 1525 C Soil 1 N X X Sampler Matt Cushman

L10-13-02-B-R-S-00 4/10/15 1610 C Soil 1 N X X Sampler Matt Cushman

L10-13-03-B-E-S-00 4/10/15 1620 G Soil 1 N X X Sampler Matt Cushman

L10-13-04-B-E-S-00 4/10/15 1535 G Soil 1 N X X Sampler Matt Cushman

L10-13-05-B-R-S-00 4/10/15 1630 C Soil 1 N X X Sampler Matt Cushman

L10-13-06-B-E-S-00 4/10/15 1635 G Soil 1 N X X Sampler Matt Cushman

L10-13-07-B-R-S-00 4/10/15 1510 C Soil 1 N X X Sampler Matt Cushman

L10-13-08-B-E-S-00 4/10/15 1515 G Soil 1 N X X Sampler Matt Cushman

L10-13-09-B-E-S-00 4/10/15 1540 G Soil 1 N X X Sampler Matt Cushman

L10-13-10-B-R-S-00 4/10/15 1645 C Soil 1 N X X Sampler Matt Cushman

L10-13-11-B-E-S-00 4/10/15 1650 G Soil 1 N X X Sampler Matt Cushman

L10-13-12-B-E-S-00 4/10/15 1550 G Soil 1 N X X Sampler Matt Cushman

Preservation Used: 1=Ice, 2=HCl, 3=H₂SO₄, 4=HNO₃, 5=NaOH, 6=Other None

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Comments Section if the lab is to dispose of the sample:

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Return to Client

Disposal by Lab

Archive for _____ Months

Disposal by:

Received by:

Date/Time:

Company:

Chain of Custody Record

THE LEADER IN ENVIRONMENTAL TESTING

Eau Claire, WIU 83043

Login Sample Receipt Checklist

Client: Perma-Fix Environmental Services Inc.

Job Number: 160-11319-1

Login Number: 11319

List Source: TestAmerica St. Louis

List Number: 1

Creator: Clarke, Jill C

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Definitions/Glossary

Client: Perma-Fix Environmental Services Inc.

TestAmerica Job ID: 160-11319-1

Project/Site: HDP

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

Method Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Method	Method Description	Protocol	Laboratory
6020A	Metals (ICP/MS), Tc-99	SW846	TAL SL
Moisture	Percent Moisture	EPA	TAL SL
6020A	Metals (ICP/MS), Tc-99 in Activity	SW846	TAL SL
GA-01-R	Cesium-137 & Other Gamma Emitters (GS)	DOE	TAL SL

Protocol References:

DOE = U.S. Department of Energy

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-11319-1	L10-13-01-B-E-S-00	Solid	04/10/15 15:25	04/14/15 10:20
160-11319-2	L10-13-02-B-R-S-00	Solid	04/10/15 16:10	04/14/15 10:20
160-11319-3	L10-13-03-B-E-S-00	Solid	04/10/15 16:20	04/14/15 10:20
160-11319-4	L10-13-04-B-E-S-00	Solid	04/10/15 15:35	04/14/15 10:20
160-11319-5	L10-13-05-B-R-S-00	Solid	04/10/15 16:30	04/14/15 10:20
160-11319-6	L10-13-06-B-E-S-00	Solid	04/10/15 16:35	04/14/15 10:20
160-11319-7	L10-13-07-B-R-S-00	Solid	04/10/15 15:10	04/14/15 10:20
160-11319-8	L10-13-08-B-E-S-00	Solid	04/10/15 15:15	04/14/15 10:20
160-11319-9	L10-13-09-B-E-S-00	Solid	04/10/15 15:40	04/14/15 10:20
160-11319-10	L10-13-10-B-R-S-00	Solid	04/10/15 16:45	04/14/15 10:20
160-11319-11	L10-13-11-B-E-S-00	Solid	04/10/15 16:50	04/14/15 10:20
160-11319-12	L10-13-12-B-E-S-00	Solid	04/10/15 15:50	04/14/15 10:20
160-11319-13	L10-13-13-B-R-B-00	Solid	04/10/15 16:00	04/14/15 10:20
160-11319-14	L10-13-07-B-R-Q-00	Solid	04/10/15 15:10	04/14/15 10:20

1

2

3

4

5

6

7

8

9

10

11

12

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-01-B-E-S-00

Date Collected: 04/10/15 15:25

Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-1

Matrix: Solid

Percent Solids: 82.3

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000058	0.000017	mg/Kg	⊗	04/16/15 11:19	04/20/15 11:25	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Technetium 99	0.241		0.0502	0.0549	1.15	0.198	pCi/g	04/16/15 11:19	04/20/15 11:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	105		30 - 110					04/16/15 11:19	04/20/15 11:25	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.10		0.132	0.174		0.117	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Americium 241	0.00282	U	0.0582	0.0582		0.0980	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Bismuth 212	1.09		0.340	0.358		0.328	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Bismuth 214	0.854		0.0842	0.122		0.0471	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Lead 212	1.13		0.0693	0.161		0.0526	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Lead 214	0.925		0.0759	0.122		0.0840	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Potassium 40	19.4		1.11	2.28		0.285	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Protactinium 234m	0.986	U	2.46	2.47		4.33	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Protactinium 231	0.537	U	0.313	0.318		1.03	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Radium 226	0.854		0.0842	0.122		0.0471	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Thorium 234	1.31		0.485	0.503		0.758	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Uranium 235	0.341		0.141	0.145		0.177	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Thorium 232	1.10		0.132	0.174		0.117	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Other Detected			Count	Total						
Radionuclides			Uncert.	Uncert.						
Pb-210	1.44		0.611	0.634		0.775	pCi/g	04/16/15 10:07	04/16/15 17:36	1
Tl-208	0.362		0.0438	0.0577		0.0298	pCi/g	04/16/15 10:07	04/16/15 17:36	1

Client Sample ID: L10-13-02-B-R-S-00

Date Collected: 04/10/15 16:10

Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-2

Matrix: Solid

Percent Solids: 80.6

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000059	0.000018	mg/Kg	⊗	04/16/15 11:19	04/20/15 11:29	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Technetium 99	0.266		0.140	0.142	1.18	0.201	pCi/g	04/16/15 11:19	04/20/15 11:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	105		30 - 110					04/16/15 11:19	04/20/15 11:29	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-02-B-R-S-00
Date Collected: 04/10/15 16:10
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-2
Matrix: Solid

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.07		0.119	0.162		0.101	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Americium 241	0.00262	U	0.0578	0.0578		0.0976	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Bismuth 212	1.52		0.491	0.516		0.428	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Bismuth 214	0.721		0.0844	0.113		0.0583	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Lead 212	1.11		0.0716	0.160		0.0579	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Lead 214	0.877		0.0773	0.120		0.0688	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Potassium 40	18.6		1.11	2.20		0.324	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Protactinium 234m	2.74	U	3.03	3.04		5.01	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Protactinium 231	-0.654	U	0.651	0.655		1.06	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Radium 226	0.721		0.0844	0.113		0.0583	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Thorium 234	1.22		0.455	0.472		0.709	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Uranium 235	0.0551	U	0.123	0.124		0.225	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Thorium 232	1.07		0.119	0.162		0.101	pCi/g	04/16/15 10:07	04/16/15 18:10	1
<i>Other Detected</i>			Count	Total						
<i>Radionuclides</i>			Uncert.	Uncert.						
Pb-210	1.64		0.627	0.656		0.773	pCi/g	04/16/15 10:07	04/16/15 18:10	1
Tl-208	0.351		0.0428	0.0562		0.0306	pCi/g	04/16/15 10:07	04/16/15 18:10	1

Client Sample ID: L10-13-03-B-E-S-00

Lab Sample ID: 160-11319-3

Date Collected: 04/10/15 16:20
Date Received: 04/14/15 10:20
Matrix: Solid
Percent Solids: 80.8

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000062	0.000019	mg/Kg	⊗	04/16/15 11:19	04/20/15 11:33	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Technetium 99	0.245		0.0776	0.0808	1.24	0.213	pCi/g	04/16/15 11:19	04/20/15 11:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	100		30 - 110					04/16/15 11:19	04/20/15 11:33	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.27		0.140	0.189		0.108	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Americium 241	-0.000239	U	0.0666	0.0666		0.108	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Bismuth 212	1.36		0.372	0.397		0.355	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Bismuth 214	0.897		0.0940	0.132		0.0668	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Lead 212	1.21		0.0764	0.175		0.0684	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Lead 214	1.08		0.0901	0.144		0.0687	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Potassium 40	21.7		1.19	2.49		0.394	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Protactinium 234m	1.75	U	2.77	2.78		4.64	pCi/g	04/16/15 10:07	04/16/15 19:16	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-03-B-E-S-00

Lab Sample ID: 160-11319-3

Matrix: Solid

Date Collected: 04/10/15 16:20

Date Received: 04/14/15 10:20

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS) (Continued)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Protactinium 231	0.425	U	0.246	0.251		1.13	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Radium 226	0.897		0.0940	0.132		0.0668	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Thorium 234	1.11		0.526	0.539		0.843	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Uranium 235	0.127	U	0.146	0.146		0.229	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Thorium 232	1.27		0.140	0.189		0.108	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Other Detected	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radionuclides										
Pb-210	1.14		0.603	0.617		0.801	pCi/g	04/16/15 10:07	04/16/15 19:16	1
Tl-208	0.405		0.0458	0.0619		0.0314	pCi/g	04/16/15 10:07	04/16/15 19:16	1

Client Sample ID: L10-13-04-B-E-S-00

Lab Sample ID: 160-11319-4

Matrix: Solid

Percent Solids: 79.8

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000059	0.000018	mg/Kg	☀	04/16/15 11:19	04/20/15 11:38	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Technetium 99	0.104	U	0.0954	0.0959	1.19	0.203	pCi/g	04/16/15 11:19	04/20/15 11:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	106		30 - 110					04/16/15 11:19	04/20/15 11:38	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Actinium 228	1.23		0.112	0.168		0.0958	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Americium 241	-0.0286	U	0.0621	0.0622		0.103	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Bismuth 212	1.45		0.369	0.398		0.336	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Bismuth 214	0.903		0.0930	0.132		0.0601	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Lead 212	1.23		0.0738	0.175		0.0543	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Lead 214	1.00		0.0835	0.133		0.0714	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Potassium 40	18.3		1.15	2.19		0.411	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Protactinium 234m	1.54	U	2.68	2.69		4.61	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Protactinium 231	0.744	U	0.261	0.273		1.06	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Radium 226	0.903		0.0930	0.132		0.0601	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Thorium 234	1.09		0.316	0.336		0.832	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Uranium 235	0.148	U	0.153	0.154		0.224	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Thorium 232	1.23		0.112	0.168		0.0958	pCi/g	04/16/15 10:07	04/16/15 19:17	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-04-B-E-S-00
Date Collected: 04/10/15 15:35
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-4
Matrix: Solid

Other Detected	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radionuclides			(2σ+/-)	(2σ+/-)						
Pb-210	1.56		0.613	0.640		0.791	pCi/g	04/16/15 10:07	04/16/15 19:17	1
Tl-208	0.351		0.0458	0.0585		0.0343	pCi/g	04/16/15 10:07	04/16/15 19:17	1

Client Sample ID: L10-13-05-B-R-S-00
Date Collected: 04/10/15 16:30
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-5
Matrix: Solid
Percent Solids: 87.6

Method: 6020A - Metals (ICP/MS), Tc-99											
Analyte	Result	Qualifier	Count	Total	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000057	0.000017	mg/Kg				04/16/15 11:19	04/20/15 11:42	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity											
Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	0.0710	U	0.0777	0.0780	1.13	0.194	pCi/g		04/16/15 11:19	04/20/15 11:42	1
Carrier	%Yield	Qualifier	Limits						Prepared	Analyzed	Dil Fac
Re	100		30 - 110						04/16/15 11:19	04/20/15 11:42	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)											
Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	D	Prepared	Analyzed	Dil Fac
Actinium 228	1.20		0.135	0.181		0.104	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Americium 241	0.000376	U	0.0624	0.0624		0.106	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Bismuth 212	1.63		0.364	0.400		0.289	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Bismuth 214	0.756		0.0976	0.125		0.0789	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Lead 212	1.18		0.0800	0.173		0.0788	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Lead 214	0.956		0.0971	0.139		0.0820	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Potassium 40	22.0		1.23	2.53		0.415	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Protactinium 234m	2.33	U	2.95	2.96		4.85	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Protactinium 231	0.233	U	0.533	0.534		0.899	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Radium 226	0.756		0.0976	0.125		0.0789	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Thorium 234	1.50		0.540	0.562		0.846	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Uranium 235	0.0889	U	0.150	0.151		0.247	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Thorium 232	1.20		0.135	0.181		0.104	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Other Detected	Result	Qualifier	Count	Total	RL	MDC	Unit	D	Prepared	Analyzed	Dil Fac
Radionuclides			Uncert.	Uncert.							
Pb-210	1.89		0.699	0.734		0.833	pCi/g		04/16/15 10:07	04/16/15 19:50	1
Tl-208	0.417		0.0579	0.0720		0.0449	pCi/g		04/16/15 10:07	04/16/15 19:50	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-06-B-E-S-00
Date Collected: 04/10/15 16:35
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-6
Matrix: Solid
Percent Solids: 81.7

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000059	0.000018	mg/Kg	☀	04/16/15 11:19	04/20/15 11:46	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Technetium 99	0.0208	U	0.0196	0.0196	1.19	0.204	pCi/g	04/16/15 11:19	04/20/15 11:46	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	103		30 - 110					04/16/15 11:19	04/20/15 11:46	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.04		0.125	0.164		0.0906	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Americium 241	0.00481	U	0.0565	0.0565		0.0950	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Bismuth 212	1.26		0.329	0.354		0.295	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Bismuth 214	0.728		0.0875	0.116		0.0628	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Lead 212	1.09		0.0647	0.155		0.0464	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Lead 214	0.804		0.0721	0.110		0.0672	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Potassium 40	17.3		1.00	2.03		0.266	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Protactinium 234m	2.59	U	2.08	2.10		4.26	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Protactinium 231	0.381	U	0.224	0.227		0.980	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Radium 226	0.728		0.0875	0.116		0.0628	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Thorium 234	1.25		0.439	0.458		0.682	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Uranium 235	0.133	U	0.121	0.122		0.202	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Thorium 232	1.04		0.125	0.164		0.0906	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Other Detected			Count	Total						
Radionuclides			Uncert.	Uncert.						
Pb-210	1.11		0.442	0.461		0.616	pCi/g	04/16/15 10:07	04/16/15 19:51	1
Tl-208	0.325		0.0436	0.0551		0.0350	pCi/g	04/16/15 10:07	04/16/15 19:51	1

Client Sample ID: L10-13-07-B-R-S-00

Date Collected: 04/10/15 15:10
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-7
Matrix: Solid
Percent Solids: 86.6

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	0.000021	J	0.000059	0.000018	mg/Kg	☀	04/16/15 11:19	04/20/15 11:50	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Technetium 99	0.358		0.0734	0.0804	1.18	0.202	pCi/g	04/16/15 11:19	04/20/15 11:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	98		30 - 110					04/16/15 11:19	04/20/15 11:50	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-07-B-R-S-00
Date Collected: 04/10/15 15:10
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-7
Matrix: Solid

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.20		0.120	0.172		0.0980	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Americium 241	0.00470	U	0.0625	0.0625		0.105	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Bismuth 212	1.67		0.441	0.474		0.348	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Bismuth 214	0.858		0.0980	0.132		0.0660	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Lead 212	1.23		0.0749	0.176		0.0662	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Lead 214	0.938		0.0801	0.126		0.0614	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Potassium 40	17.8		1.06	2.11		0.347	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Protactinium 234m	3.22	U	2.66	2.68		4.30	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Protactinium 231	0.341	U	0.345	0.347		0.558	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Radium 226	0.858		0.0980	0.132		0.0660	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Thorium 234	1.15		0.492	0.506		0.777	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Uranium 235	0.141	U	0.153	0.153		0.236	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Thorium 232	1.20		0.120	0.172		0.0980	pCi/g	04/16/15 10:07	04/16/15 20:23	1
<i>Other Detected</i>			Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<i>Radionuclides</i>			Uncert.	Uncert.						
Pb-210	1.38		0.598	0.619		0.775	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Tl-208	0.406		0.0417	0.0593		0.0257	pCi/g	04/16/15 10:07	04/16/15 20:23	1

Client Sample ID: L10-13-08-B-E-S-00

Lab Sample ID: 160-11319-8

Date Collected: 04/10/15 15:15
Date Received: 04/14/15 10:20
Matrix: Solid
Percent Solids: 82.5

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	0.000036	J	0.000060	0.000018	mg/Kg	⊗	04/16/15 11:19	04/20/15 12:07	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Technetium 99	0.622		0.0854	0.103	1.21	0.207	pCi/g	04/16/15 11:19	04/20/15 12:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	100		30 - 110					04/16/15 11:19	04/20/15 12:07	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.07		0.129	0.169		0.120	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Americium 241	-0.00502	U	0.0594	0.0594		0.100	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Bismuth 212	1.33		0.321	0.349		0.332	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Bismuth 214	0.797		0.0969	0.127		0.0675	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Lead 212	1.14		0.0727	0.164		0.0569	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Lead 214	0.872		0.0959	0.132		0.0730	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Potassium 40	17.8		1.12	2.14		0.205	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Protactinium 234m	3.35	U	1.52	1.55		5.09	pCi/g	04/16/15 10:07	04/16/15 20:20	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-08-B-E-S-00
Date Collected: 04/10/15 15:15
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-8
Matrix: Solid

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS) (Continued)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Protactinium 231	-0.690	U	0.678	0.682		1.10	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Radium 226	0.797		0.0969	0.127		0.0675	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Thorium 234	0.888		0.265	0.281		0.740	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Uranium 235	0.111	U	0.139	0.139		0.219	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Thorium 232	1.07		0.129	0.169		0.120	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Other Detected	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radionuclides										
Pb-210	0.956		0.544	0.555		0.749	pCi/g	04/16/15 10:07	04/16/15 20:20	1
Tl-208	0.390		0.0514	0.0654		0.0375	pCi/g	04/16/15 10:07	04/16/15 20:20	1

Client Sample ID: L10-13-09-B-E-S-00

Lab Sample ID: 160-11319-9

Date Collected: 04/10/15 15:40
Date Received: 04/14/15 10:20

Matrix: Solid

Percent Solids: 69.7

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	0.000023	J	0.000071	0.000021	mg/Kg	☀	04/16/15 11:19	04/20/15 12:12	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Technetium 99	0.401		0.105	0.111	1.43	0.244	pCi/g	04/16/15 11:19	04/20/15 12:12	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	101		30 - 110					04/16/15 11:19	04/20/15 12:12	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Actinium 228	1.39		0.168	0.218		0.124	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Americium 241	-0.00102	U	0.0752	0.0752		0.104	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Bismuth 212	1.78		0.525	0.556		0.445	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Bismuth 214	0.852		0.102	0.135		0.0752	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Lead 212	1.20		0.0767	0.174		0.0739	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Lead 214	1.01		0.0770	0.131		0.0731	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Potassium 40	20.6		1.12	2.36		0.335	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Protactinium 234m	2.89	U	2.88	2.89		4.64	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Protactinium 231	0.740	U	0.238	0.251		1.12	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Radium 226	0.852		0.102	0.135		0.0752	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Thorium 234	1.09		0.490	0.503		0.782	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Uranium 235	0.110	U	0.153	0.153		0.239	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Thorium 232	1.39		0.168	0.218		0.124	pCi/g	04/16/15 10:07	04/16/15 20:23	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-09-B-E-S-00

Lab Sample ID: 160-11319-9

Matrix: Solid

Date Collected: 04/10/15 15:40

Date Received: 04/14/15 10:20

Other Detected Radionuclides	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Pb-210	1.52		0.709	0.731		0.852	pCi/g	04/16/15 10:07	04/16/15 20:23	1
Tl-208	0.440		0.0535	0.0701		0.0389	pCi/g	04/16/15 10:07	04/16/15 20:23	1

Client Sample ID: L10-13-10-B-R-S-00

Lab Sample ID: 160-11319-10

Matrix: Solid

Date Collected: 04/10/15 16:45

Date Received: 04/14/15 10:20

Method: 6020A - Metals (ICP/MS), Tc-99										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Technetium 99	ND		0.000058	0.000017	mg/Kg	⊗	04/16/15 11:19	04/20/15 12:16	1	

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity										
Analyte	Result	Qualifier	Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Technetium 99	-0.0123	U	0.0416	0.0416	1.16	0.198	pCi/g	04/16/15 11:19	04/20/15 12:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	105		30 - 110					04/16/15 11:19	04/20/15 12:16	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Actinium 228	1.15		0.109	0.160		0.0840	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Americium 241	0.0301	U	0.0570	0.0571		0.0948	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Bismuth 212	1.16		0.381	0.400		0.367	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Bismuth 214	0.803		0.0832	0.118		0.0541	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Lead 212	1.12		0.0686	0.160		0.0545	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Lead 214	0.826		0.0803	0.118		0.0615	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Potassium 40	18.0		1.04	2.12		0.257	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Protactinium 234m	1.01	U	2.48	2.48		4.33	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Protactinium 231	-0.616	U	0.638	0.641		1.04	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Radium 226	0.803		0.0832	0.118		0.0541	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Thorium 234	1.29		0.464	0.483		0.724	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Uranium 235	0.134	U	0.113	0.113		0.197	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Thorium 232	1.15		0.109	0.160		0.0840	pCi/g	04/16/15 10:07	04/16/15 20:24	1
Other Detected	Result	Qualifier	Count	Total						
Radionuclides			Uncert. (2σ+/-)	Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Tl-208	0.346		0.0422	0.0554		0.0302	pCi/g	04/16/15 10:07	04/16/15 20:24	1

Client Sample ID: L10-13-11-B-E-S-00

Lab Sample ID: 160-11319-11

Matrix: Solid

Date Collected: 04/10/15 16:50

Date Received: 04/14/15 10:20

Method: 6020A - Metals (ICP/MS), Tc-99										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Technetium 99	ND		0.000062	0.000018	mg/Kg	⊗	04/16/15 12:22	04/20/15 12:20	1	

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-11-B-E-S-00

Lab Sample ID: 160-11319-11

Date Collected: 04/10/15 16:50
Date Received: 04/14/15 10:20

Matrix: Solid

Percent Solids: 77.8

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Technetium 99	0.0900	U	0.0555	0.0561	1.23	0.211	pCi/g	04/16/15 12:22	04/20/15 12:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	105		30 - 110					04/16/15 12:22	04/20/15 12:20	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Actinium 228	1.24		0.120	0.174		0.0988	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Americium 241	0.0198	U	0.0566	0.0567		0.0947	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Bismuth 212	1.34		0.403	0.426		0.385	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Bismuth 214	0.754		0.0870	0.117		0.0566	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Lead 212	1.16		0.0735	0.167		0.0552	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Lead 214	0.883		0.0846	0.125		0.0735	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Potassium 40	17.2		1.12	2.09		0.211	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Protactinium 234m	1.22	U	2.78	2.78		5.59	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Protactinium 231	-0.749	U	0.724	0.729		1.18	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Radium 226	0.754		0.0870	0.117		0.0566	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Thorium 234	1.44		0.632	0.650		0.831	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Uranium 235	0.166	U	0.131	0.132		0.231	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Thorium 232	1.24		0.120	0.174		0.0988	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Other Detected			Count	Total						
Radiation	Result	Qualifier	Uncert.	(2σ+/-)						
Tl-208	0.366		0.0456	0.0594		0.0314	pCi/g	04/16/15 10:07	04/16/15 20:55	1

Client Sample ID: L10-13-12-B-E-S-00

Lab Sample ID: 160-11319-12

Date Collected: 04/10/15 15:50
Date Received: 04/14/15 10:20

Matrix: Solid

Percent Solids: 71.3

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000073	0.000022	mg/Kg	⊗	04/16/15 12:22	04/20/15 12:24	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Technetium 99	0.108	U	0.0587	0.0595	1.46	0.250	pCi/g	04/16/15 12:22	04/20/15 12:24	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	96		30 - 110					04/16/15 12:22	04/20/15 12:24	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Actinium 228	1.19		0.149	0.193		0.104	pCi/g	04/16/15 10:07	04/16/15 20:55	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-12-B-E-S-00

Lab Sample ID: 160-11319-12

Matrix: Solid

Date Collected: 04/10/15 15:50
Date Received: 04/14/15 10:20

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS) (Continued)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Americium 241	-0.00635	U	0.468	0.468		0.112	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Bismuth 212	1.97		0.519	0.558		0.393	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Bismuth 214	0.875		0.105	0.139		0.0670	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Lead 212	1.03		0.0843	0.158		0.0871	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Lead 214	0.843		0.0940	0.129		0.0838	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Potassium 40	15.8		1.21	2.02		0.394	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Protactinium 234m	0.551	U	3.02	3.02		5.38	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Protactinium 231	-0.607	U	0.800	0.802		1.32	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Radium 226	0.875		0.105	0.139		0.0670	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Thorium 234	0.526	U	0.288	0.293		0.838	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Uranium 235	0.305		0.185	0.188		0.204	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Thorium 232	1.19		0.149	0.193		0.104	pCi/g	04/16/15 10:07	04/16/15 20:55	1
Other Detected			Count	Total						
Radionuclides			Uncert.	Uncert.						
TL-208	0.412		0.0567	0.0710		0.0427	pCi/g	04/16/15 10:07	04/16/15 20:55	1

Client Sample ID: L10-13-13-B-R-B-00

Lab Sample ID: 160-11319-13

Matrix: Solid

Percent Solids: 77.3

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	0.00017		0.000063	0.000019	mg/Kg	⊗	04/16/15 12:22	04/20/15 12:29	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Technetium 99	2.83		0.215	0.337	1.26	0.215	pCi/g	04/16/15 12:22	04/20/15 12:29	1
Carrier	%Yield	Qualifier	Limits							
Re	104		30 - 110							

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Actinium 228	1.28		0.130	0.183		0.0982	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Americium 241	0.0128	U	0.0715	0.0715		0.120	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Bismuth 212	1.14		0.367	0.385		0.372	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Bismuth 214	0.796		0.105	0.133		0.0824	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Lead 212	1.21		0.0785	0.175		0.0769	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Lead 214	0.912		0.0882	0.130		0.0652	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Potassium 40	19.8		1.12	2.29		0.377	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Protactinium 234m	6.80		3.42	3.49		5.09	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Protactinium 231	0.465	U	0.245	0.250		1.23	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Radium 226	0.796		0.105	0.133		0.0824	pCi/g	04/16/15 10:07	04/16/15 20:56	1

TestAmerica St. Louis

Client Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Client Sample ID: L10-13-13-B-R-B-00
Date Collected: 04/10/15 16:00
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-13
Matrix: Solid

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS) (Continued)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Thorium 234	3.97		0.636	0.760		0.907	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Uranium 235	1.08		0.172	0.204		0.232	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Thorium 232	1.28		0.130	0.183		0.0982	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Other Detected	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Radionuclides										
Pb-210	1.11		0.588	0.603		0.820	pCi/g	04/16/15 10:07	04/16/15 20:56	1
Tl-208	0.438		0.0507	0.0678		0.0361	pCi/g	04/16/15 10:07	04/16/15 20:56	1

Client Sample ID: L10-13-07-B-R-Q-00

Date Collected: 04/10/15 15:10
Date Received: 04/14/15 10:20

Lab Sample ID: 160-11319-14
Matrix: Solid
Percent Solids: 81.7

Method: 6020A - Metals (ICP/MS), Tc-99

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	0.000020	J	0.000062	0.000019	mg/Kg	⊗	04/16/15 12:22	04/20/15 12:33	1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Technetium 99	0.340		0.0489	0.0581	1.24	0.212	pCi/g	04/16/15 12:22	04/20/15 12:33	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Re	99		30 - 110					04/16/15 12:22	04/20/15 12:33	1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Actinium 228	1.24		0.115	0.171		0.106	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Americium 241	-0.00656	U	0.0570	0.0571		0.0960	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Bismuth 212	1.40		0.321	0.353		0.267	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Bismuth 214	0.780		0.0898	0.121		0.0631	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Lead 212	1.22		0.0712	0.174		0.0529	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Lead 214	0.891		0.0821	0.124		0.0620	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Potassium 40	16.6		1.01	1.97		0.277	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Protactinium 234m	3.30	U	2.44	2.46		4.55	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Protactinium 231	0.539	U	0.219	0.226		1.01	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Radium 226	0.780		0.0898	0.121		0.0631	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Thorium 234	1.13		0.457	0.472		0.720	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Uranium 235	0.136	U	0.124	0.124		0.155	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Thorium 232	1.24		0.115	0.171		0.106	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Other Detected			Count	Total						
Radionuclides	Result	Qualifier	Uncert.	(2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Pb-210	1.55		0.596	0.623		0.750	pCi/g	04/16/15 10:07	04/16/15 20:57	1
Tl-208	0.359		0.0433	0.0571		0.0309	pCi/g	04/16/15 10:07	04/16/15 20:57	1

TestAmerica St. Louis

QC Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Method: 6020A - Metals (ICP/MS), Tc-99

Lab Sample ID: MB 160-186047/1-A

Matrix: Solid

Analysis Batch: 186924

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 186047

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Technetium 99	ND		0.000047	0.000014	mg/Kg		04/16/15 11:19	04/20/15 10:38	1

Lab Sample ID: LCS 160-186047/2-A

Matrix: Solid

Analysis Batch: 186924

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 186047

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Technetium 99	0.00123	0.00129		mg/Kg		105	80 - 120

Lab Sample ID: 160-11302-A-1-H MS

Matrix: Solid

Analysis Batch: 186924

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 186047

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
Technetium 99	ND		0.00180	0.00189		mg/Kg	⊗	105	75 - 125

Lab Sample ID: 160-11302-A-1-I MSD

Matrix: Solid

Analysis Batch: 186924

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 186047

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD	Limit
Technetium 99	ND		0.00180	0.00192		mg/Kg	⊗	106	75 - 125	1	30

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Lab Sample ID: MB 160-186047/1-A

Matrix: Solid

Analysis Batch: 186925

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 186047

Analyte	MB Result	MB Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Technetium 99	-0.03545	U	0.0262	0.0264	0.937	0.160	pCi/g	04/16/15 11:19	04/20/15 10:38	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Re	107		30 - 110	04/16/15 11:19	04/20/15 10:38	1

Lab Sample ID: LCS 160-186047/2-A

Matrix: Solid

Analysis Batch: 186925

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 186047

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec.	Limits
				Uncert. (2σ+/-)					
Technetium 99	21.0	22.03		2.22	0.935	0.160	pCi/g	105	80 - 120

Carrier	LCS %Yield	LCS Qualifier	Limits
Re	107		30 - 110

TestAmerica St. Louis

QC Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity (Continued)

Lab Sample ID: 160-11302-A-1-H MS

Matrix: Solid

Analysis Batch: 186925

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 186047

Analyte	Sample	Sample	Spike	MS	MS	Total	RL	MDC	Unit	%Rec.	Limits
	Result	Qual	Added	Result	Qual	Uncert. (2σ+/-)					
Technetium 99	0.133	U	30.8	32.44		3.28	1.49	0.255	pCi/g	105	75 - 125
Carrier											
<i>Re</i>	98					30 - 110					

Lab Sample ID: 160-11302-A-1-I MSD

Matrix: Solid

Analysis Batch: 186925

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 186047

Analyte	Sample	Sample	Spike	MSD	MSD	Total	RL	MDC	Unit	%Rec.	Limits	RER
	Result	Qual	Added	Result	Qual	Uncert. (2σ+/-)						
Technetium 99	0.133	U	30.9	32.81		3.21	1.41	0.241	pCi/g	106	75 - 125	0.06
Carrier												
<i>Re</i>	104					30 - 110						

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS)

Lab Sample ID: MB 160-186027/1-A

Matrix: Solid

Analysis Batch: 186063

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 186027

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Actinium 228	-0.0005527	U	0.0287	0.0287		0.0563	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Americium 241	-0.008998	U	0.524	0.524		0.0271	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Bismuth 212	-0.04523	U	0.141	0.141		0.250	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Bismuth 214	-0.006634	U	0.0423	0.0423		0.0384	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Lead 212	0.003571	U	0.0114	0.0114		0.0225	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Lead 214	0.004759	U	0.0149	0.0149		0.0275	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Potassium 40	-0.05883	U	0.240	0.240		0.309	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Protactinium 234m	0.0000	U	0.359	0.359		3.03	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Protactinium 231	0.01870	U	0.0331	0.0332		0.371	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Radium 226	-0.006634	U	0.0423	0.0423		0.0384	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Thorium 234	0.05060	U	0.0713	0.0715		0.256	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Uranium 235	0.02410	U	0.0354	0.0355		0.0616	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Thorium 232	-0.0005527	U	0.0287	0.0287		0.0563	pCi/g	04/16/15 10:07	04/16/15 17:35	1
Other Detected Radionuclides										
<i>Other Detected Radionuclide</i>	MB	MB	Count	Total						
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	None		(2σ+/-)	(2σ+/-)			pCi/g	04/16/15 10:07	04/16/15 17:35	1

TestAmerica St. Louis

QC Sample Results

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Method: GA-01-R - Cesium-137 & Other Gamma Emitters (GS) (Continued)

Lab Sample ID: LCS 160-186027/2-A

Matrix: Solid

Analysis Batch: 186062

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 186027

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	RL	Total		%Rec.	Limits
		Result	Qual			MDC	Unit		
Americium 241	101	93.34		9.72		0.584	pCi/g	93	87 - 116
Cesium 137	34.8	31.61		3.32	0.200	0.204	pCi/g	91	87 - 120
Cobalt 60	36.0	33.02		3.34		0.137	pCi/g	92	87 - 115

Lab Sample ID: 160-11319-1 DU

Matrix: Solid

Analysis Batch: 186063

Client Sample ID: L10-13-01-B-E-S-00

Prep Type: Total/NA

Prep Batch: 186027

Analyte	Sample Result	Sample Qual	DU		Uncert. (2σ+/-)	RL	Total		RER	Limit
			Result	Qual			MDC	Unit		
Actinium 228	1.10		1.222		0.190		0.0996	pCi/g	0.33	1
Americium 241	0.00282	U	-0.00774	U	0.513		0.110	pCi/g	0.02	1
Bismuth 212	1.09		1.499		0.407		0.348	pCi/g	0.53	1
Bismuth 214	0.854		0.9472		0.134		0.0596	pCi/g	0.36	1
Lead 212	1.13		1.167		0.169		0.0696	pCi/g	0.12	1
Lead 214	0.925		1.110		0.143		0.0699	pCi/g	0.70	1
Potassium 40	19.4		22.32		2.53		0.344	pCi/g	0.60	1
Protactinium 234m	0.986	U	2.646	U	2.69		4.59	pCi/g	0.32	1
Protactinium 231	0.537	U	0.6063	U	0.512		0.815	pCi/g	0.08	1
Radium 226	0.854		0.9472		0.134		0.0596	pCi/g	0.36	1
Thorium 234	1.31		2.043		0.758		0.866	pCi/g	0.58	1
Uranium 235	0.341		0.1461	U	0.148		0.247	pCi/g	0.66	1
Thorium 232	1.10		1.222		0.190		0.0996	pCi/g	0.33	1
Other Detected Radionuclides	Sample Result	Sample Qual	DU Result	DU Qual	Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
Pb-210	1.44		1.294		0.761		0.903	pCi/g	0.10	1
Tl-208	0.362		0.3825		0.0610		0.0342	pCi/g	0.17	1

QC Association Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Metals

Prep Batch: 186047

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11302-A-1-H MS	Matrix Spike	Total/NA	Solid	None	5
160-11302-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	None	
160-11319-1	L10-13-01-B-E-S-00	Total/NA	Solid	None	6
160-11319-2	L10-13-02-B-R-S-00	Total/NA	Solid	None	
160-11319-3	L10-13-03-B-E-S-00	Total/NA	Solid	None	7
160-11319-4	L10-13-04-B-E-S-00	Total/NA	Solid	None	
160-11319-5	L10-13-05-B-R-S-00	Total/NA	Solid	None	8
160-11319-6	L10-13-06-B-E-S-00	Total/NA	Solid	None	
160-11319-7	L10-13-07-B-R-S-00	Total/NA	Solid	None	9
160-11319-8	L10-13-08-B-E-S-00	Total/NA	Solid	None	
160-11319-9	L10-13-09-B-E-S-00	Total/NA	Solid	None	10
160-11319-10	L10-13-10-B-R-S-00	Total/NA	Solid	None	
160-11319-11	L10-13-11-B-E-S-00	Total/NA	Solid	None	11
160-11319-12	L10-13-12-B-E-S-00	Total/NA	Solid	None	
160-11319-13	L10-13-13-B-R-B-00	Total/NA	Solid	None	
160-11319-14	L10-13-07-B-R-Q-00	Total/NA	Solid	None	
LCS 160-186047/2-A	Lab Control Sample	Total/NA	Solid	None	
MB 160-186047/1-A	Method Blank	Total/NA	Solid	None	

Analysis Batch: 186924

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11302-A-1-H MS	Matrix Spike	Total/NA	Solid	6020A	186047
160-11302-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	6020A	186047
160-11319-1	L10-13-01-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-2	L10-13-02-B-R-S-00	Total/NA	Solid	6020A	186047
160-11319-3	L10-13-03-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-4	L10-13-04-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-5	L10-13-05-B-R-S-00	Total/NA	Solid	6020A	186047
160-11319-6	L10-13-06-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-7	L10-13-07-B-R-S-00	Total/NA	Solid	6020A	186047
160-11319-8	L10-13-08-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-9	L10-13-09-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-10	L10-13-10-B-R-S-00	Total/NA	Solid	6020A	186047
160-11319-11	L10-13-11-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-12	L10-13-12-B-E-S-00	Total/NA	Solid	6020A	186047
160-11319-13	L10-13-13-B-R-B-00	Total/NA	Solid	6020A	186047
160-11319-14	L10-13-07-B-R-Q-00	Total/NA	Solid	6020A	186047
LCS 160-186047/2-A	Lab Control Sample	Total/NA	Solid	6020A	186047
MB 160-186047/1-A	Method Blank	Total/NA	Solid	6020A	186047

General Chemistry

Analysis Batch: 185699

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11319-1	L10-13-01-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-1 DU	L10-13-01-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-2	L10-13-02-B-R-S-00	Total/NA	Solid	Moisture	
160-11319-3	L10-13-03-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-4	L10-13-04-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-5	L10-13-05-B-R-S-00	Total/NA	Solid	Moisture	

TestAmerica St. Louis

QC Association Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

General Chemistry (Continued)

Analysis Batch: 185699 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11319-6	L10-13-06-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-7	L10-13-07-B-R-S-00	Total/NA	Solid	Moisture	
160-11319-8	L10-13-08-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-9	L10-13-09-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-10	L10-13-10-B-R-S-00	Total/NA	Solid	Moisture	
160-11319-11	L10-13-11-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-12	L10-13-12-B-E-S-00	Total/NA	Solid	Moisture	
160-11319-13	L10-13-13-B-R-B-00	Total/NA	Solid	Moisture	
160-11319-14	L10-13-07-B-R-Q-00	Total/NA	Solid	Moisture	

Rad

Leach Batch: 185650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11319-1	L10-13-01-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-1 DU	L10-13-01-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-2	L10-13-02-B-R-S-00	Total/NA	Solid	Dry and Grind	
160-11319-3	L10-13-03-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-4	L10-13-04-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-5	L10-13-05-B-R-S-00	Total/NA	Solid	Dry and Grind	
160-11319-6	L10-13-06-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-7	L10-13-07-B-R-S-00	Total/NA	Solid	Dry and Grind	
160-11319-8	L10-13-08-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-9	L10-13-09-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-10	L10-13-10-B-R-S-00	Total/NA	Solid	Dry and Grind	
160-11319-11	L10-13-11-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-12	L10-13-12-B-E-S-00	Total/NA	Solid	Dry and Grind	
160-11319-13	L10-13-13-B-R-B-00	Total/NA	Solid	Dry and Grind	
160-11319-14	L10-13-07-B-R-Q-00	Total/NA	Solid	Dry and Grind	

Prep Batch: 186027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11319-1	L10-13-01-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-1 DU	L10-13-01-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-2	L10-13-02-B-R-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-3	L10-13-03-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-4	L10-13-04-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-5	L10-13-05-B-R-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-6	L10-13-06-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-7	L10-13-07-B-R-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-8	L10-13-08-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-9	L10-13-09-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-10	L10-13-10-B-R-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-11	L10-13-11-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-12	L10-13-12-B-E-S-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-13	L10-13-13-B-R-B-00	Total/NA	Solid	Fill_Geo-0	185650
160-11319-14	L10-13-07-B-R-Q-00	Total/NA	Solid	Fill_Geo-0	185650
LCS 160-186027/2-A	Lab Control Sample	Total/NA	Solid	Fill_Geo-0	
MB 160-186027/1-A	Method Blank	Total/NA	Solid	Fill_Geo-0	

TestAmerica St. Louis

QC Association Summary

Client: Perma-Fix Environmental Services Inc.
Project/Site: HDP

TestAmerica Job ID: 160-11319-1

Rad (Continued)

Prep Batch: 186047

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-11302-A-1-H MS	Matrix Spike	Total/NA	Solid	None	5
160-11302-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	None	6
160-11319-1	L10-13-01-B-E-S-00	Total/NA	Solid	None	7
160-11319-2	L10-13-02-B-R-S-00	Total/NA	Solid	None	8
160-11319-3	L10-13-03-B-E-S-00	Total/NA	Solid	None	9
160-11319-4	L10-13-04-B-E-S-00	Total/NA	Solid	None	10
160-11319-5	L10-13-05-B-R-S-00	Total/NA	Solid	None	11
160-11319-6	L10-13-06-B-E-S-00	Total/NA	Solid	None	12
160-11319-7	L10-13-07-B-R-S-00	Total/NA	Solid	None	
160-11319-8	L10-13-08-B-E-S-00	Total/NA	Solid	None	
160-11319-9	L10-13-09-B-E-S-00	Total/NA	Solid	None	
160-11319-10	L10-13-10-B-R-S-00	Total/NA	Solid	None	
160-11319-11	L10-13-11-B-E-S-00	Total/NA	Solid	None	
160-11319-12	L10-13-12-B-E-S-00	Total/NA	Solid	None	
160-11319-13	L10-13-13-B-R-B-00	Total/NA	Solid	None	
160-11319-14	L10-13-07-B-R-Q-00	Total/NA	Solid	None	
LCS 160-186047/2-A	Lab Control Sample	Total/NA	Solid	None	
MB 160-186047/1-A	Method Blank	Total/NA	Solid	None	

Tracer/Carrier Summary

Client: Perma-Fix Environmental Services Inc.

TestAmerica Job ID: 160-11319-1

Project/Site: HDP

Method: 6020A - Metals (ICP/MS), Tc-99 in Activity

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Re (30-110)	Percent Yield (Acceptance Limits)						
			90	95	100	105	110	115	120
160-11302-A-1-H MS	Matrix Spike	98							
160-11302-A-1-I MSD	Matrix Spike Duplicate	104							
160-11319-1	L10-13-01-B-E-S-00	105							
160-11319-2	L10-13-02-B-R-S-00	105							
160-11319-3	L10-13-03-B-E-S-00	100							
160-11319-4	L10-13-04-B-E-S-00	106							
160-11319-5	L10-13-05-B-R-S-00	100							
160-11319-6	L10-13-06-B-E-S-00	103							
160-11319-7	L10-13-07-B-R-S-00	98							
160-11319-8	L10-13-08-B-E-S-00	100							
160-11319-9	L10-13-09-B-E-S-00	101							
160-11319-10	L10-13-10-B-R-S-00	105							
160-11319-11	L10-13-11-B-E-S-00	105							
160-11319-12	L10-13-12-B-E-S-00	96							
160-11319-13	L10-13-13-B-R-B-00	104							
160-11319-14	L10-13-07-B-R-Q-00	99							
LCS 160-186047/2-A	Lab Control Sample	107							
MB 160-186047/1-A	Method Blank	107							

Tracer/Carrier Legend

Re = Re

TestAmerica St. Louis