CATEGORY 1

REGULATOR INFORMATION DISTRIBUTION SISTEM (RIDS)

to IDCMC S-13 procedure encl.

DISTRIBUTION CODE: A001D COPIES RECEIVED:LTR L ENCL L SIZE: 2 + 7
TITLE: OR Submittal: General Distribution

E

G

R

1

D

M

E

NOTES:

e.	RECIPIENT ID CODE/NAME PD4-2 LA BLOOM,S	COPIE LTTR 1		RECIPIENT ID CODE/NAME PD4-2 PD	COPI LTTR 1	- -
INTERNAL:	ACRS NRR/DE/EMCB NRR/DSSA/SPLB NUDOCS-ABSTRACT	1 1 1	1 1 1	FILE CENTER DI NRR/DRCH/HICB NRR/DSSA/SRXB OGC/HDS3	1 1 1	1 1 0
EXTERNAL:	NOAC	1	1	NRC PDR	1	1

NOTE TO ALL "RIDS" RECIPIENTS: PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK, ROOM OWFN 5D-5(EXT. 415-2083) TO ELIMINATE YOUR NAME FROM DISTRIBUTION LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 13 ENCL 12

•

•

Pacific Gas and Electric Company

245 Market Street, Room 937-N9B San Francisco, CA 94105 Mailing Address Mail Code N9B P.O. Box 770000 San Francisco, CA 94177 415/973-4684 Fax 415/973-2313 Gregory M. Rueger Senior Vice President and General Manager Nuclear Power Generation

May 31, 1996



PG&E Letter DCL-96-126

U.S. Nuclear Regulatory Commission ATTN: Document Control Desk Washington, D.C. 20555

Docket No. 50-275, OL-DPR-80
Docket No. 50-323, OL-DPR-82
Diablo Canyon Units 1 and 2
Spent Fuel Pool Low Temperature Safety Evaluation

Dear Commissioners and Staff:

On April 4, 1996, PG&E informed the NRC via telephone that the current Spent Fuel Pool temperature in Unit 2 was 66°F, which was 2 degrees below the reference temperature stated in the Holtec criticality analysis (HI-931076-2) previously submitted to the NRC in License Amendment Request 95-01.

As a result of this low temperature condition, a Safety Evaluation was performed in accordance with 10 CFR 50.59. The results of this Safety Evaluation concluded, and provided basis for the determination, that this condition did not involved an unreviewed safety question.

Per our agreement in the April 4, 1996 telephone call, we are enclosing the Safety Evaluation on Spent Fuel Pool Low Temperature for your information.

Sincerely,

Gregory M. Rueger

Enclosure

cc: Steven D. Bloom
L. J. Callan (w/encl.)
Kenneth E. Perkins
Michael D. Tschiltz
Diablo Distribution

DCL96126/RLJ

030089

9606030267 960531 PDR ADDCK 05000275 PDR PDR A001%

 $\frac{1}{2} \left(\frac{h}{h} \right)^{\frac{1}{2}} = \frac{1}{2} \left(\frac{h}{h} \right)^{\frac{1}{2}} \left(\frac{h}{h} \right)^{\frac{1}{2}} = \frac{1}{2} \left(\frac{h}{h} \right)^{\frac{1}{2}} \left(\frac{h}{h} \right)^{\frac{1}{2}} = \frac{1}{2} \left(\frac{h}{h} \right)^{\frac$

Commence of the second

3

ENCLOSURE

SAFETY EVALUATION SPENT FUEL POOL LOW TEMPERATURE

