



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
1600 E. LAMAR BLVD
ARLINGTON TX 76011-4511

December 19, 2016

Dr. Alan Skolnick
Radiation Safety Officer
Alaska Heart Institute, LLC
3841 Piper Street, Suite T1-100
Anchorage, AK 99508

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-34474/2016-001 AND NOTICE OF VIOLATION

Dear Dr. Skolnick:

On November 7, 2016, the U.S. Nuclear Regulatory Commission (NRC) cited Alaska Heart Institute, LLC, for a violation involving the failure to follow its NRC license conditions with regard to the eating, drinking, and storage of food and drink in areas where radioactive materials were used or stored. Inspection Report 030-34474/2016-001 with enclosed Notice of Violation (ML16294A297), required you to respond in writing within 30 days. You responded by letter dated November 30, 2016 (ML16348A326).

After reviewing the information you provided in your response to the Notice of Violation, we have concluded that your completed and proposed actions appear to adequately address the regulatory noncompliance described in the Notice of Violation. We will review your implementation of these corrective actions during a future inspection to determine whether full compliance has been restored and whether compliance will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Agency Rules of Practice and Procedure," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA/

Ray L. Kellar, P.E., Chief
Nuclear Materials Safety Branch A
Division of Nuclear Materials Safety

Docket No. 030-34474
License No. 50-29111-01

cc: State of Alaska, Radiation Program Director

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-34474/2016-001 AND NOTICE OF VIOLATION

Dear Dr. Skolnick:

On November 7, 2016, the U.S. Nuclear Regulatory Commission (NRC) cited Alaska Heart Institute, LLC, for a violation involving the failure to follow its NRC license conditions with regard to the eating, drinking, and storage of food and drink in areas where radioactive materials were used or stored. Inspection Report 030-34474/2016-001 with enclosed Notice of Violation (ML16294A297), required you to respond in writing within 30 days. You responded by letter dated November 30, 2016 (ML16348A326).

After reviewing the information you provided in your response to the Notice of Violation, we have concluded that your completed and proposed actions appear to adequately address the regulatory noncompliance described in the Notice of Violation. We will review your implementation of these corrective actions during a future inspection to determine whether full compliance has been restored and whether compliance will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Agency Rules of Practice and Procedure," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA/

Ray L. Kellar, P.E., Chief
Nuclear Materials Safety Branch A
Division of Nuclear Materials Safety

Docket No. 030-34474
License No. 50-29111-01

cc: State of Alaska, Radiation Program Director

DISTRIBUTION:

M. Shaffer, D:DNMS
L. Howell, DD:DNMS

R4DNMS_MS-A
R4DNMS_MS-B

ADAMS ACCESSION NUMBER: ML16349A545

X SUNSI Review By: JFK		ADAMS X Yes <input type="checkbox"/> No	X Publicly Available <input type="checkbox"/> Non-Publicly Available	X Non-Sensitive <input type="checkbox"/> Sensitive	Keyword: N/A
OFFICE	RIV:DNMS	C:NMSB-A			
NAME	JFKatanic	RLKellar			
SIGNATURE	<i>/RA/</i>	<i>/RA/</i>			
DATE	12/14/16	12/19/16			

OFFICIAL RECORD COPY