

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Table of Contents	UFSAR 2/3 MASTER CONTENTS	MASTER CONTENTS	25	17
<b>Chapter 1 INTRODUCTION AND GENERAL DESCRIPTION OF PLANT</b>				
Chapter 1	UFSAR 2/3-1.0	INTRODUCTION AND GENERAL DESCRIPTION OF PLANT	3	6
Figure 1.1-1	UFSAR 2/3-01.01-01	GENERAL SITE AREA (HISTORICAL)	4	1
Figure 1.2-1	UFSAR 2/3-01.02-01	SONGS EASEMENT BOUNDARY	0	1
<b>Chapter 2 SITE CHARACTERISTICS</b>				
Chapter 2	UFSAR 2/3-2.0	SITE CHARACTERISTICS	3	465
Figure 2.1-3	UFSAR 2/3-02.01-03	AREAS TO BE DEVELOPED AS SAN ONOFRE STATE BEACH (HISTORICAL)	4	1
Figure 2.1-4	UFSAR 2/3-02.01-04	BEACH PASSAGEWAY (HISTORICAL)	4	1
Figure 2.1-5	UFSAR 2/3-02.01-05	EFFLUENT RELEASE POINTS (HISTORICAL)	5	1
Figure 2.1-6	UFSAR 2/3-02.01-06	1970 CENSUS POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-7	UFSAR 2/3-02.01-07	1976 POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-8	UFSAR 2/3-02.01-08	1980 POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-9	UFSAR 2/3-02.01-09	PROJECTED 1990 POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-10	UFSAR 2/3-02.01-10	PROJECTED 2000 POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-11	UFSAR 2/3-02.01-11	PROJECTED 2010 POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-12	UFSAR 2/3-02.01-12	PROJECTED 2020 POPULATION DISTRIBUTION SECTOR MAP (HISTORICAL)	4	1
Figure 2.1-13	UFSAR 2/3-02.01-13	LOW POPULATION ZONE	5	1
Figure 2.2-1	UFSAR 2/3-02.02-01	LOCATION OF NEARBY INDUSTRIAL, TRANSPORTATION AND MILITARY FACILITIES (HISTORICAL)	4	1
Figure 2.2-2	UFSAR 2/3-02.02-02	COASTAL AIRFIELDS (HISTORICAL)	4	1
Figure 2.2-3	UFSAR 2/3-02.02-03	GENERAL AVIATION (HISTORICAL)	4	1
Figure 2.2-4	UFSAR 2/3-02.02-04	COASTAL LOW ALTITUDE FEDERAL AIRWAYS LONG BEACH TO SAN DIEGO (HISTORICAL)	4	1
Figure 2.2-5	UFSAR 2/3-02.02-05	COMMERCIAL AND OTHER GENERAL JET AIRCRAFT (HISTORICAL)	4	1
Figure 2.2-6	UFSAR 2/3-02.02-06	MILITARY FIXED WING AVIATION (HISTORICAL)	4	1
Figure 2.2-7	UFSAR 2/3-02.02-07	MILITARY HELICOPTER AVIATION (HISTORICAL)	4	1
Figure 2.2-8	UFSAR 2/3-02.02-08	TRANS FLOW AS FN OF TIME FOLLOW RUPTURE (FROM EACH SIDE OF BREAK) (HISTORY)	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 2.2-9	UFSAR 2/3-02.02-09	SCHEMATIC OF PHYSICAL SITUATION AND PLUME COORDINATES (HISTORICAL)	4	1
Figure 2.2-10	UFSAR 2/3-02.02-10	DISPLACEMENTS (HISTORICAL)	4	1
Figure 2.2-11	UFSAR 2/3-02.02-11	PLUME TRAJECTORY - WIND SPEED=0.5 M/S, STEADY-STATE BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-12	UFSAR 2/3-02.02-12	PLUME TRAJECTORY - WIND SPEED = 3 M/S, STEADY-STATE BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-13	UFSAR 2/3-02.02-13	PLUME TRAJECTORY - WIND SPEED=6.5 M/S, STEADY-STATE BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-14	UFSAR 2/3-02.02-14	PLUME TRAJECTORY - WIND SPEED = 10 M/S, STEADY-STATE BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-15	UFSAR 2/3-02.02-15	PLUME TRAJECTORY - WIND SPEED = 0.5 M/S, INITIAL BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-16	UFSAR 2/3-02.02-16	PLUME TRAJECTORY - WIND SPEED = 3 M/S, INITIAL BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-17	UFSAR 2/3-02.02-17	PLUME TRAJECTORY - WIND SPEED = 6.5 M/S, INITIAL BREAK FLOW (HISTORICAL)	4	1
Figure 2.2-18	UFSAR 2/3-02.02-18	PLUME TRAJECTORY - WIND SPEED = 10 M/S, INITIAL BREAK FLOW (HISTORICAL)	4	1
Figure 2.3-1	UFSAR 2/3-02.03-01	SAN ONOFRE ANN AVG 3-HOUR WIND ROSES, 10M LEVEL (1/25/73-1/24/76)(HIST)	4	1
Figure 2.3-2	UFSAR 2/3-02.03-02	SAN ONOFRE JAN AVG 3-HOUR WIND ROSES, 10M LEVEL (1/25/73-1/24/76)(HIST)	4	1
Figure 2.3-3	UFSAR 2/3-02.03-03	SAN ONOFRE APR AVG 3-HOUR WIND ROSES, 10M LEVEL (1/25/73-1/24/76) (HIST)	4	1
Figure 2.3-4	UFSAR 2/3-02.03-04	SAN ONOFRE JUL AVG 3-HOUR WIND ROSES, 10M LEVEL (1/25/73 - 1/24/76) (HIST)	4	1
Figure 2.3-5	UFSAR 2/3-02.03-05	SAN ONOFRE OCT AVG 3-HOUR WIND ROSES, 10M LEVEL (1/25/73-1/24/76)(HIST)	4	1
Figure 2.3-6	UFSAR 2/3-02.03-06	TOPOGRAPHIC FEATURES OF LOCAL SITE AREA WITHIN 5 MILES OF SONGS 2&3 (HIST)	4	1
Figure 2.3-7	UFSAR 2/3-02.03-07	ELEVATION VS. DISTANCE (NE, NNE, N, NNW, NW, WNW, W) (HISTORICAL)	4	1
Figure 2.3-8	UFSAR 2/3-02.03-08	ELEVATION VS. DISTANCE (S, SSW, SW, WSW, SSE, SE, ESE, E, ENE)(HISTORY)	4	1
PDF Report 2.3A	UFSAR 2/3-02.03A	STUDY OF CALIFORNIA TORNADOS (HISTORICAL)	20	15
Appendix 2.3B	UFSAR 2/3-02.03B	1973-76 ANN JOINT FREQ WIND SPEED/DIR PASQUILL CAT AT 10 AND 36.6/40 METER PDF REPORT 2.3C 06U UFSAR 2/3-02.03C 20 9 ANNUAL JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES BY PASQUILL STABILITY CATEGORY FOR SAN DIEGO, CALIFORNIA (PERIOD OF RECORD 1955)	20	15
PDF Report 2.3C	UFSAR 2/3-02.03C	ANNUAL JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES BY PASQUILL STABILITY CATEGORY FOR SAN DIEGO,CALIFORNIA (PERIOD OF RECORD 1955-1964) FROM THE STAR PROGRAM (TABLES 2.3C-1 THROUGH 2.3C- 8) (HISTORICAL)	20	9
PDF Report 2.3D	UFSAR 2/3-02.03D	ANNUAL JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES BY PASQUILL STABILITY CATEGORY FOR LOS ANGELES, CALIFORNIA (PERIOD OF RECORD 1955-1964) FROM THE STAR PROGRAM (TABLES 2.3D-1 THROUGH 2.3D- 8) (HISTORICAL)	20	9

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
PDF Report 2.3E	UFSAR 2/3-02.03E	ANNUAL JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES BY PASQUILL STABILITY CATEGORY FOR SAN DIEGO AND LOS ANGELES, CALIFORNIA (PERIOD OF RECORD 1973-1974) FROM THE STAR PROGRAM (TABLES 2.3E-1 THROUGH 2.3E-16) (HISTORICAL)	20	17
PDF Report 2.3F	UFSAR 2/3-02.03F	MONTHLY JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES BY PASQUILL STABILITY CATEGORY AT THE 10-METER WIND LEVEL FOR THE PLANT SITE (PERIOD OF RECORD 1/25/73 - 1/24/76) (TABLES 2.3F-1 THROUGH 2.3F-84) (HISTORICAL)	20	85
PDF Report 2.3G	UFSAR 2/3-02.03G	(HISTORICAL) MONTHLY JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES BY PASQUILL STABILITY CATEGORY AT THE UPPER WIND LEVELS (36.6 M AND 40 M) FOR THE PLANT SITE (PERIOD OF RECORD 1/25/73-1/24/76) (TABLES 2.3G-1 THROUGH 2.3G-84)	20	85
PDF Report 2.3H	UFSAR 2/3-02.03H	ANNUAL AND MONTHLY JOINT FREQUENCY WIND SPEED-WIND DIRECTION SUMMARIES AT THE 10 METER AND 36.6/40 METER WIND LEVELS FOR THE SAN ONOFRE PLANT SITE (TABLES 2.3H-1 THROUGH 2.3H-26) (HISTORICAL)	20	27
PDF Report 2.3I	UFSAR 2/3-02.03I	ANNUAL AND MONTHLY WIND DIRECTION PERSISTENCE (DURATION) SUMMARIES AT 10 METER AND 36.6/40 METER WIND LEVELS FOR THE SAN ONOFRE PLANT SITE (TABLES 2.3I-1 THROUGH 2.3I-26) (HISTORICAL)	20	27
PDF Report 2.3J	UFSAR 2/3-02.03J	DIURNAL WIND VARIATION TABLES FOR THE 10 METER LEVEL AT THE SAN ONOFRE PLANT SITE (TABLES 2.3J- 1 THROUGH 2.3J-26) (HISTORICAL)	20	27
PDF Report 2.3K	UFSAR 2/3-02.03K	DIURNAL WIND VARIATION TABLES FOR THE 36.6/40 METER LEVELS AT THE SAN ONOFRE PLANT SITE (TABLES 2.3K-1 THROUGH 2.3K-26) (HISTORICAL)	20	27
PDF Report 2.3L	UFSAR 2/3-02.03L	DIURNAL VARIATION AND PERSISTENCE OF PASQUILL STABILITY CATEGORIES AND LOW LEVEL INVERSIONS AT THE SAN ONOFRE PLANT SITE (TABLES 2.3L-1 THROUGH 2.3L-26) (HISTORICAL)	20	27
Figure 2.4-1	UFSAR 2/3-02.04-01	SITE LOCATION (HISTORICAL)	4	1
Figure 2.4-2	UFSAR 2/3-02.04-02	SITE VICINITY MAP (HISTORICAL)	4	1
Figure 2.4-3	UFSAR 2/3-02.04-03	SITE SUB-BASIN DRAINAGE AREAS (HISTORICAL)	4	1
Figure 2.4-4	UFSAR 2/3-02.04-04	PMF PROTECTION STRUCTURE ALIGNMENT (HISTORICAL)	4	1
Figure 2.4-5	UFSAR 2/3-02.04-05	SAN ONOFRE CREEK DRAINAGE BASIN (HISTORICAL)	4	1
Figure 2.4-6	UFSAR 2/3-02.04-06	FOOTHILL DRAINAGE BASIN (HISTORICAL)	4	1
Figure 2.4-7	UFSAR 2/3-02.04-07	PMF HYDROGRAPH FOOTHILL DRAINAGE BASIN SUB-BASIN B-1 (HISTORICAL)	4	1
Figure 2.4-8	UFSAR 2/3-02.04-08	PMF HYDROGRAPH FOOTHILL DRAINAGE BASIN SUB-BASIN B-4 (HISTORICAL)	4	1
Figure 2.4-9	UFSAR 2/3-02.04-09	PMF HYDROGRAPH FOOTHILL DRAINAGE BASIN SUB-BASIN B-3 (HISTORICAL)	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
PDF Report 2.4A	UFSAR 2/3-02.04A	REPORT ON PUMPING TEST SAN ONOFRE NUCLEAR GENERATING STATION UNITS 2 AND 3 (HISTORICAL)	20	49
Figure 2.4-10	UFSAR 2/3-02.04-10	PMF HYDROGRAPH FOOTHILL DRAINAGE BASIN SUB-BASIN B-2 (HISTORICAL)	4	1
Figure 2.4-11	UFSAR 2/3-02.04-11	PMF HYDROGRAPH FOOTHILL DRAINAGE SYSTEM BASIN SUB-BASIN MESA (HISTORICAL)	4	1
Figure 2.4-13	UFSAR 2/3-02.04-13	FLOOD ELEVATIONS AND WATER DEPTHS (HISTORICAL)	4	1
Figure 2.4-15	UFSAR 2/3-02.04-15	BASIN LAG CURVE (HISTORICAL)	4	1
Figure 2.4-16	UFSAR 2/3-02.04-16	PMF HYDROGRAPH SAN ONOFRE CREEK AT MOUTH (HISTORICAL)	4	1
Figure 2.4-17	UFSAR 2/3-02.04-17	PMF HYDROGRAPH FOOTHILL DRAINAGE BASIN COMPOSITE HYDROGRAPH (HISTORICAL)	4	1
Figure 2.4-18	UFSAR 2/3-02.04-18	DEBRIS PRODUCTION CURVE FOOTHILL DRAINAGE BASIN (HISTORICAL)	4	1
Figure 2.4-19	UFSAR 2/3-02.04-19	SAN ONOFRE CREEK CROSS-SECTION LOCATIONS (HISTORICAL)	4	1
Figure 2.4-23	UFSAR 2/3-02.04-23	TRACKS OF TROPICAL CYCLONES ALONG W. COAST MEXICO DURING SEPT1939 (HISTORY)	4	1
Figure 2.4-24	UFSAR 2/3-02.04-24	TRACK OF HYPOTHETICAL HURRICANE THAT CAUSES MAX SURGE AT SONGS (HISTORICAL)	4	1
Figure 2.4-25	UFSAR 2/3-02.04-25	MAX PROB WIND FIELD (KTS) HYPOTHETICAL HURRICANE POS 1,2&3 FIG 2.4-24 (HIST)	4	1
Figure 2.4-26	UFSAR 2/3-02.04-26	MAX PROB WIND FIELD (KTS) HYPOTHETICAL HURRICANE AT POS 4 OF FIG2.4-24 (HIST)	4	1
Figure 2.4-27	UFSAR 2/3-02.04-27	BATHYMETRIC SEC SEAWARD FROM SAN ONOFRE ALONG SELECTED AZIMUTH (HISTORICAL)	4	2
Figure 2.4-28	UFSAR 2/3-02.04-28	HINDCASTED EXTREME EVENT HIGHEST IND WAVE RECURRENCE INTERVAL (HISTORICAL)	4	1
Figure 2.4-29	UFSAR 2/3-02.04-29	HIGH/LOW STORM WAVE CREST/TROUGH EL. AT EX STILL WTR LEV EXCL TSUNAMI(HIST)	4	1
Figure 2.4-30	UFSAR 2/3-02.04-30	REPRESENTATION OF HISTORICAL LOW TIDE (HISTORICAL)	4	1
Figure 2.4-32	UFSAR 2/3-02.04-32	CROSS-SEC SAN ONOFRE GRNDWTR BASIN SHOWING TYP HIGH AND LOW COND (HIST)	4	1
Figure 2.4-33	UFSAR 2/3-02.04-33	GROUNDWATER CONTOUR MAP SAN ONOFRE VALLEY BASIN TYP HIGH-WATER (HISTORY)	4	1
Figure 2.4-34	UFSAR 2/3-02.04-34	GRNDWTR CONTOUR MAP SAN ONOFRE VALLEY BASIN TYP LOW-WATER COND (HISTORY)	4	1
Figure 2.5-1	UFSAR 2/3-02.05-01	NATURAL GEOMORPHIC PROVINCES (HISTORICAL)	4	1
Figure 2.5-2	UFSAR 2/3-02.05-02	REGIONAL PHYSIOGRAPHIC MAP (HISTORICAL)	4	1
Figure 2.5-3	UFSAR 2/3-02.05-03	REGIONAL GEOLOGIC MAP (HISTORICAL)	4	1
Figure 2.5-4	UFSAR 2/3-02.05-04	REGIONAL CROSS-SECTION PENINSULAR RANGES PROVINCE (HISTORICAL)	4	1
Figure 2.5-5	UFSAR 2/3-02.05-05	REGIONAL STRATIGRAPHIC SECTIONS (HISTORICAL)	4	1
Figure 2.5-6	UFSAR 2/3-02.05-06	LITHOLOGY OF CONTINENTAL BORDERLAND (HISTORICAL)	4	1
Figure 2.5-7	UFSAR 2/3-02.05-07	REGIONAL FAULT MAP (HISTORICAL)	4	1
Figure 2.5-8	UFSAR 2/3-02.05-08	STRUCTURE OF THE CONTINENTAL BORDERLAND AND ADJACENT REGIONS (HISTORICAL)	4	1

## SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 2.5-9	UFSAR 2/3-02.05-09	SITE GEOLOGIC MAP (HISTORICAL)	4	1
PDF Report 2.5A	UFSAR 2/3-02.05A	SOIL LIQUEFACTION (HISTORICAL)	20	169
PDF Report 2.5B	UFSAR 2/3-02.05B	CHRONOLOGY OF THE DEVELOPMENT OF THE DBE RESPONSE SPECTRUM (HISTORICAL)	20	209
Appendix 2.5C	UFSAR 2/3-02.05C	APPENDIX 2.5.C, SOIL BORINGS	20	2
Figure 2.5C-1	UFSAR 2/3-02.05C-01	PLOT PLAN	4	1
Figure 2.5C-2	UFSAR 2/3-02.05C-02	TRAVERSE FOR BOOMER SURVEY AND LOCATIONS FOR VIBROCORE SAMPLING	4	1
Figure 2.5C-3	UFSAR 2/3-02.05C-03	HIGH-RESOLUTION PROFILE LINES AND JET PROBE LOCATIONS IN VICINITY OF COOLING WATER CONDUIT CONSTRUCTION SITES	4	1
PDF Report 2.5D	UFSAR 2/3-02.05D	LABORATORY TESTING AND SOIL PROPERTY EVALUATION (HISTORICAL)	20	4
PDF Report 2.5E	UFSAR 2/3-02.05E	DYNAMIC SWITCHYARD SLOPE STABILITY CONFIRMATION (HISTORICAL)	20	96
PDF Report 2.5F	UFSAR 2/3-02.05F	GEOLOGIC REPORT ON THE AREA ADJACENT TO THE SAN ONOFRE NUCLEAR GENERATING STATION NORTHWESTERN SAN DIEGO COUNTY, CALIFORNIA (HISTORICAL)	20	55
PDF Report 2.5G	UFSAR 2/3-02.05G	GENERALIZED SUB-SURFACE GEOLOGICAL AND GEOPHYSICAL STUDY CAPISTRANO AREA, ORANGE COUNTY, CALIFORNIA, NOVEMBER 1975 (HISTORICAL)	20	29
PDF Report 2.5H	UFSAR 2/3-02.05H	SUPPLEMENT TO THE GENERALIZED SUB-SURFACE GEOLOGICAL AND GEOPHYSICAL STUDY, CAPISTRANO AREA, ORANGE COUNTY, CALIFORNIA, JANUARY 1979 (HISTORICAL)	20	32
PDF Report 2.5I	UFSAR 2/3-02.05I	PRESENTATION TO NRC/USGS SEPTEMBER 1980 (HISTORICAL)	20	206
PDF Report 2.5J	UFSAR 2/3-02.05J	ANALYSIS OF POST-1975 EARTHQUAKE ACTIVITY (HISTORICAL)	20	17
PDF Report 2.5K	UFSAR 2/3-02.05K	EXTENT OF ROSE CANYON FAULT ZONE (HISTORICAL)	20	7
PDF Report 2.5L	UFSAR 2/3-02.05L	BAJA AND CALIFORNIA - CONTINENTAL BORDERLAND FAULTS (HISTORICAL)	20	38
PDF Report 2.5M	UFSAR 2/3-02.05M	HYPOTHESIZED OFFSHORE ZONE OF DEFORMATION (HISTORICAL)	20	10
PDF Report 2.5N	UFSAR 2/3-02.05N	APPENDIX 2.5N (HISTORICAL)	20	18
PDF Report 2.5O	UFSAR 2/3-02.05O	FAULTS WITH QUATERNARY MOVEMENT WITHIN 25 MILES OF SAN ONOFRE (HISTORICAL)	20	2
PDF Report 2.5P	UFSAR 2/3-02.05P	CORONADO BANKS AND PALOS VERDES FAULTS (HISTORICAL)	20	3
PDF Report 2.5Q	UFSAR 2/3-02.05Q	ROSE CANYON AND CRISTIANITOS FAULT ZONES (HISTORICAL)	20	27
PDF Report 2.5R	UFSAR 2/3-02.05R	EVALUATION OF MAXIMUM EARTHQUAKE ON HYPOTHESIZED OFFSHORE ZONE OF DEFORMATION (HISTORICAL)	20	31
PDF Report 2.5S	UFSAR 2/3-02.05S	APPENDIX 2.5S (HISTORICAL)	20	39
PDF Report 2.5T	UFSAR 2/3-02.05T	GROUND MOTION ANALYSIS (HISTORICAL)	20	12
Figure 2.5-10	UFSAR 2/3-02.05-10	SITE PHYSIOGRAPHIC MAP (WITH LOCAL LAND FORMS) (HISTORICAL)	4	1

## SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 2.5-11	UFSAR 2/3-02.05-11	COMPOSITE STRATIGRAPHIC SECTION FOR THE SAN ONOFRE AREA (HISTORICAL)	4	1
Figure 2.5-12	UFSAR 2/3-02.05-12	SITE GEOLOGIC CROSS-SECTION (HISTORICAL)	4	1
Figure 2.5-13	UFSAR 2/3-02.05-13	COMPOSITE GEOLOGIC CROSS-SECTION N-N'-N" AUGUST 1980 (HISTORICAL)	4	1
Figure 2.5-14	UFSAR 2/3-02.05-14	COMPOSITE GEOLOGIC CROSS-SECTION E-E'-E" AUGUST 1980 (HISTORICAL)	4	1
Figure 2.5-15	UFSAR 2/3-02.05-15	COMPOSITE GEOLOGIC CROSS-SECTION F-F'-F" AUGUST 1980 (HISTORICAL)	4	1
Figure 2.5-16	UFSAR 2/3-02.05-16	SUBSIDENCE STUDY MAP (HISTORICAL)	4	1
Figure 2.5-17	UFSAR 2/3-02.05-17	CORRECTED ACCELEROGRAM BORREGO MOUNTAIN EARTHQUAKE (HISTORICAL)	4	3
Figure 2.5-18	UFSAR 2/3-02.05-18	CORRECTED ACCELEROGRAM SAN FERNANDO EARTHQUAKE (HISTORICAL)	4	3
Figure 2.5-19	UFSAR 2/3-02.05-19	APPROXIMATE LOCATION OF NON-INSTRUMENTAL EARTHQUAKES, 320- KILOMETER RADIUS (HISTORICAL)	4	1
Figure 2.5-20	UFSAR 2/3-02.05-20	PLOT OF INSTRUMENTAL EPICENTERS M5.0 AND GREATER 320-KILOMETER RADIUS (HISTORICAL)	4	1
Figure 2.5-21	UFSAR 2/3-02.05-21	PLOT OF INSTRUMENTAL EPICENTERS M4.0 TO M4.99 320-KILOMETER RADIUS (HISTORICAL)	4	1
Figure 2.5-22	UFSAR 2/3-02.05-22	PLOT OF INSTRUMENTAL EPICENTERS M3.0 TO M3.99 320-KILOMETER RADIUS (HISTORICAL)	4	1
Figure 2.5-23	UFSAR 2/3-02.05-23	PLOT OF INSTRUMENTAL EPICENTERS M3.0 AND GREATER WITHIN 80- KILOMETER RADIUS (HISTORICAL)	4	1
Figure 2.5-24	UFSAR 2/3-02.05-24	NATURAL PROVINCES AND QUATERNARY FAULTS, 320-KILOMETER RADIUS (HISTORICAL)	4	1
Figure 2.5-25	UFSAR 2/3-02.05-25	CALTECH - USGS SOUTHERN CALIFORNIA SEISMOGRAPHIC STATION NETWORK (HISTORICAL)	4	1
Figure 2.5-26	UFSAR 2/3-02.05-26	FAULTS AND ZONES OF DEFORMATION CONSIDERED IN MAXIMUM EARTHQUAKE POTENTIAL EVALUATION (HISTORICAL)	4	1
Figure 2.5-27	UFSAR 2/3-02.05-27	EMPIRICAL RELATIONSHIPS USED FOR EARTHQUAKE CHARACTERISTICS (HISTORICAL)	4	1
Figure 2.5-31	UFSAR 2/3-02.05-31	VALUES OF ELASTIC PARAMETERS FOR USE IN FEASIBILITY STUDIES (HISTORICAL)	4	1
Figure 2.5-32	UFSAR 2/3-02.05-32	PLOT PLAN (HISTORICAL)	4	1
Figure 2.5-33	UFSAR 2/3-02.05-33	COMPOSITE CROSS-SECTION OF THE SITE (HISTORICAL)	4	1
Figure 2.5-34	UFSAR 2/3-02.05-34	GRAIN SIZE DISTRIBUTION CURVES FOR SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-35	UFSAR 2/3-02.05-35	VARIATION OF SHEAR MODULUS WITH STRAIN FOR CLAYEY TERRACE DEPOSIT SOILS (HISTORICAL)	4	1

## SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 2.5-36	UFSAR 2/3-02.05-36	VARIATION OF SHEAR MODULUS WITH STRAIN FOR TERRACE DEPOSIT SAND (HISTORICAL)	4	1
Figure 2.5-37	UFSAR 2/3-02.05-37	VARIATION OF DAMPING RATIO WITH STRAIN FOR CLAYEY TERRACE DEPOSIT SOILS (HISTORICAL)	4	1
Figure 2.5-38	UFSAR 2/3-02.05-38	VARIATION OF DAMPING RATIO WITH STRAIN FOR SANDY TERRACE DEPOSIT SOILS (HISTORICAL)	4	1
Figure 2.5-39	UFSAR 2/3-02.05-39	VARIATION OF SHEAR MODULUS WITH STRAIN FOR SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-40	UFSAR 2/3-02.05-40	VARIATION OF DAMPING RATIO WITH STRAIN FOR SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-41	UFSAR 2/3-02.05-41	DYNAMIC STRENGTH, CLAYEY TERRACE SOILS (HISTORICAL)	4	1
Figure 2.5-42	UFSAR 2/3-02.05-42	DYNAMIC STRENGTH, SANDY TERRACE SOILS (HISTORICAL)	4	1
Figure 2.5-43	UFSAR 2/3-02.05-43	DYNAMIC STRENGTH, WEAKER SOIL LENSES, TERRACE DEPOSITS (HISTORICAL)	4	1
Figure 2.5-44	UFSAR 2/3-02.05-44	LABORATORY TEST RESULTS, SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-45	UFSAR 2/3-02.05-45	DYNAMIC STRENGTH TEST RESULTS FOR SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-46	UFSAR 2/3-02.05-46	IN-SITU DYNAMIC STRENGTH OF ANISOTROPICALLY CONSOLIDATED SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-47	UFSAR 2/3-02.05-47	IN-SITU DYNAMIC STRENGTH OF SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-48	UFSAR 2/3-02.05-48	TRAVERSE FOR BOOMER SURVEY AND LOCATIONS FOR VIBRACORE SAMPLING (HISTORICAL)	4	1
Figure 2.5-49	UFSAR 2/3-02.05-49	SEISMIC PROFILE AND SIDE SCAN SONAR TRACK LINE CHART (HISTORICAL)	4	1
Figure 2.5-50	UFSAR 2/3-02.05-50	HIGH-RESOLUTION PROFILE LINES AND JET PROBE LOCATIONS IN VICINITY OF COOLING WATER CONDUIT CONSTRUCTION SITES (HISTORICAL)	4	1
Figure 2.5-51	UFSAR 2/3-02.05-51	EXCAVATION PLAN POWER BLOCK PHASE I (HISTORICAL)	4	1
Figure 2.5-52	UFSAR 2/3-02.05-52	GENERALIZED SOIL PROFILE (NORTH-SOUTH) SECTION A-A (HISTORICAL)	4	1
Figure 2.5-53	UFSAR 2/3-02.05-53	SITE ON FEBRUARY 11, 1974, ONE MONTH PRIOR TO START OF EXCAVATION (HISTORICAL)	4	1
Figure 2.5-54	UFSAR 2/3-02.05-54	SITE ON OCTOBER 15, 1974, CUT TO FINISH SUBGRADE ELEVATION (EXCEPT UNIT 3 CONTAINMENT AND TURBINE AREA) (HISTORICAL)	4	1
Figure 2.5-55	UFSAR 2/3-02.05-55	SITE ON JULY 8, 1975, UNIT 3 CONTAINMENT STRUCTURE EXCAVATION (HISTORICAL)	4	1
Figure 2.5-56	UFSAR 2/3-02.05-56	STRATIGRAPHIC COLUMN SHOWING GEOPHYSICAL DATA (HISTORICAL)	4	1
Figure 2.5-57	UFSAR 2/3-02.05-57	DILATATIONAL WAVE VELOCITIES (HISTORICAL)	4	1
Figure 2.5-58	UFSAR 2/3-02.05-58	SHEAR WAVE VELOCITIES (HISTORICAL)	4	1
Figure 2.5-59	UFSAR 2/3-02.05-59	AS-CONSTRUCTED EXCAVATION PLAN (HISTORICAL)	4	2

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 2.5-60	UFSAR 2/3-02.05-60	TYPICAL AS-CONSTRUCTED EXCAVATION CROSS-SECTIONS (HISTORICAL)	4	1
Figure 2.5-61	UFSAR 2/3-02.05-61	DEWATERING SYSTEM PLAN (HISTORICAL)	4	2
Figure 2.5-62	UFSAR 2/3-02.05-62	MODULUS AND DAMPING VS. STRAIN SAN MATEO FORMATION SAND (HISTORICAL)	4	1
Figure 2.5-63	UFSAR 2/3-02.05-63	HORIZONTAL SOIL DEPOSIT (HISTORICAL)	4	1
Figure 2.5-64	UFSAR 2/3-02.05-64	LUMPED-MASS IDEALIZATION FOR SUBLAYER NO. J (HISTORICAL)	4	1
Figure 2.5-65	UFSAR 2/3-02.05-65	RESULTS OF SAND CONE TESTS ON IN-SITU SAN MATEO SAND (HISTORICAL)	4	1
Figure 2.5-66	UFSAR 2/3-02.05-66	ZONES OF EQUAL FACTOR-OF-SAFETY (HISTORICAL)	4	1
Figure 2.5-67	UFSAR 2/3-02.05-67	ZONES OF FACTOR-OF-SAFETY (HISTORICAL)	4	1
Figure 2.5-68	UFSAR 2/3-02.05-68	COMBINED CORRECTION FACTOR FOR CYCLIC TRIAXIAL COMPRESSION TESTS ACCOUNTING FOR MULTIDIRECTIONAL SHAKING AND OVERCONSOLIDATION* (HISTORICAL)	4	1
Figure 2.5-69	UFSAR 2/3-02.05-69	EQUIVALENT NUMBERS OF UNIFORM STRESS CYCLES BASED ON STRONGEST COMPONENTS OF GROUND MOTION* (HISTORICAL)	4	1
Figure 2.5-70	UFSAR 2/3-02.05-70	SCHEMATIC DIAGRAM OF THE DETERMINATION OF CORRECTION FACTOR C2 (HISTORICAL)	4	1
Figure 2.5-71	UFSAR 2/3-02.05-71	RELATIVE DENSITY - LIMITING SHEAR STRAIN RELATIONSHIPS FOR 30 STRESS CYCLES* (HISTORICAL)	4	1
Figure 2.5-72	UFSAR 2/3-02.05-72	CORRELATION BETWEEN STRESS RATIO CAUSING VARIOUS DEGREES OF LIQUEFACTION IN THE FIELD AND IN THE LABORATORY AND PENETRATION RESISTANCE OF SAND (HISTORICAL)	4	1
Figure 2.5-73	UFSAR 2/3-02.05-73	COMPOSITE SUMMARY OF F.S. TO DEVELOP 75% STRAIN (HISTORICAL)	4	1
Figure 2.5-74	UFSAR 2/3-02.05-74	FIELD DYNAMIC STRENGTH OF SAN MATEO SAND (PLANT AREA) (HISTORICAL)	4	1
Figure 2.5-75	UFSAR 2/3-02.05-75	FIELD DYNAMIC STRENGTH OF SAN MATEO SAND (OFFSHORE AREA) (HISTORICAL)	4	1
Figure 2.5-76	UFSAR 2/3-02.05-76	LOCATION PLAN OF FILLS BENEATH STRUCTURES (HISTORICAL)	4	1
Figure 2.5-77	UFSAR 2/3-02.05-77	ZONES OF FILL OUTSIDE PERMANENT SEAWALL (HISTORICAL)	4	1
Figure 2.5-78	UFSAR 2/3-02.05-78	SILTSTONE LOCATION PLAN (HISTORICAL)	4	1
Figure 2.5-79	UFSAR 2/3-02.05-79	FINER GRAINED SOIL LOCATION PLAN (HISTORICAL)	4	1
Figure 2.5-80	UFSAR 2/3-02.05-80	SITE GRADING AND ACCESS ROADS (HISTORICAL)	4	1
Figure 2.5-81	UFSAR 2/3-02.05-81	SECTION OF PROPOSED SWITCHYARD SLOPES (HISTORICAL)	4	1
Figure 2.5-82	UFSAR 2/3-02.05-82	IDEALIZED SWITCHYARD PROFILE (HISTORICAL)	4	1
Figure 2.5-83	UFSAR 2/3-02.05-83	IN-SITU DYNAMIC STRENGTH ENVELOPES - TERRACE DEPOSIT SOILS (HISTORICAL)	4	1
Figure 2.5-84	UFSAR 2/3-02.05-84	RESULTS OF STABILITY EVALUATION (HISTORICAL)	4	1



## SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 2.5-85	UFSAR 2/3-02.05-85	ZONES OF FACTOR-OF-SAFETY (HISTORICAL)	4	1
Figure 2.5-86	UFSAR 2/3-02.05-86	BORING LOG SUMMARY (HISTORICAL)	4	1
Figure 2.5-87	UFSAR 2/3-02.05-87	LOG OF BORING 1 (HISTORICAL)	4	1
Figure 2.5-88	UFSAR 2/3-02.05-88	LOG OF BORING 2 (HISTORICAL)	4	1
Figure 2.5-89	UFSAR 2/3-02.05-89	LOG OF BORING 3 (HISTORICAL)	4	1
Figure 2.5-90	UFSAR 2/3-02.05-90	LOG OF BORING 4 (HISTORICAL)	4	1
Figure 2.5-91	UFSAR 2/3-02.05-91	LOG OF BORING 4A (HISTORICAL)	4	1
Figure 2.5-92	UFSAR 2/3-02.05-92	LOG OF BORING 5 (HISTORICAL)	4	1
Figure 2.5-93	UFSAR 2/3-02.05-93	LOG OF BORING 6 (HISTORICAL)	4	1
Figure 2.5-94	UFSAR 2/3-02.05-94	LOG OF BORING 7 (HISTORICAL)	4	1
Figure 2.5-95	UFSAR 2/3-02.05-95	LOG OF BORING 8 (HISTORICAL)	4	1
Figure 2.5-96	UFSAR 2/3-02.05-96	LOG OF BORING 9 (HISTORICAL)	4	1
Figure 2.5-97	UFSAR 2/3-02.05-97	LOG OF BORING 9A (HISTORICAL)	4	1
Figure 2.5-98	UFSAR 2/3-02.05-98	LOG OF BORING 10 (HISTORICAL)	4	1
Figure 2.5-99	UFSAR 2/3-02.05-99	LOG OF BORING 10A (HISTORICAL)	4	1
<b>Chapter 3 DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT</b>				
Chapter 3	UFSAR 2/3-3.0	DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT	3	205
Figure 3.4-1	UFSAR 2/3-03.04-01	TYPICAL WATERSTOP INSTALLATION (HISTORICAL)	4	1
Figure 3.5-8	UFSAR 2/3-03.05-08	SCHEMATIC OF HELIPORT AND FLIGHT PATHS (HISTORICAL)	4	1
Figure 3.5-9	UFSAR 2/3-03.05-09	SAFETY-RELATED PENETRATIONS ROOF & EXPOSED WALLS AUX AND FUEL BLDG (HISTORY)	4	2
Figure 3.7-1	UFSAR 2/3-03.07-01	SITE SPECIFIC DESIGN RESPONSE SPECTRA FOR 2% DAMPING (HISTORICAL)	4	1
Figure 3.7-2	UFSAR 2/3-03.07-02	DBE ACCELERATION TIME HISTORY ((HISTORICAL)	4	1
Figure 3.7-3	UFSAR 2/3-03.07-03	DESIGN AND TIME-HISTORY SPECTRA, 0% DAMPING (HISTORICAL)	4	1
Figure 3.7-4	UFSAR 2/3-03.07-04	DESIGN AND TIME-HISTORY SPECTRA, 0.5% DAMPING (HISTORICAL)	4	1
Figure 3.7-5	UFSAR 2/3-03.07-05	DESIGN AND TIME-HISTORY SPECTRA, 1% DAMPING (HISTORICAL)	4	1
Figure 3.7-6	UFSAR 2/3-03.07-06	DESIGN AND TIME-HISTORY SPECTRA, 2% DAMPING (HISTORICAL)	4	1
Figure 3.7-7	UFSAR 2/3-03.07-07	DESIGN AND TIME-HISTORY SPECTRA, 5% DAMPING (HISTORICAL)	4	1
Figure 3.7-8	UFSAR 2/3-03.07-08	DESIGN AND TIME-HISTORY SPECTRA, 7% DAMPING (HISTORICAL)	4	1

## SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 3.7-9	UFSAR 2/3-03.07-09	DESIGN AND TIME-HISTORY SPECTRA, 10% DAMPING (HISTORICAL)	4	1
Figure 3.7-10	UFSAR 2/3-03.07-10	DESIGN AND TIME-HISTORY SPECTRA, 20% DAMPING (HISTORICAL)	4	1
Figure 3.7-11	UFSAR 2/3-03.07-11	HYSTERETIC DAMPING SAN MATEO FORMATION SAND (HISTORICAL)	4	1
Figure 3.7-12	UFSAR 2/3-03.07-12	MODULUS AND DAMPING VS. STRAIN SAN MATEO FORMATION SAND (HISTORICAL)	4	1
Figure 3.7-13	UFSAR 2/3-03.07-13	CONDUIT BEHAVIOR DURING A SEISMIC EVENT (HISTORICAL)	4	1
Figure 3.7-14	UFSAR 2/3-03.07-14	BSAP MODEL USED FOR BOX CONDUIT ANALYSIS AND DESIGN (HISTORICAL)	4	1
Figure 3.7-15	UFSAR 2/3-03.07-15	CONTAINMENT W/ NSSS EQUIP MATH MODEL FOR TIME-HIST ANALYSIS (HISTORICAL)	4	2
Figure 3.7-16	UFSAR 2/3-03.07-16	CONTNMNT STRUCT ASHSD AXISYM MATH MODEL FOR STATIC & DYNAMIC ANAL (HIST)	4	1
Figure 3.7-17	UFSAR 2/3-03.07-17	CONTNMNT STRUCT ASHSD AXISYM MATH MODEL FOR STATIC & DYNAMIC ANAL (HIST)	4	1
Figure 3.7-18	UFSAR 2/3-03.07-18	INTERNAL STRUCT CONTNMNT MATH MODELS FOR STATIC & DYNAMIC ANALYSES (HISTORY)	5	1
Figure 3.7-19	UFSAR 2/3-03.07-19	CONTAINMENT INTERIOR (SAP MODEL) EXPLODED ISOMETRIC (HISTORICAL)	4	1
Figure 3.7-20	UFSAR 2/3-03.07-20	CONTAINMENT INTERIOR (SAP MODEL) DEVELOPED SECONDARY SHIELD WALLS (HISTORY)	4	1
Figure 3.7-21	UFSAR 2/3-03.07-21	AUXILIARY BUILDING MATHEMATICAL MODEL FOR DYNAMIC ANALYSES (HISTORICAL)	4	1
Figure 3.7-22	UFSAR 2/3-03.07-22	FUEL HANDLING BUILDING MATHEMATICAL MODEL FOR DYNAMIC ANALYSIS (HISTORICAL)	4	1
Figure 3.7-23	UFSAR 2/3-03.07-23	SAFETY EQUIPMENT BUILD MATH MODEL FOR STATIC & DYNAMIC ANALYSES (HISTORICAL)	4	2
Figure 3.7-24	UFSAR 2/3-03.07-24	SAFETY EQUIPMENT BUILDING TYPICAL MESH SIZE REPRESENTATION (HISTORICAL)	4	1
Figure 3.7-25	UFSAR 2/3-03.07-25	ELECTRICAL & PIPING GALLERY MATH MODEL FOR STATIC & DYNAMIC ANALYSES(HISTORICAL)	4	4
Figure 3.7-26	UFSAR 2/3-03.07-26	SAP ANTISYMMETRIC MODEL OF SAN ONOFRE 2 AND 3 POWER BLOCK (HISTORICAL)	4	1
Figure 3.7-27	UFSAR 2/3-03.07-27	INTAKE STRUCTURE MATH MODEL FOR EQUIVALENT STATIC LOAD ANALYSIS (HISTORICAL)	4	3
Figure 3.7-28	UFSAR 2/3-03.07-28	INTAKE STRUCT MATH MODEL FOR INSTANT DISPLACEMENT PROFILE ANALYSIS (HISTORICAL)	4	2
Figure 3.7-29	UFSAR 2/3-03.07-29	TYPICAL REACTOR COOLANT SYSTEM SEISMIC ANALYSIS MODEL (HISTORICAL)	4	1
Figure 3.7-30	UFSAR 2/3-03.07-30	PRESSURIZER SEISMIC ANALYSIS MODEL (HISTORICAL)	4	1
Figure 3.7-31	UFSAR 2/3-03.07-31	CONTAINMENT SHELL SELECTED TOTAL RESPONSE FROM DBE ANALYSIS (HISTORICAL)	4	1
Figure 3.7-32	UFSAR 2/3-03.07-32	CONTAINMENT INT STRUCT SELECTED TOTAL RESPONSE FROM DBE ANALYSIS (HISTORICAL)	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 3.7-33	UFSAR 2/3-03.07-33	SAFETY EQUIPMENT BUILD SELECTED TOTAL RESPONSE FROM DBE ANALYSIS (HISTORY)	4	1
Figure 3.7-34	UFSAR 2/3-03.07-34	ELECTRIC & PIPING GALLERY STRUCT SELECT TOTAL RESPONSE FROM DBE ANALYSIS (HIST)	4	1
Figure 3.7-35	UFSAR 2/3-03.07-35	CONDENSATE & REFUEL TANK ENCL MATH MODEL STATIC & DYNAMIC ANALYSES (HIST)	4	1
Figure 3.7-36	UFSAR 2/3-03.07-36	DIESEL GENERATOR BUILDING MATHEMATICAL MODEL FOR DYNAMIC ANALYSES (HISTORY)	4	1
Figure 3.8-15	UFSAR 2/3-03.08-15	EQUIPMENT HATCH BOUNDARY CONDITIONS FOR FINITE ELEMENT ANALYSIS	4	1
Figure 3.8-16	UFSAR 2/3-03.08-16	EQUIPMENT HATCH PENETRATION REGION FINITE ELEMENT MODEL GEOMETRY	4	1
Figure 3.8-17	UFSAR 2/3-03.08-17	EQUIPMENT HATCH FINITE ELEMENT ANALYSIS	4	4
Figure 3.8-18	UFSAR 2/3-03.08-18	EQUIPMENT HATCH LAYERED ELEMENTS THROUGH WALL THICKNESS	4	1
Figure 3.8-20	UFSAR 2/3-03.08-20	PERSONNEL LOCK EXTERIOR AND INTERIOR VIEW (HISTORICAL)	4	2
Figure 3.8-21	UFSAR 2/3-03.08-21	ESCAPE LOCK EXTERIOR AND INTERIOR VIEW (HISTORICAL)	4	2
Figure 3.8-22	UFSAR 2/3-03.08-22	CONTAINMENT STRUCTURE INTERACTION DIAGRAMS WITH ACTUAL RESULTS OF PRINCIPAL LOAD COMBINATIONS	5	20
Figure 3.8-32	UFSAR 2/3-03.08-32	AUXILIARY BUILDING TYPICAL SECTION ELEVATIONS	4	1
Figure 3.8-50	UFSAR 2/3-03.08-50	JOINT DETAIL (HISTORICAL)	4	1
Figure 3.8-51	UFSAR 2/3-03.08-51	FINAL ANALYSIS LOADING COMBINATIONS OF CONTAINMENT SHELL	4	1
Appendix 3.7A	UFSAR 2/3-03.07A	APPENDIX 3.7A SEISMIC RESPONSE SPECTRA	20	8
PDF Report 3.7C	UFSAR 2/3-03.07C	SOIL-STRUCTURE INTERACTION PARAMETERS (HISTORICAL)	20	124
Appendix 3.8A	UFSAR 2/3-03.08A	APPENDIX 3.8A VISUAL INSPECTION CRITERIA FOR STRUCTURAL STEEL AND MISCELLANEOUS METAL WELDING TO MEET DESIGN REQUIREMENTS	20	7
Figure 3.8A-1	UFSAR 2/3-03.08A-01	WELDS ALONG PRE-EXISTING FLARED EDGES	4	1
Appendix 3B	UFSAR 2/3-03B	APPENDIX 3B - A FUNCTIONAL EVALUATION OF THE COMPONENTS OF THE SYSTEMS SHARED BY THE TWO UNITS	24	6
Appendix 3C	UFSAR 2/3-03C	APPENDIX 3C COMPUTER PROGRAMS USED IN STRUCTURAL ANALYSIS	21	69
Figure 3C-1-1	UFSAR 2/3-03C-1-1	LONGITUDINAL SECTION OF THE PCRV (FINEL EXAMPLE 1)	4	1
Figure 3C-1-2	UFSAR 2/3-03C-1-2	FINITE ELEMENT IDEALIZATION OF PCRV (FINEL EXAMPLE 1)	4	1
Figure 3C-1-3	UFSAR 2/3-03C-1-3	REGIONS OF CRACKING (FINEL EXAMPLE 1)	4	3
Figure 3C-1-4	UFSAR 2/3-03C-1-4	LOAD-DEFORMATION CURVES FROM FINEL VERIFICATIONS USING A PCRV (FINEL EXAMPLE 1)	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 3C-1-5	UFSAR 2/3-03C-1-5	EXPERIMENTAL BEAM DIMENSIONS (FINEL EXAMPLE 2)	4	1
Figure 3C-1-6	UFSAR 2/3-03C-1-6	FINITE ELEMENT MESH (FINEL EXAMPLE 2)	4	2
Figure 3C-1-7	UFSAR 2/3-03C-1-7	REGIONS OF CRACKING (FINEL EXAMPLE 2)	4	1
Figure 3C-1-8	UFSAR 2/3-03C-1-8	LOAD-DISPLACEMENT CURVES FROM FINEL VERIFICATION USING A SIMPLY SUPPORTED BEAM (FINEL EXAMPLE 2)	4	1
Figure 3C-1-9	UFSAR 2/3-03C-1-9	BEAM GEOMETRY AND FINITE-ELEMENT MESH (FINEL EXAMPLE 3)	4	1
Figure 3C-1-10	UFSAR 2/3-03C-1-10	FINITE-ELEMENT MODEL (FINEL EXAMPLE 4)	4	1
Figure 3C-1-11	UFSAR 2/3-03C-1-11	FINITE-ELEMENT MODEL (FINEL EXAMPLE 5)	4	1
Figure 3C-1-12	UFSAR 2/3-03C-1-12	TEMPERATURE DISTRIBUTION (FINEL EXAMPLE 5)	4	1
Figure 3C-1-13	UFSAR 2/3-03C-1-13	FINITE-ELEMENT MODEL (FINEL EXAMPLE 6)	4	1
Figure 3C-1-14	UFSAR 2/3-03C-1-14	BILINEAR TEMPERATURE GRADIENT (FINEL EXAMPLE 6)	4	1
Figure 3C-1-15	UFSAR 2/3-03C-1-15	DEEP ELASTIC PANEL LAYOUT (FINEL EXAMPLE 7)	4	1
Figure 3C-1-16	UFSAR 2/3-03C-1-16	EXTRAPOLATIONS FOR CORNER STRESSES (FINEL EXAMPLE 7)	4	1
Figure 3C-1-17	UFSAR 2/3-03C-1-17	DEEP ELASTIC PANEL LAYOUT (FINEL EXAMPLE 8)	4	1
Figure 3C-2-1	UFSAR 2/3-03C-2-1	FINITE-ELEMENT MODEL, SINGLE-LAYER SHELL THICKNESS (ASHSD EXAMPLE 1)	4	1
Figure 3C-2-2	UFSAR 2/3-03C-2-2	FINITE-ELEMENT MODEL, THREE-LAYER SHELL THICKNESS (ASHSD EXAMPLE 1)	4	1
Figure 3C-2-3	UFSAR 2/3-03C-2-3	SIMPLY SUPPORTED CYLINDER (ASHSD EXAMPLE 2)	4	1
Figure 3C-2-4	UFSAR 2/3-03C-2-4	FINITE-ELEMENT MODEL, SIMPLY SUPPORTED CYLINDER (ASHSD EXAMPLE 2)	4	1
Figure 3C-2-5	UFSAR 2/3-03C-2-5	COMPARISON OF ASHSD RADIAL AND ANALYTICALLY OBTAINED DISPLACEMENTS (ASHSD EXAMPLE 2)	4	1
Figure 3C-2-6	UFSAR 2/3-03C-2-6	COMPARISON OF ASHSD LONGITUDINAL AND ANALYTICALLY OBTAINED MOMENTS (ASHSD EXAMPLE 2)	4	1
Figure 3C-2-7	UFSAR 2/3-03C-2-7	SPHERICAL DOME (ASHSD EXAMPLE 3)	4	1
Figure 3C-2-8	UFSAR 2/3-03C-2-8	FINITE-ELEMENT MODEL, SPHERICAL DOME, DEAD LOAD ANALYSIS (ASHSD EXAMPLE 3)	4	1
Figure 3C-2-9	UFSAR 2/3-03C-2-9	COMPARISON OF ASHSD AND ANALYTICALLY OBTAINED LONGITUDINAL FORCES (ASHSD EXAMPLE 3)	4	1
Figure 3C-2-10	UFSAR 2/3-03C-2-10	COMPARISON OF ASHSD AND ANALYTICALLY OBTAINED CIRCUMFERENTIAL FORCES (ASHSD EXAMPLE 3)	4	1
Figure 3C-2-11	UFSAR 2/3-03C-2-11	PRESSURIZED, UNIFORMLY HEATED, CIRCULAR CYLINDRICAL SHELL WITH CLAMPED ENDS (ASHSD EXAMPLE 4)	4	1
Figure 3C-2-12	UFSAR 2/3-03C-2-12	FINITE-ELEMENT MODEL (ASHSD EXAMPLE 4)	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 3C-2-13	UFSAR 2/3-03C-2-13	COMPARISON OF ASHSD LONGITUDINAL MOMENTS AND ANALYTICALLY OBTAINED (ASHSD EXAMPLE 4)	4	1
Figure 3C-2-14	UFSAR 2/3-03C-2-14	SHORT, WIDE CYLINDER (ASHSD EXAMPLE 5)	4	1
Figure 3C-2-15	UFSAR 2/3-03C-2-15	FINITE-ELEMENT MODEL; SHORT, WIDE CYLINDER (ASHSD EXAMPLE 5)	4	1
Figure 3C-2-16	UFSAR 2/3-03C-2-16	LONGITUDINAL BENDING MOMENT AND RADIAL DISPLACEMENT, HARMONIC N = 0 (ASHSD EXAMPLE 5)	4	1
Figure 3C-2-17	UFSAR 2/3-03C-2-17	LONGITUDINAL BENDING MOMENT AND RADIAL DISPLACEMENT, HARMONIC N = 2 (ASHSD EXAMPLE 5)	4	1
Figure 3C-2-18	UFSAR 2/3-03C-2-18	LONGITUDINAL BENDING MOMENT AND RADIAL DISPLACEMENT, HARMONIC N = 5 (ASHSD EXAMPLE 5)	4	1
Figure 3C-2-19	UFSAR 2/3-03C-2-19	LONGITUDINAL BENDING MOMENT AND RADIAL DISPLACEMENT, HARMONIC N = 20 (ASHSD EXAMPLE 5)	4	1
Figure 3C-2-20	UFSAR 2/3-03C-2-20	FINITE-ELEMENT MODEL AND APPLIED LOAD (ASHSD EXAMPLE 6)	4	1
Figure 3C-2-21	UFSAR 2/3-03C-2-21	FINITE ELEMENT MODEL (ASHSD EXAMPLE 7)	4	1
Figure 3C-2-22	UFSAR 2/3-03C-2-22	FINITE ELEMENT MODEL (ASHSD EXAMPLE 8)	4	1
Figure 3C-3-1	UFSAR 2/3-03C-3-1	LUMPED-MASS MODEL (SUPER SMIS EXAMPLE 1)	4	1
Figure 3C-3-2	UFSAR 2/3-03C-3-2	ABSOLUTE ACCELERATION (SUPER SMIS EXAMPLE 1)	4	1
Figure 3C-3-3	UFSAR 2/3-03C-3-3	EIGENVALUE ANALYSIS MODEL (SUPER SMIS EXAMPLE 2)	4	1
Figure 3C-3-4	UFSAR 2/3-03C-3-4	TRI-DIMENSIONAL SPACE TRUSS (SUPER SMIS EXAMPLE 3)	4	1
Figure 3C-3-5	UFSAR 2/3-03C-3-5	CONSTANT STRAIN TRIANGLE (SUPER SMIS EXAMPLE 4)	4	1
Figure 3C-3-6	UFSAR 2/3-03C-3-6	TWO-DIMENSIONAL PLANAR TRUSS (SUPER SMIS EXAMPLE 5)	4	1
Figure 3C-3-7	UFSAR 2/3-03C-3-7	MULTISTORY BUILDING TIME-HISTORY ANALYSIS (SUPER SMIS EXAMPLE 6)	4	1
Figure 3C-3-8	UFSAR 2/3-03C-3-8	FIRST FLOOR DISPLACEMENT RESPONSE (SUPER SMIS EXAMPLE 6)	4	1
Figure 3C-3-9	UFSAR 2/3-03C-3-9	SECOND FLOOR DISPLACEMENT RESPONSE (SUPER SMIS EXAMPLE 6)	4	1
Figure 3C-4-1	UFSAR 2/3-03C-4-1	SINGLE DEGREE-OF-FREEDOM OSCILLATOR SUBJECTED TO SUPPORT ACCELERATION	4	1
Figure 3C-4-2	UFSAR 2/3-03C-4-2	SYMMETRICAL TRIANGULAR PULSE LOAD	4	1
Figure 3C-4-3	UFSAR 2/3-03C-4-3	RESPONSE SPECTRA COMPARISON (SPECTRA EXAMPLE 1)	4	1
Figure 3C-4-4	UFSAR 2/3-03C-4-4	RESPONSE SPECTRA COMPARISON (SPECTRA EXAMPLE 2)	4	1
Figure 3C-4-5	UFSAR 2/3-03C-4-5	DAMPED SINGLE DEGREE-OF-FREEDOM OSCILLATOR SUBJECTED TO SUPPORT ACCELERATION	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 3C-5-1	UFSAR 2/3-03C-5-1	PLANE FRAME COMPOSED OF BEAM, TRUSS AND BOUNDARY ELEMENTS (SAP EXAMPLES 1, 8, 28, 29, 30, AND 33)	4	1
Figure 3C-5-2	UFSAR 2/3-03C-5-2	TWO-STORY THREE-DIMENSIONAL SPACE FRAME COMPOSED OF BEAM AND MEMBRANE ELEMENTS (SAP EXAMPLE 2)	4	1
Figure 3C-5-3	UFSAR 2/3-03C-5-3	FLAT PLATE SUBJECTED TO IN-PLANE LOADING (SAP EXAMPLE 3)	4	1
Figure 3C-5-4	UFSAR 2/3-03C-5-4	FLAT PLATE SUBJECTED TO OUT-OF-PLANE LOADING (SAP EXAMPLE 4)	4	1
Figure 3C-5-5	UFSAR 2/3-03C-5-5	CYLINDRICAL SECTION COMPOSED OF AXISYMMETRIC RING ELEMENTS (SAP EXAMPLE 5)	4	1
Figure 3C-5-6	UFSAR 2/3-03C-5-6	RETAINING WALL COMPOSED OF PLATE ELEMENTS (SAP EXAMPLE 6)	4	1
Figure 3C-5-7	UFSAR 2/3-03C-5-7	FLAT PLATE COMPOSED OF SHELL ELEMENTS (SAP EXAMPLE 7)	4	1
Figure 3C-5-8	UFSAR 2/3-03C-5-8	FLAT PLATE COMPOSED OF SHELL ELEMENTS (SAP EXAMPLE 9)	4	1
Figure 3C-5-9	UFSAR 2/3-03C-5-9	HYPERBOLIC COOLING TOWER COMPOSED OF SHELL ELEMENTS (SAP EXAMPLE 10)	4	1
Figure 3C-5-10	UFSAR 2/3-03C-5-10	SEGMENT OF A CYLINDER COMPOSED OF BRICK ELEMENTS (ARCH DAM) (SAP EXAMPLE 11)	4	1
Figure 3C-5-11	UFSAR 2/3-03C-5-11	AREA AROUND A CYLINDRICAL PENETRATION IN A CYLINDER (SAP EXAMPLE 12)	4	2
Figure 3C-5-12	UFSAR 2/3-03C-5-12	SEGMENT OF A CYLINDER COMPOSED OF THICK SHELL ELEMENTS (ARCH DAM) (SAP EXAMPLE 13)	4	1
Figure 3C-5-13	UFSAR 2/3-03C-5-13	SEGMENT OF A CYLINDER WALL COMPOSED OF AXISYMMETRIC RING ELEMENTS (SAP EXAMPLE 14)	4	1
Figure 3C-5-14	UFSAR 2/3-03C-5-14	PLANE FRAME COMPOSED OF BEAM AND CURVED BEAM ELEMENTS (SAP EXAMPLE 15)	4	1
Figure 3C-5-15	UFSAR 2/3-03C-5-15	MULTISTORY PLANE FRAME COMPOSED OF BEAM ELEMENTS (SAP EXAMPLES 16, 19, 24, 25, AND 34)	4	1
Figure 3C-5-16	UFSAR 2/3-03C-5-16	SINGLE-STORY SPACE FRAME COMPOSED OF BEAM ELEMENTS (SAP EXAMPLES 17, 18, 20, 21, 22, 23, 27, 31, AND 32)	4	1
Figure 3C-5-17	UFSAR 2/3-03C-5-17	MULTISTORY SPACE FRAME COMPOSED OF BEAM ELEMENTS (SAP EXAMPLE 26)	4	1
Figure 3C-5-18	UFSAR 2/3-03C-5-18	MULTISTORY PLANE FRAME COMPOSED OF BEAM ELEMENTS (SAP EXAMPLE 35)	4	1
Figure 3C-7-1	UFSAR 2/3-03C-7-1	ARITHMETIC CHECK, THE GLOBAL AXES PASS THROUGH THE REFERENCE NODE (COPK EXAMPLE 1)	4	1
Figure 3C-7-2	UFSAR 2/3-03C-7-2	ARITHMETIC CHECK, RESULTS OF MANUAL CALCULATIONS FOR THE BOX-TYPE BUILDING SHOWN IN FIGURE 3C.7-1	4	1
Figure 3C-7-3	UFSAR 2/3-03C-7-3	ARITHMETIC CHECK, THE GLOBAL AXES PASS THROUGH A CORNER OF THE STRUCTURE (COPK EXAMPLE 2)	4	1
Figure 3C-7-4	UFSAR 2/3-03C-7-4	ARITHMETIC CHECK (COPK EXAMPLE 3)	4	1

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
Figure 3C-7-5	UFSAR 2/3-03C-7-5	EXAMPLE BUILDING FOR DEFLECTION CHECK, INTERIOR ASSEMBLIES OMITTED TO SHOW LOCATION OF REFERENCE NODES	4	1
Figure 3C-7-6	UFSAR 2/3-03C-7-6	DEFLECTION CHECK, STRUCTURAL COMPONENTS HAVING GEOMETRICALLY SYMMETRIC CROSS-SECTION	4	1
Figure 3C-7-7	UFSAR 2/3-03C-7-7	DEFLECTION CHECK, STRUCTURAL COMPONENTS HAVING GEOMETRICALLY NONSYMMETRIC CROSS-SECTION, EXTERIOR SHEAR WALLS OMITTED TO SHOW INTERIOR ASSEMBLY DETAILS (COPK EXAMPLE 4)	4	1
Figure 3C-7-8	UFSAR 2/3-03C-7-8	DEFLECTION CHECK, STRUCTURAL COMPONENTS HAVING GEOMETRICALLY NONSYMMETRIC CROSS-SECTION (COPK EXAMPLE 4)	4	1
Figure 3C-10-1	UFSAR 2/3-03C-10-1	HEMISPHERICAL DOME	4	1
Figure 3C-10-2	UFSAR 2/3-03C-10-2	HEMISPHERICAL DOME - IDENTIFICATION NUMBERS OF THE NODAL POINTS IN THE XZ-PLANE	4	1
Figure 3C-10-3	UFSAR 2/3-03C-10-3	SPHERE-TORUS DOME	4	1
Figure 3C-10-4	UFSAR 2/3-03C-10-4	SPHERE-TORUS DOME - IDENTIFICATION NUMBERS OF THE NODAL POINTS IN THE XZ-PLANE	4	1
Figure 3C-12-1	UFSAR 2/3-03C-12-1	EXAMPLE PROBLEM FOR TMCALC COMPUTER PROGRAM	4	1
Figure 3C-13-1	UFSAR 2/3-03C-13-1	EXAMPLE PROBLEM FOR FORCE COMPUTER PROGRAM	4	1
<b>Chapter 4 REACTOR</b>				
Chapter 4	UFSAR 2/3-4.0	REACTOR	3	8
<b>Chapter 5 REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS</b>				
Chapter 5	UFSAR 2/3-5.0	REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS	3	1
<b>Chapter 6 ENGINEERED SAFETY FEATURES</b>				
Chapter 6	UFSAR 2/3-6.0	ENGINEERED SAFETY FEATURES	3	2
<b>Chapter 7 INSTRUMENTATION AND CONTROLS</b>				
Chapter 7	UFSAR 2/3-7.0	INSTRUMENTATION AND CONTROLS	3	6
<b>Chapter 8 ELECTRIC POWER</b>				
Chapter 8	UFSAR 2/3-8.0	ELECTRIC POWER	3	6

# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
<b>Chapter 9 AUXILIARY SYSTEMS</b>				
Chapter 9	UFSAR 2/3-9.0	AUXILIARY SYSTEMS	3	133
Figure 9.1-2A	UFSAR 2/3-09.01-02	REGION I SPENT FUEL STORAGE RACKS NOMINAL CELL GEOMETRY	4	4
Figure 9.1-3	UFSAR 2/3-09.01-03	ARRANGEMENT OF MAJOR COMPONENTS OF THE FUEL HANDLING SYSTEM	5	2
Figure 9.1-4	UFSAR 2/3-09.01-04	SPENT FUEL STORAGE AREA FUEL RACK MODULE ARRANGEMENT	4	1
Figure 9.1-5	UFSAR 2/3-09.01-05	SPENT FUEL STORAGE MODULE TYPICAL ELEVATION	4	1
Figure 9.1-6	UFSAR 2/3-09.01-06	TYPICAL SECTIONS 4 X 8 AND 8 X 8 RACK MODULES	4	1
Figure 9.1-9	UFSAR 2/3-09.01-09	SAN ONOFRE UNITS 1, 2, AND 3 SKETCH OF FUEL ASSEMBLIES IN SPENT FUEL RACK	7	3
Figure 9.1-21	UFSAR 2/3-09.01-21	SPENT FUEL HANDLING MACHINE	4	1
Figure 9.1-22	UFSAR 2/3-09.01-22	NEW FUEL ELEVATOR	4	1
Figure 9.1-23	UFSAR 2/3-09.01-23	FUEL HANDLING TOOLS	4	1
Figure 9.1-24	UFSAR 2/3-09.01-24	FUEL HANDLING BUILDING CASK HANDLING CRANE TRAVEL PATH REQUIREMENTS PLAN	4	1
Figure 9.1-25	UFSAR 2/3-09.01-25	FUEL HANDLING BUILDING CASK CRANE HOOK HEIGHT REQUIREMENTS	4	1
Figure 9.1-26	UFSAR 2/3-09.01-26	FUEL HANDLING BUILDING CASK LIFT AT STORAGE POOL	4	1
<b>Chapter 9A SAN ONOFRE 2&amp;3 ALIGNMENT WITH NUREG-1738</b>				
Chapter 9A	UFSAR 2/3-09A	SAN ONOFRE 2&3 ALIGNMENT WITH NUREG-1738	3	15
<b>Chapter 10 STEAM AND POWER CONVERSION SYSTEM</b>				
Chapter 10	UFSAR 2/3-10.0	STEAM AND POWER CONVERSION SYSTEM	3	1
<b>Chapter 11 RADIOACTIVE WASTE MANAGEMENT</b>				
Chapter 11	UFSAR 2/3-11.0	RADIOACTIVE WASTE MANAGEMENT	3	29
Figure 11.3-2	UFSAR 2/3-11.03-02	GASEOUS RADWASTE AND LOW-ACTIVITY VENT GAS COLLECTION SYSTEMS FLOW DIAGRAM	4	1
Figure 11.4-3	UFSAR 2/3-11.04-03	SAMPLE CONDITIONING SKID FLOW DIAGRAM	0	1
<b>Chapter 12 RADIATION PROTECTION</b>				
Chapter 12	UFSAR 2/3-12.0	RADIATION PROTECTION	3	28
Figure 12.2-1	UFSAR 2/3-12.02-01	DOSE RATE IN WATER AXIALLY ABOVE MAXIMUM SPENT ASSEMBLY	4	1
Figure 12.2-2	UFSAR 2/3-12.02-02	DOSE RATE IN WATER FROM SIDE OF MAXIMUM SPENT ASSEMBLY	4	1



# SONGS 2/3 UFSAR / DSAR Master Table of Contents

Chapter/Figure	Document Number	Title	Rev	Pgs
<b>Chapter 13 CONDUCT OF OPERATIONS</b>				
Chapter 13	UFSAR 2/3-13.0	CONDUCT OF OPERATIONS	3	8
<b>Chapter 14 INITIAL TEST PROGRAM</b>				
Chapter 14	UFSAR 2/3-14.0	INITIAL TEST PROGRAM	3	1
<b>Chapter 15 ACCIDENT ANALYSES</b>				
Chapter 15	UFSAR 2/3-15.0	ACCIDENT ANALYSES	3	1
<b>Appendix 15G DOSE MODELS USED TO EVALUATE THE CONSEQUENCES OF ACCIDENTS ANALYZED WITH THE ALTERNATIVE SOURCE TERM METHODOLOGY</b>				
Appendix 15G	UFSAR 2/3-15G	DOSE MODELS USED TO EVALUATE THE CONSEQUENCES OF ACCIDENTS ANALYZED WITH THE ALTERNATIVE SOURCE TERM METHODOLOGY	3	11
<b>Chapter 16 TECHNICAL SPECIFICATIONS</b>				
Chapter 16	UFSAR 2/3-16.0	TECHNICAL SPECIFICATIONS	3	1
<b>Chapter 17 QUALITY ASSURANCE</b>				
Chapter 17	UFSAR 2/3-17.0	QUALITY ASSURANCE	3	1