

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1 a. CERTIFICATE NUMBER 9791	b. REVISION NUMBER 9	c. DOCKET NUMBER 71-9791	d. PACKAGE IDENTIFICATION NUMBER USA/9791/B(U)-85	PAGE 1	OF 3	PAGE 3
---------------------------------	-------------------------	-----------------------------	--	-----------	---------	-----------

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- a. ISSUED TO (*Name and Address*)
U.S. Department of Energy
Division of Naval Reactors
Washington, DC 20585
- b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION
PWR-2 Lower Core Barrel Safety Analysis Report
for Packaging dated January 1982,
as supplemented

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

(a) Packaging

(1) Model No.: PWR-2 Lower Core Barrel Shipping and Disposal Container

(2) Description

The PWR-2 Lower Core Barrel Shipping and Disposal Container package consists of an inner burial container and a reusable outer container. The inner container is loaded with a D1G prototype pressure vessel assembly. The package weighs approximately 400,000 pounds.

The outer container is a 4-inch thick steel cylinder, 127 inches in outside diameter, 212 inches long, with two 6-inch thick end plates. The bottom end plate is welded to the cylinder with a full penetration weld and the top end plate is bolted with 107, 2-inch diameter fasteners.

The package is equipped with two 2.5-inch thick by 10-inch long circumferential impact limiter rings on the side, two concentric impact limiter rings on the ends, and aluminum honeycomb crush blocks in the top and bottom spaces between the inner and outer containers.

The container is supported horizontally on the railroad car by eight gussets attached to two horizontal plates. Each plate is bolted to the top flange of an I-beam. The bottom flange of the I-beam is bolted to a 300-ton railroad car.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1 a. CERTIFICATE NUMBER 9791	b. REVISION NUMBER 9	c. DOCKET NUMBER 71-9791	d. PACKAGE IDENTIFICATION NUMBER USA/9791/B(U)-85	PAGE 2 OF 3	PAGE 3
---------------------------------	-------------------------	-----------------------------	--	----------------	-----------

5. (a) Packaging (continued)

The inner disposal container (liner) is of the following design:

The D1G prototype pressure vessel assembly has an inner burial container that consists of two cylinders constructed of HY-80 steel connected by a transition ring that is welded to the two cylinders. The maximum outer diameter of the cylinder is approximately 118 inches at the upper flange. The overall length of the inner container is 184.5 inches. The container wall is 3.12 inches in the upper cylinder and 4 inches in the bottom cylinder. The bottom plate varies in thickness from 6 to 2.4 inches and is attached to the container by 12, 4.5-inch thick gussets. The cover plate is approximately 10 inch thick and is attached to the container by a 3.25-inch thick closure weld. The container is axially positioned within the outer container by aluminum honeycomb energy absorbers.

(3) Drawings

The packaging is constructed in accordance with Westinghouse Drawing Nos. 1575E12, 1574E96, and KAPL, Inc., Drawing Nos. 108E6847 and 108E6846.

(b) Contents

(1) Type and form of material

An irradiated D1G prototype pressure vessel assembly, including pressure vessel, core barrel, thermal shields, and two surveillance train assemblies. In addition, the contents may include surface contamination in the form of activated corrosion products and 119 gallons of residual water.

(2) Quantity of material in package

One irradiated D1G prototype pressure vessel assembly. Surface contamination not to exceed 4.61 curies. Displaced material from cutting operations not to exceed 10.6 curies. The irradiated components not to exceed 60,000 curies.

6. The package shall be operated in accordance with the procedures described in Chapter 7 of the application and in accordance with Naval Reactors letter G#C98-10723 dated February 13, 1998. The package shall be tested and maintained in accordance with the procedures in Chapter 8 of the application and in accordance with Naval Reactors letter G#C98-10723 dated February 13, 1998.
7. Fabrication of packages must have been completed by December 31, 2006, in accordance with 10 CFR 71.19(c).
8. Expiration date: July 31, 2022.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

¹ a. CERTIFICATE NUMBER 9791	b. REVISION NUMBER 9	c. DOCKET NUMBER 71-9791	d. PACKAGE IDENTIFICATION NUMBER USA/9791/B(U)-85	PAGE 3	PAGE OF 3
--	-------------------------	-----------------------------	--	-----------	-----------------

REFERENCES

PWR-2 Lower Core Barrel Safety Analysis Report for Packaging, WAPD-LP(CES)CS-670 dated January 1982.

Supplements: Naval Reactors letters G#7241 dated December 2, 1982; G#84-452 dated March 28, 1984; G#C92-03331 dated January 29, 1992; G#92-03546 dated June 5, 1992; G#92-03589 dated July 2, 1992; G#97-053513 dated June 11, 1997; G#C97-03596 dated August 28, 1997; G#C98-10723 dated February 13, 1998; G#98-10801 dated May 5, 1998; G#02-0688 dated January 16, 2002; G#07-00297 dated January 18, 2007; G#12-00635 dated January 30, 2012; and November 29, 2016.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/

John McKirgan, Chief
Spent Fuel Licensing Branch
Division of Spent Fuel Management
Office of Nuclear Material Safety
and Safeguards

Date: 12/22/2016

