

Docket File Information

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: Radiotherapy Centers of Kentuckiana 1322 Spring Street Jeffersonville, IN 47130 REPORT NUMBER(S) 2016001	2. NRC/REGIONAL OFFICE Region III U. S. Nuclear Regulatory Commission 2443 Warrenville Road, Suite 210 Lisle, IL 60532-4352
--	---

3. DOCKET NUMBER(S) 030-38876	4. LICENSE NUMBER(S) 13-35276-01	5. DATE(S) OF INSPECTION November 14, 2016 to December 30, 2016
----------------------------------	-------------------------------------	---

6. INSPECTION PROCEDURES USED 87131	7. INSPECTION FOCUS AREAS 03.01-03.07
--	--

SUPPLEMENTAL INSPECTION INFORMATION

1. PROGRAM CODE(S) 02120	2. PRIORITY 3	3. LICENSEE CONTACT Richard Meyer, RSO	4. TELEPHONE NUMBER (812) 285-6000
-----------------------------	------------------	---	---------------------------------------

Main Office Inspection Next Inspection Date: November 14, 2019

Field Office Inspection _____

Temporary Job Site Inspection _____

PROGRAM SCOPE

This was a announced initial inspection of a clinic authorized by its NRC license to use unsealed byproduct material for therapeutic procedures under 10 CFR 35.300 at its facility in Jeffersonville, IN. A local radiopharmacy delivered unit doses to the clinic. The clinic employed two full-time physicists on Wednesdays. The licensee performed approximately two therapeutic administrations on Wednesdays.

PERFORMANCE OBSERVATIONS

The inspector toured the clinic and observed the physicist demonstrate package receipt surveys and instrument quality control checks. The inspector performed independent surveys of the hot lab and other areas of the clinic and found no contamination or exposures to members of the public distinguishable from background. The physicist demonstrated adequate knowledge of radiation safety principles and practices through interviews. The inspector reviewed documentation of package receipt, area surveys, instrument quality control, waste disposal, and employee training. The inspector also reviewed monthly dosimetry reports, which indicated annual whole-body and extremity doses below regulatory limits.

No violations of NRC requirements were identified as a result of this inspection.

Nieves Folch, Luis

From: Nieves Folch, Luis
Sent: Tuesday, January 03, 2017 11:02 AM
To: 'Meyer, Richard'
Subject: NRC 591 clear report
Attachments: image2017-01-03-102024.pdf

Dear Mr. Meyer,

This message is to send you a 591 form for a clear inspection conducted on November 14, 2016. At this point the NRC has no further questions, and do not require any correspondence on your part.

In accordance with Title 10 of the Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this message will be available electronically for public inspection in the NRC's Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC's website at <http://www.nrc.gov/reading-rm/adams.html>.

Please feel free to contact me if you have any questions regarding this correspondence.

Thank you,

Luis Nieves
Health Physicist
U.S. Nuclear Regulatory Commission
Division of Nuclear Materials Safety
(630) 829-9571