 **KAISER PERMANENTE®**
Capitol Hill Medical Center
700 2nd Street NE
Washington DC 20002

December 16, 2016

U. S. Nuclear Regulatory Commission
Region I
Nuclear Material Section B
475 Allendale Road
King of Prussia, PA 19406

RE: Radioactive Materials License Amendment
Kaiser Permanente Capitol Hill Medical Center
License # 19-31420-01
Docket # 03038361

License Reviewers:

Please amend the above referenced license to add:

1. Any byproduct material permitted under 10 CFR 35.300. Maximum possession limit of 350 mCi.
2. Add 35.300, Use of unsealed byproduct material for which a written directive is required, to authorization of Dr. Vincent Dam. Documentation of training and experience is enclosed.

If there are any questions or if additional information is needed regarding the above matter, please contact Tekeste Yohannis, Health Physics Consultant, Krueger-Gilbert Health Physics, Inc. at (410) 339-5447 or Mike Ofori-Darkwa, the Nuclear Medicine manager at (703) 704-3568.

Sincerely,



Howard DiPiazza, M.D.
Radiation Safety Officer

Br. 1

REC RG 1 12 27 16 AM 07:18

592701
NUCLEAR MATERIALS-002

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Kaiser Permanente</p> <p>2. 2101 East Jefferson Street Rockville, Maryland 20852</p>	<p>In accordance with the letter dated November 7, 2012,</p> <p>3. License number 19-31420-01 is amended in its entirety to read as follows</p> <hr/> <p>4. Expiration date October 31, 2020</p> <hr/> <p>5. Docket No. 03038361 Reference No.</p>
--	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p>
--	---	---

9. Authorized use:
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
 - B. Any imaging and localization study permitted by 10 CFR 35.200.

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located on the Ground Level of Capitol Hill Medical Center, 700 Second Street, NE, Washington, DC.
- 11. The Radiation Safety Officer for this license is Howard DiPiazza, M.D.
- 12. Licensed material is only authorized for use by, or under the supervision of:
 - A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
 - B. The following individuals are authorized users for medical use as indicated:

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
19-31420-01

Docket or Reference Number
03038361

Amendment No. 01

Authorized Users

Material and Use

Yaning Liu, M.D.

35.100; 35.200

Carol P. Cardinale, M.D.

35.100; 35.200

Howard DiPiazza, M.D.

35.100; 35.200

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated August 31, 2010 [ML102500120]
- B. Letter dated October 7, 2010 [ML102800451]

For the U.S. Nuclear Regulatory Commission

Original signed by Robin Elliott

Date January 16, 2013

By _____
Robin Elliott
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406



**AUTHORIZED USER TRAINING AND EXPERIENCE
AND PRECEPTOR ATTESTATION**
(for uses defined under 35.300)
[10 CFR 35.390, 35.392, 35.394, and 35.396]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 06/30/2019

Name of Proposed Authorized User

Vincent Dam

State or Territory Where Licensed

MD, VA, District of Columbia

Requested Authorization(s) (check all that apply):

35.300 Use of unsealed byproduct material for which a written directive is required

OR

35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantity: less than or equal to 1.22 gigabecquerels (33 millicuries)

35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)

35.300 Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

35.300 Parenteral administration of any other radionuclide for which a written directive is required

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

1. **Board Certification**

a. Provide a copy of the board certification.

b. For 35.390, provide documentation on supervised clinical case experience. The table in section 3.c. may be used to document this experience.

c. For 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience.

d. Skip to and complete Part II Preceptor Attestation.

2. **Current 35.300, 35.400, or 35.600 Authorized User Seeking Additional Authorization**

a. Authorized User on Materials License _____ under the requirements below or equivalent Agreement State requirements (check all that apply):

35.390 35.392 35.394 35.490 35.690

b. If currently authorized for a subset of clinical uses under 35.300, provide documentation on additional required supervised case experience. The table in section 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

c. If currently authorized under 35.490 or 35.690 and requesting authorization for 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User

a. Classroom and Laboratory Training 35.390 35.392 35.394 35.396

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation	Hospital of the University of Pennsylvania	150	7/1/2000 - 6/30/2014
Radiation protection	Hospital of the University of Pennsylvania	120	7/1/2000 - 6/30/2014
Mathematics pertaining to the use and measurement of radioactivity	Hospital of the University of Pennsylvania	15	7/1/2000 - 6/30/2014
Chemistry of byproduct material for medical use	Hospital of the University of Pennsylvania	10	7/1/2000 - 6/30/2014
Radiation biology	Hospital of the University of Pennsylvania	90	7/1/2000 - 6/30/2014
Total Hours of Training:		<input type="text" value="385"/>	

b. Supervised Work Experience 35.390 35.392 35.394 35.396

If more than one supervising individual is necessary to document supervised training, provide multiple copies of this page.

Supervised Work Experience		Total Hours of Experience: <input type="text" value="1760"/>	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys	Hospital of the University of Pennsylvania	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7/1/2000 - 6/30/2014
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters	Hospital of the University of Pennsylvania	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7/1/2000 - 6/30/2014
Calculating, measuring, and safely preparing patient or human research subject dosages	Hospital of the University of Pennsylvania	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7/1/2000 - 6/30/2014
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material	Hospital of the University of Pennsylvania	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7/1/2000 - 6/30/2014
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures	Hospital of the University of Pennsylvania	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7/1/2000 - 6/30/2014

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience (continued)

Supervising Individual: * DAVID MANIKOFF, MD, PhD
License/Permit Number listing supervising individual as an authorized user: PA-0131

Supervising individual meets the requirements below, or equivalent Agreement State requirements (check all that apply)**:

- 35.390 With experience administering dosages of:
 - 35.392 Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
 - 35.394 Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
 - 35.396 Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
 - Parenteral administration of any other radionuclide requiring a written directive

** Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

c. Supervised Clinical Case Experience

If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this page.

Description of Experience	Number of Cases Involving Personal Participation	Location of Experience/License or Permit Number of Facility	Dates of Experience*
Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)	11	Hospital of the University of Pennsylvania	7/1/2010 - 6/30/2014
Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)	13	Hospital of the University of Pennsylvania	7/1/2010 - 6/30/2014
Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required	20	Hospital of the University of Pennsylvania	7/1/2010 - 6/30/2014
Parenteral administration of any other radionuclide for which a written directive is required <div style="border: 1px solid black; width: 200px; height: 30px; margin: 5px 0;"></div> (List radionuclides)			

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

c. Supervised Clinical Case Experience (continued)

Supervising Individual	License/Permit Number listing supervising individual as an authorized user
David Mankoff, MD, PhD	PA-0131

Supervising individual meets the requirements below, or equivalent Agreement State requirements (*check all that apply*)**:

35.390 With experience administering dosages of:

35.392 Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

35.394 Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

35.396 Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

Parenteral administration of any other radionuclide requiring a written directive

** Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

d. Provide completed Part II Preceptor Attestation.

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section

Check one of the following for each requested authorization:

For 35.390:

Board Certification

I attest that _____ has satisfactorily completed the training and experience requirements in 35.390(a)(1).
Name of Proposed Authorized User

OR

Training and Experience

I attest that Vincent Dam has satisfactorily completed the 700 hours of training and experience, including a minimum of 200 hours of classroom and laboratory training, as required by 10 CFR 35.390 (b)(1).
Name of Proposed Authorized User

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

Preceptor Attestation (continued)

First Section (continued)

For 35.392 (Identical Attestation Statement Regardless of Training and Experience Pathway):

I attest that _____ has satisfactorily completed the 80 hours of classroom
Name of Proposed Authorized User
and laboratory training, as required by 10 CFR 35.392(c)(1), and the supervised work and clinical case
experience required in 35.392(c)(2).

For 35.394 (Identical Attestation Statement Regardless of Training and Experience Pathway):

I attest that _____ has satisfactorily completed the 80 hours of classroom
Name of Proposed Authorized User
and laboratory training, as required by 10 CFR 35.394 (c)(1), and the supervised work and clinical case
experience required in 35.394(c)(2).

Second Section

I attest that _____ has satisfactorily completed the required clinical case
Name of Proposed Authorized User
experience required in 35.390(b)(1)(ii)G listed below:

- Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

Third Section

I attest that _____ has satisfactorily achieved a level of competency to
Name of Proposed Authorized User
function independently as an authorized user for:

- Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

Fourth Section

For 35.396:

Current 35.490 or 35.690 authorized user:

I attest that _____ is an authorized user under 10 CFR 35.490 or 35.690
Name of Proposed Authorized User

or equivalent Agreement State requirements, has satisfactorily completed the 80 hours of classroom and laboratory training, as required by 10 CFR 35.396 (d)(1), and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

- Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- Parenteral administration of any other radionuclide for which a written directive is required

OR

Board Certification:

I attest that _____ has satisfactorily completed the board certification
Name of Proposed Authorized User

requirements of 35.396(c), has satisfactorily completed the 80 hours of classroom and laboratory training required by 10 CFR 35.396 (d)(1) and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

- Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- Parenteral administration of any other radionuclide for which a written directive is required

Fifth Section


Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- 35.390 35.392 35.394 35.396

I have experience administering dosages in the following categories for which the proposed Authorized User is requesting authorization.

- Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

Name of Preceptor David Mankoff, MD, PhD	Signature 	Telephone Number (215) 615-3687	Date 10/20/16
License/Permit Number/Facility Name PA-0131			



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee Kaiser Permanente ATTN: Judith L. Brittain, Vice President, Health Plan Operations 2101 East Jefferson Street Rockville, MD 20852	Date January 4, 2017
	License Number(s) 19-31420-01
	Mail Control Number(s) 592701
	Licensing and/or Technical Reviewer or Branch Medical Branch (Branch 1)

This is to acknowledge receipt of your: Letter and/or Application Dated: 12/16/2016

The initial processing, which included an administrative review, has been performed.
 Amendment Termination New License Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
 Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region I
 U. S. Nuclear Regulatory Commission
 Division of Nuclear Materials Safety
 2100 Renaissance Boulevard, Suite 100
 King of Prussia, PA 19406-2713
 (610) 337-5260, (610) 337-5313,
 (610) 337-5398, or (610) 337-5239