

AUG 13 1971

Docket No. 50-220

Niagara Mohawk Power Corporation
ATTN: Mr. Thomas J. Brosnan
Vice President and
Chief Engineer
300 Erie Boulevard West
Syracuse, New York 13202

Gentlemen:

Your letter dated July 27, 1971, informed us that you are scheduling a partial refueling of the Nine Mile Point (NMP) reactor on September 19, 1971. The proposed reload fuel will contain a burnable poison, gadolinium oxide (Gd_2O_3), mixed with the UO_2 . Based on our review of the information presented, we consider that the use of the proposed fuel may involve an unreviewed safety question as defined in Section 50.59 of 10 CFR Part 50 and that operation with the proposed fuel requires authorization by the Commission. To continue our review and evaluation of the proposed refueling at NMP, the following additional information is required:

1. Describe your evaluation of the consequences of possible loading errors associated with the proposed refueling. Consider errors associated with the multiple enrichments, the gadolinium poison, and the exchange of fuel rods of an assembly, and consider possible errors in locating and positioning an assembly in the core in connection with poison curtain position.
2. In view of the fuel failures experienced to date, describe measures and programs you are employing or propose to institute to provide improved quality of gadolinium-bearing fuel as fabricated and an augmented surveillance of the core fuel during operations.
3. Your July 27, 1971 letter stated that the performance of gadolinium-containing fuel has been demonstrated successfully in other BWRs and that we have reviewed such fuel for several other facilities. Clarify your

278

11A

AUG 13 1971

references to other dockets to indicate the information that is relevant to the proposed NMP operation with gadolinium-bearing fuel as regards gadolinium content, margins to fuel melting and clad damage during steady-state and transient operations, including uncertainties in power distribution as a function of burnup, and similarly the margin-to-fuel damage for control-rod-drop accident conditions.

- Describe in detail the effect of the proposed fuel on analytical results obtained from the study you are performing in response to our letter to you dated July 22, 1971, concerning the AEC interim acceptance criteria for the performance of emergency core cooling systems.

Please contact us if you desire additional discussion or clarification of the information requested.

Sincerely,

Original signed by
Peter A. Morris

Peter A. Morris, Director
Division of Reactor Licensing

cc: Arvin E. Upton, Esquire
LeBoeuf, Lamb, Leiby & MacRae
1821 Jefferson Place, N. W.
Washington, D. C. 20036

Distribution
W. Dooly, DR
R. Engelken, CO (2)
H. Shapar, OGC
J. R. Buchanan, ORNL
Docket File
PDR
DR Reading
DRL Reading
Branch Reading
ACRS (3)
F. Schroeder, DRL
D. J. Skovholt, DRL
D. L. Ziemann, DRL
R. H. Vollmer, DRL
C. J. DeBevec, DRL
R. M. Diggs, DRL
R. Boyd, DRL
R. DeYoung, DRL

*Informed Rhode
by phone 8/13/71*

| | | | | | | |
|-----------|-----------------------------|-----------------------|-------------------------|--------------------------|-------------------------|-----------------------|
| OFFICE ▶ | DRL | DRL | DRL | DRL | DRL | DRL |
| SURNAME ▶ | <i>CJD</i> CJDeBevec:sjg | <i>RMD</i> RMDiggs | <i>DLZ</i> DLZiemann | <i>DJS</i> DJSkovholt | <i>FS</i> FSchroeder | <i>PM</i> PAMorris |
| DATE ▶ | 8/12/71 | 8/12/71 | 8/12/71 | 8/12/71 | 8/13/71 | 8/13/71 |

LB

signed by
A. Morris

1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025