

NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL

FILE NUMBER

TO: B.C. RUSCHE

FROM: LEBOEUF, LAMB, LEIBY & MACRAE  
WASHINGTON, D.C.  
LEBOEUF, LAMB, LEIBY & MACRAE

DATE OF DOCUMENT  
11-8-76

DATE RECEIVED  
11-8-76

LETTER  
 ORIGINAL  
 COPY

NOTORIZED  
 UNCLASSIFIED

PROP

INPUT FORM

NUMBER OF COPIES RECEIVED  
40

DESCRIPTION

LTR. TRANS THE FOLLOWING.....

**ACKNOWLEDGED**  
**DO NOT REMOVE**

PLANT NAME: NINE MILE PT. # 1

ENCLOSURE

CERTIFICATE OF SERVICE, CERTIFYING THAT CYS. OF THE DOCUMENT HAVE BEE SERVED UPON LOCAL OFFICIALS APPLICATION FOR AMENDMENT TO OPERATING LICENSE REQUESTING THE INCLUSION OF A NEW TECH. SPEC.. CONCERNING THE OPERATIONAL STATUS OF THE DRYWELL SUPPRESSION CHAMBER DIFFERENTIAL PRESSURE SYSTEM TO ENSURE THE SYSTEM WILL REMAIN FUNCTIONAL DURING A DESIGN BASIS LOSS OF COOLANT ACCIDENT..

( 3 SIGNED CYS. RECEIVED )  
( 13 pages )

SAFETY

FOR ACTION/INFORMATION

ENVIRO

SAB 11-9-76

ASSIGNED AD:		ASSIGNED AD:
BRANCH CHIEF:	LEAR <i>w/le</i>	BRANCH CHIEF:
PROJECT MANAGER:		PROJECT MANAGER:
LIC. ASST.:	PARRISH	LIC. ASST.:

INTERNAL DISTRIBUTION

<input checked="" type="checkbox"/> REG. FILE	SYSTEMS SAFETY	PLANT SYSTEMS	SITE SAFETY & ENVIRO ANALYSIS
<input checked="" type="checkbox"/> NRC PDR	HEINEMAN	TEDESCO	DENTON & MULLER
<input checked="" type="checkbox"/> I & E (2)	SCHROEDER	BENAROYA	
<input checked="" type="checkbox"/> OELD		LAINAS	
GOSSICK & STAFF	ENGINEERING	IPPOLITO	ENVIRO TECH.
MIPC	MACCARRY	KIRKWOOD	ERNST
CASE	KNIGHT		BALLARD
HANAUER	SIHWEIL	OPERATING REACTORS	SPANGLER
HARLESS	PAWLICKI	STELLO	
			SITE TECH.
PROJECT MANAGEMENT	REACTOR SAFETY	OPERATING TECH.	GAMMILL
BOYD	ROSS	EISENHUT	STEP
P. COLLINS	NOVAK	SHAO	HULMAN
HOUSTON	ROSZTOCZY	BAER	
PETERSON	CHECK	BUTLER	SITE ANALYSIS
MELTZ		GRIMES	VOLLMER
HELTEMES	AT & I		BUNCH
SKOVHOLT	SALTZMAN		J. COLLINS ✓
	RUTBERG		KREGER

EXTERNAL DISTRIBUTION

CONTROL NUMBER

<input checked="" type="checkbox"/> LPDR: OSWEGO, NY.	NAT LAB:	BROOKHAVEN NAT LAB	11396
<input checked="" type="checkbox"/> TIC:	REG. VIE	ULRIKSON(ORNL)	
<input checked="" type="checkbox"/> NSIG:	IA PDR		
<input checked="" type="checkbox"/> ASLB:	CONSULTANTS		
<input checked="" type="checkbox"/> ACRS 16 CYS <del>XXXXXXXX</del> SENT TO ACRS CAT " "			

*applied*

DO NOT REMOVE  
ACKNOWLEDGMENT

LAW OFFICES OF  
LEBOEUF, LAMB, LEIBY &

1757 N STREET, N.W.  
WASHINGTON, D. C. 20036

TELEPHONE 202 457-7200  
CABLE ADDRESS  
LEBWIN, WASHINGTON, D.C.  
TELEX 45772

LEON A. ALLEN, JR.  
JOSEPH E. BACHELDER, III  
ERNEST S. BALLARD, JR.  
G. S. PETER BERGEN †  
DAVID P. BICKS  
TAYLOR R. BRIGGS  
KEITH BROWN  
CHARLES N. BURGER  
WILLIAM O. DOUB †  
JACOB FRIEDLANDER  
DONALD J. GREENE  
JAMES A. GREER, II †  
JOHN L. GROSE †  
DOUGLAS W. HAWES  
CARL O. HOBELMAN  
MICHAEL IOVENKO  
JAMES F. JOHNSON, 4TH  
RONALD D. JONES  
LEX K. LARSON †  
GRANT S. LEWIS

CAMERON F. MACRAE †  
CAMERON F. MACRAE, III †  
GERARD A. MAHER  
SHEILA H. MARSHALL  
JAMES G. MCELROY  
JAMES P. MCGRANERY, JR. †  
L. MANNING MUNTZING †  
JAMES O'MALLEY, JR. †  
J. MICHAEL PARISH  
PAUL G. RUSSELL  
HAROLD M. SEIDEL  
CHARLES P. SIFTON  
HALCYON G. SKINNER  
JOSEPH S. STRAUSS  
SAMUEL M. SUGDEN  
EUGENE B. THOMAS, JR. †  
LEONARD M. TROSTEN †  
HARRY H. VOIGT †  
H. RICHARD WACHTEL  
GERARD P. WATSON

† RESIDENT PARTNERS WASHINGTON OFFICE  
† ADMITTED TO THE DISTRICT OF COLUMBIA BAR



Mr. Ben C. Rusche  
Director  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

Re: Niagara Mohawk Power Corporation  
Nine Mile Point Nuclear Station,  
Unit No. 1  
Docket No. 50-220

Dear Mr. Rusche:

As counsel for the above-named Licensee, we hereby transmit three (3) originals and 37 copies of a request for amendment of Attachment A to the Company's operating license.


The amendment requests the inclusion of a new technical specification. The requested technical specification applies to the operational status of the drywell-suppression chamber differential pressure system. The objective of the proposed technical specification is to ensure that the system will remain functional during a design basis loss of coolant accident.



LEBOEUF, JR. 1929-1975  
LEIBY 1952-1976

OF COUNSEL  
ARVIN E. UPTON

140 BROADWAY  
NEW YORK, N.Y. 10005  
TELEPHONE 212 269-1100  
CABLE ADDRESS  
LEBWIN, NEW YORK  
TELEX: 423416



RECEIVED  
MAY 19 1964



UNITED STATES OF AMERICA  
NUCLEAR REGULATORY COMMISSION

In the Matter of )  
 )  
NIAGARA MOHAWK POWER CORPORATION ) Docket No. 50-220  
(Nine Mile Point Nuclear Station )  
Unit No. 1) )

CERTIFICATE OF SERVICE

I hereby certify that I have served a document entitled "Application for Amendment to Operating License" by mailing a copy thereof first class, postage prepaid, to the following persons this 8th day of November, 1976.

Mr. Robert P. Jones  
Supervisor  
Town of Scriba  
R. D. #4  
Oswego, New York 13126

Miss Juanita Kersey  
Librarian  
Oswego City Library  
120 E. Second Street  
Oswego, New York 13126

Dr. William E. Seymour  
Staff Coordinator  
New York State Atomic  
Energy Council  
New York State Department  
of Commerce  
99 Washington Avenue  
Albany, New York 12210

*Eugene B. Thomas, Jr.*  
Eugene B. Thomas, Jr.

LeBoeuf, Lamb, Leiby & MacRae  
Attorneys for Niagara Mohawk  
Power Corporation

11396




A Certificate of Service showing service of these documents upon the persons listed therein is also enclosed.



Very truly yours,

LeBoeuf, Lamb, Leiby & MacRae

By Eugene B. Thomas, Jr.  
Partner  
Attorneys for Niagara Mohawk  
Power Corporation



22  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100

1



UNITED STATES OF AMERICA  
NUCLEAR REGULATORY COMMISSION


In the Matter of )  
NIAGARA MOHAWK POWER CORPORATION )  
(Nine Mile Point Nuclear Station )  
Unit No. 1) )

Docket No. 50-220

APPLICATION FOR AMENDMENT  
TO  
OPERATING LICENSE


Pursuant to Section 50.90 of the regulations of the Nuclear Regulatory Commission, Niagara Mohawk Power Corporation, holder of Facility Operating License No. DPR-63, hereby requests that the Technical Specifications set forth in Appendix A to that License be amended. This proposed change has been approved by the Site Operations Review Committee and Safety Review and Audit Board.

The proposed Technical Specification change is set forth in Attachment A to this application. Supporting Information, which demonstrates that the proposed change does not involve a significant hazards consideration, is set forth in Attachment B. The proposed change would not authorize any change in the types or any increase in the amounts of effluents or any change in the authorized power level of the facility.




WHEREFORE, Applicant respectfully requests that Appendix A to Facility Operating License No. DPR-63 be amended in the form attached hereto as Attachment A.


NIAGARA MOHAWK POWER CORPORATION

By:   
R. R. SCHNEIDER  
Vice President-Electric Production

Subscribed and sworn to before  
me this 5<sup>th</sup> day of November,  
1976.

  
Notary Public

PHYLLIS D. VOYTKO  
Notary Public in the State of New York  
Qualified in Conon. Co. No. 34-9485535  
My Commission Expires March 30, 1978



ATTACHMENT A


Niagara Mohawk Power Corporation

License No. DPR-63 .

Docket No. 50-220

Proposed Change to Technical Specifications (Appendix A)

Attached is new Technical Specification 3.3.8 and 4.3.8.



## LIMITING CONDITIONS FOR OPERATION

## SURVEILLANCE REQUIREMENTS

### 3.3.8 Drywell-Suppression Chamber Differential Pressure

#### Applicability:

Applies to the operational status of drywell-suppression chamber differential pressure system.

#### Objective:

To assure that the pressure suppression system will remain functional during a design basis loss-of-coolant accident.

#### Specification:

- a. Differential pressure between the drywell and suppression chamber shall be maintained according to Figure 3.7.1 except as specified in (1) and (2) below:
  - (1) This differential shall be established whenever containment inerting is required as specified by Specification 3.3.1.
  - (2) This differential may be decreased to less than that of Figure 3.7.1 for a maximum of four hours during required operability testing of the drywell-pressure suppression chamber vacuum breakers.
- b. If the differential pressure of Specification 3.7.1.a cannot be maintained, an orderly shutdown shall be initiated and the reactor shall be in the Hot Shutdown condition within 12 hours and the Cold Shutdown condition within the following 24 hours.

### 4.3.8 Drywell-Suppression Chamber Differential Pressure

#### Applicability:

Applies to the periodic testing requirements for the drywell-suppression chamber differential pressure system.

#### Objective:

To verify the operability of the drywell-suppression chamber differential system.

#### Specification:

- a. The pressure differential between the drywell and suppression chamber shall be recorded at least once each shift.








FIGURE 3.3.8

Drywell-Suppression Chamber Differential Pressure  
vs.  
Downcomer Submergence






BASES FOR 3.3.8 AND 4.3.8 DRYWELL-SUPPRESSION CHAMBER DIFFERENTIAL PRESSURE

---

A drywell-suppression chamber differential pressure as shown in Figure 1 is being established to ensure that appropriate safety margins for the suppression chamber and its associated support structure are maintained following a Design Basis Loss of Coolant Accident.



ATTACHMENT B

Niagara Mohawk Power Corporation

License No. DPR-63

Docket No. 50-220

Supporting Information

Introduction


On July 30, 1976 and October 14, 1976, Niagara Mohawk submitted the results of the Plant Unique Analysis for Nine Mile Point Unit 1. This analysis established drywell-suppression chamber differential pressure and suppression chamber water level requirements in order to ensure adequate safety margins for the suppression chamber and associated support structure for a Loss of Coolant Accident.

On September 30, 1976, the Nuclear Regulatory Commission requested information related to instrumentation which is used to monitor differential pressure and water level. In addition, Technical Specifications which cover differential pressure and water level were requested.

Description of the Methods Used to Establish and Maintain Drywell-Suppression Chamber Differential Pressure


The primary containment vent fill and purge system is used to inert the primary containment. A description of this system may be found in Section VII G of the FSAR. When necessary to expel nitrogen from the Drywell or Suppression Chamber, the Emergency Ventilation System is placed into operation. All operations are in accordance with the Inerting System Operating Procedure. There are no changes in the valve lineups which are now under Technical Specifications.

....Continued



Instrumentation Utilized to Monitor Drywell-Suppression Chamber Differential Pressure and Suppression Chamber Water Level

Figure 1 shows the instrumentation presently being used to monitor drywell-suppression chamber differential pressure. Included on the figure is range, accuracy, readouts and number of channels. Similar information for suppression chamber water level is shown in Figure 2. There are presently no Technical Specification requirements on this instrumentation nor are any proposed at this time. Should differential pressure be required at completion of the Long Term Program, Technical Specifications will be proposed for this instrumentation.





DRYWELL - SUPPRESSION  
CHAMBER DIFFERENTIAL  
PRESSURE





FIGURE 1



SUPPRESSION CHAMBER  
WATER LEVEL




FIGURE 2

