

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Ohio Valley Medical Center</p>	<p>In accordance with letter dated November 30, 2016</p>	<p>4. Expiration Date: August 31, 2023</p>	
<p>2. 2000 Eoff Street Wheeling, WV 26003-3870</p>	<p>3. License number: 47-17282-01 is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-12498 Reference No.:</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p> <p>D. Strontium-90</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Sealed Source (Tracer Lab, Model RA-1A)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As Needed</p> <p>B. As Needed</p> <p>C. 1 curie total</p> <p>D. 75 millicuries total</p>	<p>9. Authorized use</p> <p>A. For use in uptake, dilution and excretion studies permitted by 10 CFR 35.100.</p> <p>B. For use in imaging and localization studies permitted by 10 CFR 35.200.</p> <p>C. For any use permitted by 10 CFR 35.300 for which the patient can be released under the provisions of 10 CFR 35.75.</p> <p>D. For storage only, incident to disposal.</p>

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at 2000 Eoff Street, Wheeling, West Virginia.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
47-17282-01

Docket or Reference Number
030-12498

Amendment No. 47

11. The Radiation Safety Officer (RSO) for this license is Bryon M. Murray, M.S.
12. Licensed material shall only be used by, or under the supervision of:
- A. Individuals permitted to work as authorized users in accordance with 10 CFR 35.13 and 10 CFR 35.14.
- B. The following individuals are authorized users for the material and medical uses as indicated:
- | <u>Authorized Users</u> | <u>Material and Use</u> |
|-------------------------------|-------------------------|
| Joseph C. Capito, M.D. | 35.100, 35.200 |
| James Patrizi, M.D. | 35.100, 35.200, 35.300 |
| Thomas F. Lee, M.D. | 35.100, 35.200 |
| Vincent P. Almario, Jr., M.D. | 35.100, 35.200, 35.300 |
- C. The following individuals are authorized users for nonmedical uses as indicated:
- | <u>Non-Medical Use</u> | <u>Material and Use</u> |
|------------------------|---------------------------------------|
| Bryon M. Murray, M.S. | Strontium-90 sealed source in storage |
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee, except as specifically authorized.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-17282-01Docket or Reference Number
030-12498

Amendment No. 47

15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.


**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-17282-01Docket or Reference Number
030-12498

Amendment No. 47

17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated March 11, 2013 [ML13084A309]

B. Letter dated August 16, 2013 (except HDR facility and procedures) [ML13239A169]



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: February 1, 2017

By: _____

Penny Lanzisera
Penny Lanzisera
Region 1