

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8004010330 DOC. DATE: 80/03/19 NOTARIZED: YES DOCKET #
 FACIL: 50-220 Nine Mile Point Nuclear Station, Unit 1, Niagara Powe 05000220
 AUTH. NAME: AUTHOR AFFILIATION
 DISE, D.P.: Niagara Mohawk Power Corp.
 RECIP. NAME: RECIPIENT AFFILIATION
 EISENHUT, D.G.: Division of Operating Reactors


SUBJECT: Forwards info re primary coolant pressure isolation capability as per 800223 request. Info demonstrates that continued operation of facility does not present undue safety hazard to public.

DISTRIBUTION CODE: A0015 COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 14
 TITLE: General Distribution for after Issuance of Operating Lic

NOTES: -----

ACTION:	RECIPIENT	COPIES		RECIPIENT	COPIES	
	ID CODE/NAME	LTR	ENCL	ID CODE/NAME	LTR	ENCL
	05 BC ORB#3	7	7			
INTERNAL:	01 REG FILE	1	1	02 NRC PDR	1	1
	12 T&E	2	2	15 CORE PERF BR	1	1
	17 ENGR BR	1	1	18 REAC SFTY BR	1	1
	19 PLANT SYS BR	1	1	20 EEB	1	1
	21 EFLT TRT SYS	1	1	EPB-DOR	1	1
	OELD	1	0	STS GROUP LEADR	1	1
EXTERNAL:	03 LPDR	1	1	04 NSIC	1	1
	23 ACRS	16	16			
ADD:	P. POLK	1	1			
	E. BUTCHER	1	1			

APR 2 1980



MA
 4

TOTAL NUMBER OF COPIES REQUIRED: LTR ⁴⁰~~38~~ ENCL ³⁹~~37~~

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5800 S. UNIVERSITY AVENUE
CHICAGO, ILLINOIS 60637
TEL: 773-936-3700
FAX: 773-936-3701
WWW: WWW.CHEM.UCHICAGO.EDU

DATE	TIME	INITIALS	DESCRIPTION
10/10/00	10:00	ABC	Sample 1
10/10/00	10:30	ABC	Sample 2
10/10/00	11:00	ABC	Sample 3
10/10/00	11:30	ABC	Sample 4
10/10/00	12:00	ABC	Sample 5
10/10/00	12:30	ABC	Sample 6
10/10/00	13:00	ABC	Sample 7
10/10/00	13:30	ABC	Sample 8
10/10/00	14:00	ABC	Sample 9
10/10/00	14:30	ABC	Sample 10
10/10/00	15:00	ABC	Sample 11
10/10/00	15:30	ABC	Sample 12
10/10/00	16:00	ABC	Sample 13
10/10/00	16:30	ABC	Sample 14
10/10/00	17:00	ABC	Sample 15
10/10/00	17:30	ABC	Sample 16
10/10/00	18:00	ABC	Sample 17
10/10/00	18:30	ABC	Sample 18
10/10/00	19:00	ABC	Sample 19
10/10/00	19:30	ABC	Sample 20
10/10/00	20:00	ABC	Sample 21
10/10/00	20:30	ABC	Sample 22
10/10/00	21:00	ABC	Sample 23
10/10/00	21:30	ABC	Sample 24
10/10/00	22:00	ABC	Sample 25
10/10/00	22:30	ABC	Sample 26
10/10/00	23:00	ABC	Sample 27
10/10/00	23:30	ABC	Sample 28
10/10/00	00:00	ABC	Sample 29
10/10/00	00:30	ABC	Sample 30
10/10/00	01:00	ABC	Sample 31
10/10/00	01:30	ABC	Sample 32
10/10/00	02:00	ABC	Sample 33
10/10/00	02:30	ABC	Sample 34
10/10/00	03:00	ABC	Sample 35
10/10/00	03:30	ABC	Sample 36
10/10/00	04:00	ABC	Sample 37
10/10/00	04:30	ABC	Sample 38
10/10/00	05:00	ABC	Sample 39
10/10/00	05:30	ABC	Sample 40
10/10/00	06:00	ABC	Sample 41
10/10/00	06:30	ABC	Sample 42
10/10/00	07:00	ABC	Sample 43
10/10/00	07:30	ABC	Sample 44
10/10/00	08:00	ABC	Sample 45
10/10/00	08:30	ABC	Sample 46
10/10/00	09:00	ABC	Sample 47
10/10/00	09:30	ABC	Sample 48
10/10/00	10:00	ABC	Sample 49
10/10/00	10:30	ABC	Sample 50

March 19, 1980

Director of Nuclear Reactor Regulation
Attn: Mr. Darrell G. Eisenhut, Acting Director
Division of Operating Reactors
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Re: Nine Mile Point Unit 1
Docket No. 50-220
DPR-63

Gentlemen:

Your letter of February 23, 1980 requested information regarding primary coolant pressure isolation capability (WASH-1400 EVENT V). The attachment to this letter addresses your concerns.

The information contained in the attachment to this letter demonstrates that continued operation of Nine Mile Point Unit 1 does not present an undue safety hazard to the public.

Very truly yours,

NIAGARA MOHAWK POWER CORPORATION



Donald P. Dise
Vice President - Engineering

MGM:jk
attachment

8004010330

A001
S
///
ADD: LTR ENC
P. Polk 1 1
E. Butcher 1 1

Page 1

1. The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

2. The second part of the document discusses the importance of maintaining accurate records of all transactions.

3. The third part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

4. The fourth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

5. The fifth part of the document discusses the importance of maintaining accurate records of all transactions.

6. The sixth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

7. The seventh part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

8. The eighth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

9. The ninth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

10. The tenth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is essential for the proper management of the organization's finances and for ensuring compliance with applicable laws and regulations.

STATE OF NEW YORK)
COUNTY OF ONONDAGA)

SS:


DONALD P. DISE, being duly sworn, says:

I am Vice President, Engineering of Niagara Mohawk Power Corporation. I have read the foregoing letter and the facts contained in the letter and attachment are true to the best of my knowledge, information and belief.



Donald P. Dise

Sworn to before me on
this 26th day of MARCH, 1980



Notary Public

PHYLLIS D. VOYTKO
Notary Public in the State of New York
Qualified in Onon. Co. No. 34-9458535
My Commission Expires March 30, 1982



•
•
•

•

•
•
•

•
•
•

•

•
•
•
•
•

•

•
•
•
•
•

•

•

•
•
•
•

•
•
•
•
•
•
•
•
•
•

•
•

NUCLEAR REGULATORY COMMISSION
REQUEST FOR INFORMATION

WASH-1400, EVENT V
(LOSS OF PRESSURE ISOLATION)

Introduction and Summary

Wash-1400 describes an Event V configuration as two in series check valves that isolate a low pressure system from the reactor coolant system. There are no configurations at Nine Mile Point Unit 1 which conform with this definition.

The following systems interface with the primary coolant system. A one-line diagram is attached for each.

1. Feedwater (Figure OP-16-1)
2. Control Rod Drive (Figure OP-5-1)
3. Shutdown Cooling (Figure OP-4-1)
4. Cleanup (Figure OP-3-1)
5. Core spray (Figure OP-2-1)
6. Emergency Condenser (Figure OP-13-1)
7. Liquid Poison (Figure OP-12-1)
8. Head spray (Figure OP-4-2)
9. Reactor instrumentation (Figure VIII-3)
10. Main steam (Figure OP-1-1)

Description

The following is a description of the valve configuration on all systems which interface with the primary coolant system at Nine Mile Point Unit 1.

1. Feedwater (Figure OP-16-1)

The feedwater system is designed for reactor pressure from the reactor vessel back to and including the feedwater pumps. This system does not rely upon isolation between high and low pressure by two check valves in series.

2. Control Rod Drive (Figure OP-5-1)

The control rod drive system has two check valves in series. However, this system is a high pressure system from the reactor vessel back to and including the control rod drive pumps. In addition, there are motor operated valves between the check valves and the pumps which could be used for isolation.

3. Shutdown Cooling (Figure OP-4-1)

The entire shutdown cooling system is designed for reactor pressure. Therefore, there is no isolation between high and low pressure.



201

4. Reactor Cleanup (Figure OP-3-1)

The reactor cleanup system is designed for reactor pressure from the reactor recirculation line on the outlet side to CV-BYPASS PCV and CV-PCV-1. It is also high pressure on the inlet side from the clean-up pumps back to the reactor recirculation line. There are two check valves in series on the cleanup inlet. However, they are not relied upon to isolate the high pressure from low pressure. There is a motor operated valve at the discharge of the cleanup pumps and there is a motor operated isolation valve inside the drywell.

5. Reactor Core Spray (Figure OP-2-1)

The core spray system is designed for reactor pressure from the reactor vessel to check valves CRS #19 and 20. This system does not rely on two check valves in series for pressure isolation. Normal isolation is by motor operated valve inside containment.

6. Emergency Cooling (Figure OP-13-1)

The emergency cooling system steam supply and condensate return are designed for reactor pressure. There are no high to low pressure boundaries.

7. Liquid Poison (Figure OP-12-1)

The liquid poison system is designed for reactor pressure from the reactor vessel back to and including the positive displacement pumps. This system contains two check valves in series. However, there is a normally closed explosive valve and another check between that configuration and the pumps.

8. Head Spray (Figure OP-4-2)

The head spray system is designed for reactor pressure from the reactor vessel back to the control rod drive pumps. This system has a check valve in series with a normally closed motor operated valve, a flow control valve and a normally closed gate valve. The system is not used during power operation.

9. Reactor Instrumentation (Figure VIII-3)

The entire reactor instrumentation system is designed for reactor pressure. In addition, flow checks are used. This would limit flow to less than the makeup capability of the control rod drive pumps.

10. Main Steam (Figure OP-1-1)

The main steam system is designed for reactor pressure up to the high pressure turbine. Two check valves in series are not relied upon in this system.

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....


.....

.....

.....


.....






CONTROL ROD DRIVE HYDRAULIC SYSTEM
FIG. OP-5-1






SHUTDOWN COOLING SYSTEM
 FIGURE OP-4-1
 8-4-75







NOTE: VALVE INTERLOCKED WITH CTR SP RV DISCH VALVE #111


FROM CONTAINMENT SPRAY RAB WATER PUMP #122

NOTE: VALVE INTERLOCKED WITH CTR SP RV DISCH VALVE #122

NOTE: COMPONENTS LABELED A RECEIVE POWER FROM A SEPARATE DIESEL GENERATOR THAN THOSE LABELED B. COMPONENTS LABELED C RECEIVE POWER FROM EITHER DIESEL GENERATOR.

REACTOR CORE SPRAY SYSTEM
FIGURE OP-2-1


REVISED 4-1-75





11
A

)




LIQUID POISON SYSTEM

FIGURE OP-12-1


REV. 2-17-75




7



HEAD SPRAY SYSTEM
FIGURE OP-4-2




PROTECTIVE SYSTEM TYPICAL SENSOR ARRANGEMENT



TYPICAL PROTECTIVE SYSTEM
SENSOR ARRANGEMENT

LOGIC CHANNEL	1A	1B	2A	2B
PRESSURE SWITCH	A	C	B	D
LEVEL SWITCH	A	C	B	D





NUCLEAR STEAM SYSTEM
FIGURE OP-1-1
9-1-75

