

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8402060425      DOC. DATE: 84/02/02      NOTARIZED: YES      DOCKET #  
 FACIL: 50-410 Nine Mile Point Nuclear Station, Unit 2, Niagara Moho      05000410  
 AUTH. NAME      AUTHOR AFFILIATION  
 RHODE, G. K.      Niagara Mohawk Power Corp.  
 RECIP. NAME      RECIPIENT AFFILIATION  
 EISENHUT, D. G.      Division of Licensing

ARM

SUBJECT: Forwards Affidavit of Svc indicating that Amend 8 to FSAR OL stage provided to appropriate parties on encl distribution list, per 830329 ltr.

DISTRIBUTION CODE: B008S      COPIES RECEIVED: LTR 1 ENCL 1      SIZE: 3  
 TITLE: OR/Licensing Submittal: Certificate of Service

NOTES: PNL 1cy FSAR'S & AMDTS ONLY. 05000410

	RECIPIENT			COPIES			RECIPIENT			COPIES	
	ID	CODE	NAME	LTR	ENCL		ID	CODE	NAME	LTR	ENCL
	NRR	LB2	LA	01	1	1	HAUGHEY, M	05	1	1	
INTERNAL:	<u>REG FILE</u>			04	1	1					
EXTERNAL:	LPDR			03	1	1	NRC PDR	02	1	1	
	NTIS				1	1					
NOTES:					1	1					

THE UNIVERSITY OF CHICAGO  
DEPARTMENT OF CHEMISTRY  
530 SOUTH EAST ASIAN AVENUE  
CHICAGO, ILLINOIS 60607  
TEL: 773-936-3700

RECEIVED  
JAN 15 1964

FROM: [Illegible]  
TO: [Illegible]

[Illegible text]

NIAGARA MOHAWK POWER CORPORATION



300 ERIE BOULEVARD WEST  
SYRACUSE, N Y 13202

GERALD K. RHODE  
SENIOR VICE PRESIDENT

February 2, 1984  
(8020)

Mr. Darrell G. Eisenhut, Director  
Division of Licensing  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

Dear Mr. Eisenhut:

Re: Nine Mile Point Unit 2  
Docket No. 50-410

Enclosed in accordance with 10CFR2.101 is a copy of the affidavit of service indicating that Amendment 8 to the Final Safety Analysis Report-Operating Licensing Stage has been provided to appropriate parties as delineated in your March 29, 1983 letter.

Very truly yours,




G. K. Rhode  
Senior Vice President

GKR/JM:lf

Enclosure

8402060425 840202  
PDR ADCK 05000410  
K PDR

Boo8  
|||



XXXX X

... ..  
... ..  
... ..

... ..

... ..

... ..  
... ..  
... ..

... ..

... ..  
... ..

XX

... ..





Handwritten marks and symbols in the top right corner, including a wavy line and several small dots.

Faint handwritten marks in the lower left quadrant, possibly a signature or initials.

Faint handwritten marks in the lower center.

Faint handwritten marks in the lower right quadrant.

DISTRIBUTION LIST  
FOR  
GENERAL INFORMATION PORTION OF OPERATING LICENSE APPLICATION  
AND FINAL SAFETY ANALYSIS REPORT

ADDRESSEE

REPORT TO BE SERVED

STATE OFFICIALS (1 each)

✓ Attorney General  
Department of Law  
State Capitol  
Albany, New York 12224

Application, General Information and  
Amendments thereto  
Safety Analysis Report and Amendments  
thereto

✓ Director, Technical Development Programs  
State of New York Energy Office  
Agency Building 2  
Empire State Plaza  
Albany, New York 12223

Application, General Information and  
Amendments thereto  
Safety Analysis Report and Amendments  
thereto

✓ New York State Department of  
Environmental Conservation  
ATTN: Director, Office of  
Environmental Analysis  
Albany, New York 12201

Application, General Information and  
Amendments thereto  
Safety Analysis Report and Amendments  
thereto

BORDERING STATE OFFICIALS (1 each)

✓ Director, Atomic Energy Control Board  
P. O. Box 1046  
Ottawa, Canada KIP 5S9

Application, General Information and  
Amendments thereto  
Safety Analysis Report and Amendments  
thereto

LOCAL OFFICIAL (1)

✓ Town of Scriba, Supervisor  
R. D. #4  
Oswego, New York 13126

Application, General Information and  
Amendments thereto  
Safety Analysis Report and Amendments  
thereto

U. S. ENVIRONMENTAL PROTECTION AGENCY  
REGIONAL OFFICE (2)

✓ EIS Review Coordinator  
EPA Region II  
26 Federal Plaza, Room 2339  
New York, New York 10007

Safety Analysis Report and Amendments  
thereto

OTHER (1)

✓ Pacific Northwest Laboratories (G. Beeman)  
P. O. Box 999  
Richland, Washington 99352

Safety Analysis Report and Amendments  
thereto

✓ Battelle Northwest (Robert Graef)  
P. O. Box 999  
Richland, Washington 99352

Safety Analysis Report and Amendments  
thereto



10/10/10