



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

NIAGARA MOHAWK POWER CORPORATION

DOCKET NO. 50-410

NINE MILE POINT NUCLEAR STATION, UNIT 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 2
License No. NPF-69

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Niagara Mohawk Power Corporation of New York, Inc. (the licensee) dated November 16, 1987, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public;
and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment, and paragraph 2.C.(2) of Facility Operating License No. NPF-69 is hereby amended to read as follows:


8803080255 880226
PDR ADOCK 05000410
P PDR

(2) Technical Specifications and Environmental Protection Plan

The Technical Specifications contained in Appendix A and the Environmental Protection Plan contained in Appendix B, both of which are attached hereto, as revised through Amendment No. 2 are hereby incorporated into this license. Niagara Mohawk Power Corporation shall operate the facility in accordance with the Technical Specifications and the Environmental Protection Plan.

3. This license amendment is effective as of the date of its issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

for 
Robert A. Capra, Director
Project Directorate I-1
Division of Reactor Projects, I/II

Attachment:
Changes to the Technical
Specifications

Date of Issuance: February 26, 1988



10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

ATTACHMENT TO LICENSE AMENDMENT

AMENDMENT NO. 2 TO FACILITY OPERATING LICENSE NO. NPF-69

DOCKET NO. 50-410

Revise Appendix A as follows:

Remove Page

3/4 3-18

Insert Page

3/4 3-18



2

TABLE 3.3.2-2 (Continued)

ISOLATION ACTUATION INSTRUMENTATION SETPOINTS

<u>TRIP FUNCTION</u>	<u>TRIP SETPOINT</u>	<u>ALLOWABLE VALUE</u>
1. <u>Primary Containment Isolation Signals (Continued)</u>		
i. RNCU System		
1) Δ Flow - High	≤ 150.5 gpm	≤ 165.5 gpm
2) Δ Flow - High, Timer	≤ 45 sec	≤ 47 sec
3) Standby Liquid Control, SLCS, Initiation	NA	NA
j. RNCU Equipment Area Temperature		
1) Pump Room A Temperature - High	$\leq 135^\circ\text{F}$	$\leq 144.5^\circ\text{F}$
2) Pump Room B Temperature - High	$\leq 150^\circ\text{F}$	$\leq 159.5^\circ\text{F}$
3) HX Room Temperature - High	$\leq 135^\circ\text{F}$	$\leq 140.5^\circ\text{F}$
k. Reactor Building Pipe Chase		
1) Azimuth 180° (Upper), Temperature - High	$\leq 135^\circ\text{F}$	$\leq 144.5^\circ\text{F}$
2) Azimuth 180° (Lower), Temperature - High	$\leq 135^\circ\text{F}$	$\leq 140.5^\circ\text{F}$
3) Azimuth 40° , Temperature - High	$\leq 135^\circ\text{F}$	$\leq 140.5^\circ\text{F}$
l. Reactor Building Temperature - High	$\leq 130.2^\circ\text{F}$	$\leq 134^\circ\text{F}$
m. Manual Isolation Pushbutton [NSSSS]	NA	NA
2. <u>RCIC Isolation Signals</u>		
a. RCIC Steam Line Flow - High, Timer	≥ 3 sec, < 13 sec	13 sec
b. RCIC Steam Supply Pressure - Low	≥ 75 psia	≥ 70 psia
c. RCIC Steam Line Flow - High	≤ 167.1 in. H_2O	≤ 175.6 in. H_2O

NINE MILE POINT - UNIT 2

3/4 3-18

Amendment No. 2



1