



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D. C. 20555

NIAGARA MOHAWK POWER CORPORATION

DOCKET NO. 50-220

NINE MILE POINT NUCLEAR STATION, UNIT 1

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 96  
License No. DPR-63

1. The Nuclear Regulatory Commission (the Commission) has found that:
  - A. The application for amendment by Niagara Mohawk Power Corporation of New York, Inc. (the licensee) dated January 21, 1988, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
  - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
  - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
  - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment, and paragraph 2.C.(2) of Facility Operating License No. DPR-63 is hereby amended to read as follows:

8804050294 880325  
PDR ADOCK 05000220  
P PDR



UNCLASSIFIED//FOR OFFICIAL USE ONLY  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

(2) Technical Specifications

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 96, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective as of the date of its issuance.


FOR THE NUCLEAR REGULATORY COMMISSION

*Robert A. Capra*

Robert A. Capra, Director  
Project Directorate I-1  
Division of Reactor Projects, I/II

Attachment:  
Changes to the Technical  
Specifications

Date of Issuance: March 25, 1988



ATTACHMENT TO LICENSE AMENDMENT

AMENDMENT NO. 96 TO FACILITY OPERATING LICENSE NO. DPR-63

DOCKET NO. 50-220

Revise Appendix A as follows:

Remove Page

118

Insert Page

118



11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

LIMITING CONDITIONS FOR OPERATION  
Table 3.2.7

REACTOR COOLANT SYSTEM ISOLATION VALVES

| <u>Line or System</u>                                     | <u>No. of Valves<br/>(Each Line)</u> | <u>Location Relative<br/>to Primary<br/>Containment</u> | <u>Normal<br/>Position</u> | <u>Motive Power</u> | <u>Oper. Time<br/>(Sec)</u> | <u>Action on<br/>Initiating<br/>Signal</u> | <u>Initiating Signal<br/>(All Valves Have<br/>Remote Manual Backup)</u>   |   |
|---|--------------------------------------|---|----------------------------|---------------------|-----------------------------|--|---|---|
| <u>Main Steam<br/>(Two Lines)</u>                         | 1                                    | Inside  | Open                       | A.I.P.O.*           | 10                          | Close                                      | Reactor water level low-low,<br>or main steam line high radia-<br>tion, or main steam line high<br>flow, or low condenser vacuum<br>or high temperature in the<br>pipe tunnel |   |
|   | 1                                    | Outside   | Open                       | A.I.P.O.*           | 10                          | Close                                      |   |   |
| <u>Main Steam-Emergency Cooling Vents<br/>(Two Lines)</u> | 2                                    | Outside   | Open                       | A.I.P.O.            | 5                           | Close                                      |   |   |
| <u>Feedwater<br/>(Two Lines)</u>                          | 1                                    | Outside   | Open                       | R.H.P.O.*           | 60                          | -  |   |   |
|   | 1                                    | Outside   | -                          | Self Act. Ck.       | --                          | -  |   |   |
| <u>Emergency Cooling</u>                                  |                                      |   |                            |                     |                             |  |   |   |
| <u>Steam Leaving Reactor<br/>(Two Lines)</u>              | 1                                    | Outside   | Open                       | A.I.P.O.            | 38                          | Close                                      | High system flow  |   |
|   | 1                                    | Outside   | Open                       | A.I.P.O.            | 38                          | Close                                      |   |   |
| <u>Condenser Return to Reactor<br/>(Two Lines)</u>        | 1                                    | Inside  | -                          | Self Act. Ck.       | --                          | -  |   |   |
|   | 1                                    | Outside   | Closed.                    | A.I.P.O.            | 60                          | Close                                      |   |   |
| <u>Reactor Cleanup</u>                                    |                                      |   |                            |                     |                             |  |   |   |
| <u>Water Leaving Reactor<br/>(One Line)</u>               | 1                                    | Inside  | Open                       | A.I.P.O.            | 18                          | Close                                      | Reactor water level<br>low-low, or high area<br>temperature, liquid<br>poison initiation or<br>high system pressure,<br>or low system flow, or<br>high system temperature     |   |
|   | 1                                    | Outside   | Open                       | A.I.P.O.            | 18                          | Close                                      |   |   |
| <u>Water Return to Reactor<br/>(One Line)</u>             | 1                                    | Inside  | Open                       | A.I.P.O.            | 18                          | Close                                      |   |   |
|   | 1                                    | Outside   | -                          | Self Act. Ck.       | --                          | -  |   |   |
| <u>Shutdown Cooling</u>                                   |                                      |   |                            |                     |                             |  |   |   |
| <u>Water Leaving Reactor<br/>(One Line)</u>               | 1                                    | Inside  | Closed                     | A.I.P.O.            | 40                          | Close                                      |   | Reactor water level<br>low-low, or high area<br>temperature |
|   | 1                                    | Outside   | Closed                     | A.I.P.O.            | 40                          | Close                                      |   |   |
| <u>Water Return to Reactor<br/>(One Line)</u>             | 1                                    | Inside  | Closed                     | A.I.P.O.            | 40                          | Close                                      |   |   |
|   | 1                                    | Outside   | -                          | Self Act. Ck.       | --                          | -  |   |   |



10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100