12177-PID-8Q-7
DRAWING NO

EXTRACTION STEAM SYSTEM VALVE TABLE
"2ESS-"

MARK NUMBER	VALVE DESCRIPTION	SIZE	NO. OF VALVES
HV47B	VOS03B-M-4Q	2"	1
MOV28B	VCW03B-S-4PVQ	16"	1
V26B,209B	VOS06B-C-4	3/4"	2
V27B	VGS06B-E-4	2"	1

L.P. FEEDWATER HEATER DRAINS SYSTEM
VALVE TABLE "2HOL-"

MARK NUMBER	VALVE DESCRIPTION	SIZE	NO. OF VALVES
V618,1908,1918, V1938,1958,1978, V1998,2848	VOS06B-D-4	3/4"	8
V628,638,648, V658,668,678	VGS06B-C-4	2"	6
V688,698,708, V718,728,738	VGS06B-C-4	1"	6
V748,1928,1948, V1968,1988,2088, V2818	VGS06B-C-4	3/4"	7

FEEDWATER HEATER RELIEF,VENTS & DRAINS
SYSTEM VALVE TABLE "2SVH-"

MARK NUMBER	VALVE DESCRIPTION	SIZE	NO. OF VALVES
HV36B	VOS03B-C-4Q	2"	1
HV37B	VOS06B-C-4Q	3/4"	1
V518,528,	VGS06B-C-4	2"	2
V538,548	VOS06B-D-4	3/4"	2
V55B	VOS05B-D-4	1-1/2"	1

NOTES:
1. ALL INSTRUMENT & EQUIPMENT NUMBERS TO BE PREFIXED WITH "2ESS-" EXCEPT WHERE A DIFFERENT PREFIX IS SHOWN.
2. △ CONNECTIONS ONLY PROVIDED FOR ASME TEST. INSTRUMENTS WILL NOT BE PROVIDED.
3. ALL "2ESS-" PIPING SHALL BE CLASS 303M UNLESS OTHERWISE SHOWN.
4. + INDICATES LOCATED IN RADIATION ZONE 4,5, OR 6.
5. ALL "2HOL-" PIPING SHALL BE CLASS 301 UNLESS OTHERWISE SHOWN.
6. ALL PIPING TO LEVEL SWITCHES IS 1", TO LEVEL TRANSMITTERS IS 2".
7. ALL VENTS AND DRAINS ARE 3/4" UNLESS OTHERWISE SHOWN.
8. SAMPLE CONNECTIONS PER S&W SKETCH 12177-A-77.
9. ALL "2SVH-" PIPING SHALL BE CLASS 301 UNLESS OTHERWISE SHOWN.
10. ALL "2SVH-" HV'S ARE FAIL CLOSED.
11. ASME PRESSURE CONNECTIONS ARE 1/2". ALL OTHER PRESSURE CONNECTIONS ARE 3/4".
12. ** DENOTES SUPPLIED BY HEATER MANUFACTURER.
13. NO FLAG SHOWN ON CORRESPONDING DOCUMENT. COMOINATES PROVIDE INTERFACE LOCATION.
14. ⊕ DENOTES DISSIMILAR METAL WELD.

THIS DRAWING WAS PRODUCED ELECTRONICALLY. DO NOT MAKE ANY CHANGES MANUALLY.

SI
APERTURE
CARD

07-141-91

QA CAT II

MF	REV	DATE	DESCRIPTION OF REVISION	M.O.	DFT	DES	CHKD	ENG	ELEC	MECH	STR
M	7	2-19-91	INCORPORATES ECN ES5-686 MOD. NO. PN2Y86MX188 INCORPORATES NEW BORDER	TSE	RJB BAT			MB			
	6	3-3-89	INCORPORATES EDC NO. 2M00032	CDC	JSM KAH JRM			UB			JRM

SEE DRAWING MICROFILM RECORDS FOR PRIOR ISSUES

NIAGARA MOHAWK

NINE MILE POINT
NUCLEAR STATION - UNIT 2
SCRIBA, N.Y.

PIPING & INSTRUMENTATION DIAGRAM
FEEDWATER HEATERS &
EXTRACTION STEAM SYSTEMS

SCALE NONE | DRAWING NO 12177-PID-8Q-7

9305040107 D