ACCELERATED DOCUMENT DISTRIBUTION SYSTEM

REGULATOR INFORMATION DISTRIBUTION YSTEM (RIDS)

R

Ι

D

S

D

D

S

R

I

D

S

D

D

S

DOC.DATE: 93/06/30 NOTARIZED: NO DOCKET' # ACCESSION NBR:9307160056 FACIL:50-220 Nine Mile Point Nuclear Station, Unit 1, Niagara Powe 05000220 AUTHOR AFFILIATION 500 Niagara Mohawk Power Corp. SYLVIA, B.R. Reports RECIP.NAME RECIPIENT AFFILIATION Document Control Branch (Document Control Desk) SUBJECT: Application for amend to license DPR-63, proposing improvement on readability of TS & reduction of potential for typographical errors in future applications. SIZE: 2+60 ENCL __ DISTRIBUTION CODE: A001D COPIES RECEIVED:LTR TITLE: OR Submittal: General Distribution NOTES: RECIPIENT COPIES RECIPIENT COPIES CODE /NAME

	PD1-1 LA BRINKMAN, D.	1 2	1 2	PD1-1 PD	l 1	1
INTERNAL:		6	6	NRR/DE/EELB	1	1
	NRR/DRCH/HICB	7	<u>+</u>	NRR/DRPW/OTSB	Ţ	<u>+</u>
	NRR/DSSA/SPLB	1	1	NRR/DSSA/SRXB	1	1
	NUDOCS-ABSTRACT	1	1	OC/TEDGB	1	0
•	OGC/HDS1	1	0	REG FILE 01	1	1
EXTERNAL:	NRC PDR	1	1	NSIC	1	1

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK, ROOM P1-37 (EXT. 504-2065) TO ELIMINATE YOUR NAME FROM DISTRIBUTION LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 21 ENCL 19

n v niagara N mohawk

NINE MILE POINT NUCLEAR STATION /P.O. BOX 32 LYCOMING, NEW YORK 13093 / TELEPHONE (315) 343-2110

June 30, 1993 NMP1L 0767

U. S. Nuclear Regulatory CommissionAttn: Document Control DeskWashington, DC 20555

Nine Mile Point Unit 1 Docket No. 50-220 DPR-63 TAC No. M86365

Gentlemen:

On May 14, 1993 (NMP1L 0756), Niagara Mohawk Power Corporation submitted an Application for Amendment to the Nine Mile Point Unit 1 Operating License DPR-63. This Application re-typed the Technical Specifications and Bases in their entirety and made several editorial and administrative corrections that did not involve substantive changes to the Technical Specifications. The intent of our effort is to improve the readability of Technical Specification pages, and to reduce the potential for typographical errors in future applications.

Since the May 14, 1993 submittal, Staff's review has identified several enhancements and corrections in the Application. The corrected pages are provided in Attachment 1 and address all recommended changes.

On page 26 of the re-typed Technical Specifications, "Bases 2.2.2, Reactor Coolant System - Limiting Safety System Setting," the paragraph dealing with low condenser vacuum situation was deleted. This paragraph should have been deleted as a part of Amendment No. 37 issued on May 2, 1980. Also, on page 227 of the re-typed Technical Specifications, Table 3.6.2g, item (2)c., the carat should be greater than or equal to (\geq) 5 percent. Amendment No. 139 incorrectly typed the wrong carat as less than or equal to (\leq) 5 percent.

In addition, on November 24, 1992, Niagara Mohawk transmitted an Application for Amendment to Nine Mile Point Unit 1 Operating License DPR-63. This Application proposed changes to several sections of the Technical Specifications to revise the methods used to monitor thermal limits. In anticipation of this amendment's issuance within the next few weeks, Niagara Mohawk has revised the pages submitted in the November 24, 1992 Application to reflect the changes made in the May 14, 1993 submittal and enclosed these updated pages in Attachment 2. This will avoid re-submittal of the affected pages.

130116

9307160056 930630 PDR ADDCK 05000220 PDR

A001

ا سنتتر 🕻

.

•

•

•

.

Page 2

If you require any additional information in this matter, please contact Nick Spagnoletti at (315) 349-2534.

Sincerely,

B. Ralph Sylvia

Executive Vice President - Nuclear

NAS/bad Attachs.

xc: Regional Administrator, Region I

Mr. R. A. Capra, Director, Project Directorate I-1, NRR

Mr. D. S. Brinkman, Senior Project Manager, NRR

Mr. W. L. Schmidt, Senior Resident Inspector

Ms. Donna Ross

Division of Policy Analysis and Planning

New York State Energy Office

Agency Building 2

Empire State Plaza

Albany, NY 12223

Records Management

