

November 15, 1996

Mr. B. Ralph Sylvia
Executive Vice President Generation Business
Group and Chief Nuclear Officer
Niagara Mohawk Power Corporation
Nuclear Learning Center
450 Lake Road
Oswego, NY 13126

SUBJECT: NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT OF FACILITY
OPERATING LICENSE AND OPPORTUNITY FOR HEARING, NINE MILE POINT
NUCLEAR STATION UNIT NO. 1 (TAC NO. M96907)

Dear Mr. Sylvia:

The Commission has requested the Office of the Federal Register to publish the enclosed "Notice of Consideration of Issuance of Amendment to Facility Operating License and Opportunity for A Hearing." This notice relates to your application for amendment dated September 26, 1996, to add to the Technical Specifications a special test exception to allow reactor vessel system leakage testing, hydrostatic testing, and scram time testing to be performed in the hot shutdown condition (i.e., with reactor coolant temperatures greater than 212 °F but less than 275 °F).

Sincerely,

/s/
Darl S. Hood, Senior Project Manager
Project Directorate I-1
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket No. 50-220

Enclosure: Notice

cc w/encl: See next page

DISTRIBUTION:

Docket File	SBajwa	OGC
PUBLIC	SLittle	ACRS
PDI-1 Reading	DHood	CCowgill, RI
SVarga	RWessman	
JZwolinski	CBerlinger	

DF01/1

DOCUMENT NAME: G:\NMP1\NM196907.LTR

To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

OFFICE	PM:PDI-1	LA:PDI-1	D:PDI-1				
NAME	DHood/rs1 DSH	SLittle	SBajwa				
DATE	11/14/96	11/14/96	11/14/96				

OFFICIAL RECORD COPY

200000

9611200264 961115
PDR ADOCK 05000220
PDR

NRC FILE CENTER COPY

1900 and 1901

1900



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

November 15, 1996

Mr. B. Ralph Sylvia
Executive Vice President Generation Business
Group and Chief Nuclear Officer
Niagara Mohawk Power Corporation
Nuclear Learning Center
450 Lake Road
Oswego, NY 13126

SUBJECT: NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT OF FACILITY
OPERATING LICENSE AND OPPORTUNITY FOR HEARING, NINE MILE POINT
NUCLEAR STATION UNIT NO. 1 (TAC NO. M96907)

Dear Mr. Sylvia:

The Commission has requested the Office of the Federal Register to publish the enclosed "Notice of Consideration of Issuance of Amendment to Facility Operating License and Opportunity for A Hearing." This notice relates to your application for amendment dated September 26, 1996, to add to the Technical Specifications a special test exception to allow reactor vessel system leakage testing, hydrostatic testing, and scram time testing to be performed in the hot shutdown condition (i.e., with reactor coolant temperatures greater than 212 °F but less than 275 °F).

Sincerely,


A handwritten signature in cursive script that reads "Darl S. Hood".

Darl S. Hood, Senior Project Manager
Project Directorate I-1
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket No. 50-220

Enclosure: Notice

cc w/encl: See next page



B. Ralph Sylvia
Niagara Mohawk Power Corporation

Nine Mile Point Nuclear Station
Unit No. 1

cc:

Mr. Richard B. Abbott
Vice President and General Manager -
Nuclear
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Charles Donaldson, Esquire
Assistant Attorney General
New York Department of Law
120 Broadway
New York, NY 10271

Mr. Martin J. McCormick, Jr.
Vice President
Nuclear Safety Assessment
and Support
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Mr. Paul D. Eddy
State of New York
Department of Public Service
Power Division, System Operations
3 Empire State Plaza
Albany, NY 12223

Ms. Denise J. Wolniak
Manager Licensing
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Mr. F. William Valentino, President
New York State Energy, Research,
and Development Authority
Corporate Plaza West
286 Washington Avenue Extension
Albany, NY 12203-6399

Mr. Kim A. Dahlberg
General Manager - Projects
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Mark J. Wetterhahn, Esquire
Winston & Strawn
1400 L Street, NW
Washington, DC 20005-3502

Mr. Norman L. Rademacher
Plant Manager, Unit 1
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Gary D. Wilson, Esquire
Niagara Mohawk Power Corporation
300 Erie Boulevard West
Syracuse, NY 13202

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Supervisor
Town of Scriba
Route 8, Box 382
Oswego, NY 13126

Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 126
Lycoming, NY 13093

