



Roy Blickwedel
Remedial Project Manager
Global Operations, Environment, Health & Safety

GE
640 Freedom Business center
King of Prussia, PA 19406

T 610 992 7935
F 610 992 7898
roy.blickwedel@corporate.ge.com

13 February 2017

40-8907

Andrea L. Kock, Deputy Director
Division of Decommissioning, Uranium Recovery, & Waste Programs
Office of Nuclear Material Safety and Safeguards
U.S. Nuclear Regulatory Commission
11545 Rockville Pike
2 White Flint, Mail Stop T8F5
Rockville, MD 20852-2738

Subject: Correction to License Amendment Request for Conditions 30.A, 30.C, 35.A(3), and 35.B(1)
Source Materials License SUA-1475, United Nuclear Corporation Church Rock Mill Groundwater Corrective Action Program

Dear Ms. Kock:

United Nuclear Corporation made the original request on 22 October 2015. It was subsequently amended on 8 December 2016. The error that this correspondence corrects is contained within both letters. In the Proposed Amendment Text section, for Condition 30.A. EPA wells 13 and 14 were accidentally struck from the compliance monitoring program. They were not intended to be removed from the Zone 3 monitoring program.

The corrected text for Condition 30.A. is shown below:

30. The licensee shall maintain a compliance monitoring program containing the following:

A. Sample wells GW-1, ~~GW-2-3~~; EPA Wells ~~2, 4, 5, 7, 13, 14~~, 23, ~~25 and 28~~; and wells 420, 504-B, 509-D, 515-A, 517, 604, 613, 614, ~~624, 627~~, 632, 708, 711, 717, 719, ~~801, 802, 803, 808~~, and TWQ-142, ~~NBL-1 and SBL-1~~ on a quarterly frequency for chloride, ammonia, nitrate, sulfate, manganese, calcium, magnesium, sodium, bicarbonate, potassium, field-pH, TDS, and water level, arsenic, beryllium, cadmium, **total trihalomethanes**, lead, lead-210, nickel, combined radium-226 and radium-228, selenium, thorium-230, uranium, gross alpha and vanadium. Wells EPA 8, 9, TWQ-143, 402, 412, 424, 446, 501A, 502A, 504A, 505A, 701, 702, 706, 707, 710, 712, 713, 7143, 805, and 807, shall be monitored for water level on a quarterly basis.

Notwithstanding the above, the licensee is only required to sample EPA wells after receipt of written authorization by the land owner to enter that area for the purpose of sampling groundwater from

NM 5501

those specified wells. The licensee shall make every reasonable effort to obtain such authorization. If authorization is not obtained, the licensee shall inform the NRC, promptly.

Please contact me if you have any questions.

Sincerely,



Roy S. Blickwedel
Remedial Project Manager
Global Operations, Environment, Health & Safety

cc: NRC Document Control Desk
Ricky Spitz (via e-mail)
Jim Smith (via e-mail)
Janet Brooks (via e-mail)
Bob Warren (via email)