



Kimberly A. Kantner
 RRPT, CPEA, CLSO, CHMM
 Environment, Health & Safety
 14008 St. Leo Court
 Orlando, FL 32826

T: 407.277.1641
 F: 281.664.9206
 www.att.com

February 14, 2017

Director, Office of Federal and State Materials
 and Environmental Management Programs
 Attn: Document Control Desk/GLTS
 U.S. Nuclear Regulatory Commission
 Washington, DC 20555-0001

TRANSFER/DISPOSAL OF GENERALLY LICENSED DEVICES – AT&T INC., 400 HAMILTON AVE., WHITE PLAINS, NY 10601: TRITIUM EXIT SIGNS [H-3; 15.0¹ Ci (max.)]

Ref: Code of Federal Regulations (CFR), Title 10 Part 31: “General Domestic Licenses for Byproduct Material”

In accordance with 10 CFR 31.5 (c)(8),¹ AT&T has transferred devices from the subject facility on January 24, 2017. The attached inventory record reflects location addresses, manufacturer’s name, model and serial number(s), at a minimum, of generally licensed devices returned for disposal. The following individual is identified as the transferee’s receipt point-of-contact:

Philotechnics, Ltd.
 Meghan Turvey, Vice President
 201 Renovare Blvd.
 Oak Ridge, TN 37830
 (865) 285-3064

*(Tennessee Dept. of Environment and Conservation, Division of Radiological Health
 Radioactive Material License No. R-01084- C23, Exp. March 31, 2023)*

If you have any questions concerning this transmittal, please contact me at (407) 277-1641

Kimberly A. Kantner

Kimberly A. Kantner, RRPT

cc: Charlene Miraglia, AT&T CRE Property Management

NM5510

¹ Maximum activity content - no adjustment for decay



INVENTORY RECORD -

400 HAMILTON AVE., WHITE PLAINS, NY 10601

Device Type	Manufacturer	Model	Serial Number	Source Description : Type / Activity	Manufacturer Date
Exit Sign	Isolite	2040 Series (15.0 Ci)	D701864	H-3 (Tritium)/ 15.0 Ci (curies)	10/1/1987
Exit Sign	Isolite	2040 Series (15.0 Ci)	D701882	H-3 (Tritium)/ 15.0 Ci (curies)	10/1/1987
Exit Sign	Isolite	2040 Series (15.0 Ci)	D701879	H-3 (Tritium)/ 15.0 Ci (curies)	10/1/1987
Exit Sign	Isolite	2040 Series (15.0 Ci)	D701880	H-3 (Tritium)/ 15.0 Ci (curies)	10/1/1987

END: