

ATTACHMENT B
MARKED-UP TECHNICAL SPECIFICATIONS


Remove Page

-
-
-
-
-
-
xxii
6-18

Insert Page

Page 1 of 6
Page 2 of 6
Page 3 of 6
Page 4 of 6
Page 5 of 6
Page 6 of 6
xxii
6-18

9212300250 921222
PDR ADDCK 05000275
P PDR



APPENDIX A TO LICENSE NOS. DPR-80 AND DPR-82
DIABLO CANYON NUCLEAR POWER PLANT UNITS 1 AND 2 TECHNICAL SPECIFICATIONS (NUREG-1151)

LIST OF EFFECTIVE PAGES

<u>Page No.</u>	<u>Amendment No.</u>	<u>Page No.</u>	<u>Amendment No.</u>
Title Page	-	Title Page	-
i	-	Note	-
ii	67/66	B 2-1	71/70
iii	60/59	B 2-1a	71/70
iv	-	B 2-1b	60/59
v	71/70	B 2-2	-
vi	-	B 2-3	-
vii	67/66	B 2-4	37/36
viii	54/53	B 2-5	-
ix	73/72	B 2-6	-
x	66/65 #	B 2-7	72/71
xi	66/65 #	B 2-8	30/29
xii	72/71	B 2-9	30/29
xiii	67/66	Title Page	-
xiv	12/10	3/4 0-1	55/54
xv	54/53	3/4 0-2	57/56
xvi	-	3/4 0-3	-
xvii	-	3/4 1-1	72/71
xviii	67/66	3/4 1-2	-
xix	-	3/4 1-3	72/71
xx	-	3/4 1-4	10/8
xxi	68/67	3/4 1-5	-
xxii	68/67	3/4 1-6	-
xxiii	67/66	3/4 1-7	72/71
Title Page	-	3/4 1-8	72/71
1-1	-	3/4 1-9	72/71
1-2	73/72	3/4 1-10	-
1-3	67/66	3/4 1-11	-
1-4	-	3/4 1-12	72/71
1-5	67/66	3/4 1-13	72/71
1-6	67/66	3/4 1-14	-
1-7	45/44	3/4 1-15	45/44
1-7a	67/66	3/4 1-16	45/44
1-8	-	3/4 1-17	-
1-9	-	3/4 1-18	-
Title Page	-	3/4 1-19	-
2-1	60/59	3/4 1-20	72/71
2-2	60/59	3/4 1-21	45/44
2-3	-	3/4 1-22	45/44
2-4	72/71	3/4 2-1	45/44
2-5	72/71	3/4 2-2	45/44
2-6	30/29	3/4 2-3	45/44
2-7	72/71	3/4 2-4	12/10
2-8	72/71	3/4 2-5	71/70
2-9	72/71	3/4 2-6	71/70



APPENDIX A TO LICENSE NOS. DPR-80 AND DPR-82
DIABLO CANYON NUCLEAR POWER PLANT UNITS 1 AND 2 TECHNICAL SPECIFICATIONS (NUREG-1151)

LIST OF EFFECTIVE PAGES

<u>Page No.</u>	<u>Amendment No.</u>	<u>Page No.</u>	<u>Amendment No.</u>
3/4 2-7	71/70	3/4 3-28	72/71
3/4 2-8	71/70	3/4 3-29	51/50
3/4 2-9	71/70	3/4 3-30	72/71
3/4 2-10	71/70	3/4 3-31	72/71
3/4 2-11	71/70	3/4 3-32	61/60
3/4 2-12	71/70	3/4 3-33	70/69
3/4 2-13	71/70	3/4 3-34	61/60
3/4 2-14	71/70	3/4 3-35	61/60
3/4 2-15	71/70	3/4 3-36	55/54
3/4 2-16	60/59	3/4 3-37	70/69
3/4 2-17	60/59	3/4 3-38	55/54
3/4 2-18	37/36	3/4 3-39	70/69
3/4 2-19	37/36	3/4 3-40	55/54
3/4 2-20	63/62	3/4 3-41	55/54
3/4 2-21	37/36	3/4 3-42	-
3/4 2-22	72/71	3/4 3-43	-
3/4 3-1	-	3/4 3-44	55/54
3/4 3-2	55/54	3/4 3-45	-
3/4 3-3	72/71	3/4 3-46	-
3/4 3-4	61/60	3/4 3-47	-
3/4 3-5	61/60	3/4 3-48	-
3/4 3-6	4/2	3/4 3-49	-
3/4 3-7	61/60	3/4 3-50	-
3/4 3-8	72/71	3/4 3-51	-
3/4 3-9	-	3/4 3-52	-
3/4 3-10	61/60	3/4 3-53	-
3/4 3-11	72/71	3/4 3-54	55/54
3/4 3-12	48/47	3/4 3-55	55/54
3/4 3-13	61/60	3/4 3-56	-
3/4 3-13a	38/37	3/4 3-57	-
3/4 3-14	-	3/4 3-58	-
3/4 3-15	61/60	3/4 3-59	67/66
3/4 3-16	-	3/4 3-60	67/66
3/4 3-17	70/69	3/4 4-1	-
3/4 3-18	61/60	3/4 4-2	-
3/4 3-19	61/60	3/4 4-3	-
3/4 3-20	-	3/4 4-4	-
3/4 3-21	61/60	3/4 4-5	-
3/4 3-22	61/60	3/4 4-6	28/27
3/4 3-23	72/71	3/4 4-7	-
3/4 3-24	-	3/4 4-8	72/71
3/4 3-25	70/69	3/4 4-9	-
3/4 3-26	72/71	3/4 4-10	27/26
3/4 3-27	72/71	3/4 4-10a	27/26



APPENDIX A TO LICENSE NOS. DPR-80 AND DPR-82
DIABLO CANYON NUCLEAR POWER PLANT UNITS 1 AND 2 TECHNICAL SPECIFICATIONS (NUREG-1151)

LIST OF EFFECTIVE PAGES

<u>Page No.</u>	<u>Amendment No.</u>	<u>Page No.</u>	<u>Amendment No.</u>
3/4 4-11	-	3/4 6-5	-
3/4 4-12	-	3/4 6-6	-
3/4 4-13	-	3/4 6-7	11/9
3/4 4-14	-	3/4 6-8	-
3/4 4-15	-	3/4 6-9	-
3/4 4-16	-	3/4 6-10	-
3/4 4-17	-	3/4 6-11	-
3/4 4-18	-	3/4 6-12	-
3/4 4-19	16/15	3/4 6-13	11/9
3/4 4-20	16/15	3/4 6-14	69/68
3/4 4-21	16/15	3/4 6-15	73/72
3/4 4-22	-	3/4 6-16	73/72
3/4 4-23	-	3/4 6-17	73/72
3/4 4-24	-	3/4 6-18	73/72
3/4 4-25	18/17	3/4 7-1	-
3/4 4-26	18/17	3/4 7-2	-
3/4 4-27	-	3/4 7-3	-
3/4 4-28	-	3/4 7-4	62/61
3/4 4-29	-	3/4 7-5	62/61
3/4 4-30	54/53	3/4 7-6	-
3/4 4-31	54/53	3/4 7-7	-
3/4 4-32	54/53	3/4 7-8	-
3/4 4-33	54/53	3/4 7-9	-
3/4 4-34	-	3/4 7-9a	72/71
3/4 4-35	55/54	3/4 7-10	-
3/4 4-36	-	3/4 7-11	-
3/4 4-37	55/54	3/4 7-12	-
3/4 4-38	-	3/4 7-13	-
3/4 5-1	72/71	3/4 7-14	35/34
3/4 5-2	-	3/4 7-15	-
3/4 5-3	-	3/4 7-16	-
3/4 5-4	-	3/4 7-17	-
3/4 5-5	-	3/4 7-18	66/65 #
3/4 5-6	72/71	3/4 7-19	66/65 #
3/4 5-6a	65/64 ***	3/4 7-20	66/65 #
3/4 5-7	-	3/4 7-21	66/65 #
3/4 5-8	-	3/4 7-22	66/65 #
3/4 5-9	72/71	3/4 7-23	-
3/4 5-10	72/71	3/4 7-23a	66/65 #
3/4 5-11	53/52	3/4 7-23b	66/65 #
3/4 6-1	73/72	3/4 7-24	55/54
3/4 6-2	-	3/4 7-25	-
3/4 6-3	-	3/4 7-26	55/54
3/4 6-4	-	3/4 7-27	-



APPENDIX A TO LICENSE NOS. DPR-80 AND DPR-82
DIABLO CANYON NUCLEAR POWER PLANT UNITS 1 AND 2 TECHNICAL SPECIFICATIONS (NUREG-1151)

LIST OF EFFECTIVE PAGES


<u>Page No.</u>	<u>Amendment No.</u>	<u>Page No.</u>	<u>Amendment No.</u>
3/4 7-28	55/54	3/4 9-7	55/54
3/4 7-29	-	3/4 9-8	28/27
3/4 7-30	55/54	3/4 9-9	28/27
3/4 7-31	-	3/4 9-10	70/69
3/4 7-32	55/54	3/4 9-11	39/38
3/4 7-33	55/54	3/4 9-11a	39/38
3/4 7-34	-	3/4 9-12	55/54
3/4 7-35	-	3/4 9-13	55/54
3/4 7-36	55/54	3/4 9-14	-
3/4 7-37	-	3/4 9-15	8/6
3/4 7-38	-	3/4 9-16	8/6
3/4 7-39	-	3/4 9-17	8/6
3/4 7-40	55/54	3/4 9-18	8/6
3/4 8-1	74/73	3/4 9-19	8/6
3/4 8-2	44/43	3/4 10-1	72/71
3/4 8-2a	15/14	3/4 10-2	71/70
3/4 8-3	44/43	3/4 10-3	-
3/4 8-4	44/43	3/4 10-4	-
3/4 8-5	15/14	3/4 11-1	67/66
3/4 8-6	15/14	3/4 11-2	67/66
3/4 8-7	15/14	3/4 11-3	67/66
3/4 8-8	15/14	3/4 12-1	67/66
3/4 8-9	-	Title Page	-
3/4 8-10	-	Note	-
3/4 8-11	74/73	B 3/4 0-1	55/54
3/4 8-12	6/4	B 3/4 0-1a	55/54
3/4 8-13	6/4	B 3/4 0-1b	55/54
3/4 8-14	6/4	B 3/4 0-2	57/56 **
3/4 8-15	-	B 3/4 0-2a	55/54 **
3/4 8-16	-	B 3/4 0-3	55/54
3/4 8-17	-	B 3/4 1-1	10/8
3/4 8-18	-	B 3/4 1-2	72/71
3/4 8-19	-	B 3/4 1-3	14/13
3/4 8-20	51/50	B 3/4 2-1	12/10
3/4 8-21	51/50	B 3/4 2-2	12/10
3/4 8-22	-	B 3/4 2-3	12/10
3/4 8-23	55/54	B 3/4 2-4	71/70
3/4 8-24	-	B 3/4 2-5	60/59
3/4 9-1	72/71	B 3/4 2-6	37/36
3/4 9-2	46/45	B 3/4 3-1	69/68
3/4 9-3	-	B 3/4 3-1a	51/50
3/4 9-4	46/45	B 3/4 3-2	-
3/4 9-5	-	B 3/4 3-3	-
3/4 9-6	-	B 3/4 3-4	67/66



APPENDIX A TO LICENSE NOS. DPR-80 AND DPR-82
DIABLO CANYON NUCLEAR POWER PLANT UNITS 1 AND 2 TECHNICAL SPECIFICATIONS (NUREG-1151)

LIST OF EFFECTIVE PAGES


<u>Page No.</u>	<u>Amendment No.</u>	<u>Page No.</u>	<u>Amendment No.</u>
B 3/4 3-5	67/66	B 3/4 10-1	-
B 3/4 4-1	-	B 3/4 10-2	-
B 3/4 4-2	27/26	B 3/4 11-1	67/66
B 3/4 4-2a	27/26	B 3/4 12-1	67/66
B 3/4 4-3	-	Title Page	-
B 3/4 4-4	-	5-1	-
B 3/4 4-5	18/17	5-2	-
B 3/4 4-6	-	5-3	-
B 3/4 4-7	54/53	5-4	24/23
B 3/4 4-8	54/53	5-5	13/11
B 3/4 4-9	54/53	5-6	8/6
B 3/4 4-10	54/53	5-7	-
B 3/4 4-11	54/53	6-1	59/58
B 3/4 4-12	54/53	6-2	29/28
B 3/4 4-13	54/53	6-3	29/28
B 3/4 4-14	-	6-4	59/58
B 3/4 4-15	-	6-5	59/58
B 3/4 4-16	-	6-6	59/58
B 3/4 5-1	-	6-7	43/42
B 3/4 5-2	65/64 ***	6-7a	41/40
B 3/4 5-2a	72/71	6-8	68/67
B 3/4 5-3	14/13	6-9	68/67
B 3/4 6-1	65/64 ***	6-10	68/67
B 3/4 6-2	65/64 ***	6-11	68/67
B 3/4 6-3	14/13	6-12	68/67
B 3/4 6-4	73/72	6-13	68/67
B 3/4 7-1	-	6-14	41/40
B 3/4 7-2	62/61	6-15	-
B 3/4 7-2a	64/63	6-15a	67/66
B 3/4 7-2b	64/63	6-15b	67/66
B 3/4 7-3	-	6-16	43/42
B 3/4 7-4	66/65 #	6-17	67/66
B 3/4 7-5	66/65 #	6-18	71/70
B 3/4 7-6	-	6-19	71/70
B 3/4 7-7	-	6-20	68/67
B 3/4 7-8	-	6-21	67/66
B 3/4 8-1	44/43	6-22	67/66
B 3/4 8-2	44/43	6-23	67/66
B 3/4 8-3	74/73		
B 3/4 8-3a	74/73		
B 3/4 9-1	46/45		
B 3/4 9-2	46/45		
B 3/4 9-3	70/69		



APPENDIX A TO LICENSE NOS. DPR-80 AND DPR-82
DIABLO CANYON NUCLEAR POWER PLANT UNITS 1 AND 2 TECHNICAL SPECIFICATIONS (NUREG-1151)

LIST OF EFFECTIVE PAGES

- ** Pages B 3/4 0-2 and B 3/4 0-2a were changed by NRC letter from Harry Rood, Senior Project Manager to J. D. Shiffer; Subject, Correction to Technical Specification Bases Issued with Amendments; dated December 21, 1990. "Revised December 21," 1990 should appear in the upper right hand corner of page B 3/4 0-2 and page B 3/4 0-2a should start with "surveillance interval was exceeded."
- *** License Amendments 65 & 64 were reissued by NRC letter from Harry Rood, Senior Project Manager to J. D. Shiffer; Subject, Reissuance of the September 3, 1991, Amendments for Diablo Canyon Nuclear Power Plant, Unit Nos. 1 and 2; dated September 19, 1991. "Reissued September 19, 1991" should appear in the upper right hand corner of these pages.
- # License Amendments 66 & 65 were reissued by NRC letter from Harry Rood, Senior Project Manager to J. D. Shiffer; Subject, Reissuance of the September 6, 1991, Amendments for Diablo Canyon Nuclear Power Plant, Unit Nos. 1 and 2; dated September 19, 1991. "Reissued September 19, 1991" should appear in the upper right hand corner of these pages.




INDEX

ADMINISTRATIVE CONTROLS

<u>SECTION</u>	<u>PAGE</u>
<u>6.5 REVIEW AND AUDIT (Continued)</u>	
6.5.3 NUCLEAR SAFETY OVERSIGHT COMMITTEE (NSOC)	
Function.....	6-9
Composition.....	6-10
Alternates.....	6-10
Consultants.....	6-10
Meeting Frequency.....	6-10
Quorum.....	6-10
Review.....	6-10
Audits.....	6-11
Records.....	6-12
<u>6.6 REPORTABLE EVENT ACTION.....</u>	6-12
<u>6.7 SAFETY LIMIT VIOLATION.....</u>	6-13
<u>6.8 PROCEDURES AND PROGRAMS.....</u>	6-13
<u>6.9 REPORTING REQUIREMENTS</u>	
6.9.1 ROUTINE REPORTS.....	6-16
Startup Reports.....	6-16
Annual Reports.....	6-16
Annual Radiological Environmental Operating Report.....	6-17
Semi/annual Radioactive Effluent Release Report.....	6-18
Monthly Operating Report.....	6-18
CORE OPERATING LIMITS REPORT.....	6-18
6.9.2 SPECIAL REPORTS.....	6-19
<u>6.10 RECORD RETENTION.....</u>	6-19
<u>6.11 RADIATION PROTECTION PROGRAM.....</u>	6-21
<u>6.12 HIGH RADIATION AREA.....</u>	6-21

Annual





before May 1

Annual

ADMINISTRATIVE CONTROLS

~~SEMI~~ ANNUAL RADIOACTIVE EFFLUENT RELEASE REPORT*

Calendar year

6.9.1.6 The ~~Semiannual~~ Radioactive Effluent Release Report covering the operation of the unit during the previous ~~6 months of operation~~ shall be submitted ~~within 60 days after January 1 and July 1~~ of each year. The report shall include a summary of the quantities of radioactive liquid and gaseous effluents and solid waste released from the unit. The material provided shall be (1) consistent with the objectives outlined in the RMCP and PCP, (2) in conformance with 10 CFR 50.36a and Section IV.B.1 Appendix I to 10 CFR Part 50.

MONTHLY OPERATING REPORT

6.9.1.7 Routine reports of operating statistics and shutdown experience, including documentation of all challenges and failures to the PORVs or safety valves, shall be submitted on a monthly basis to the NRC in accordance with 10 CFR 50.4, no later than the 15th of each month following the calendar month covered by the report.

CORE OPERATING LIMITS REPORT

6.9.1.8.a Core operating limits shall be established and documented in the CORE OPERATING LIMITS REPORT before each reload cycle or any remaining part of a reload cycle for the following:

1. Shutdown Rod Insertion Limits for Specification 3/4.1.3.5,
2. Control Rod Insertion Limits for Specification 3/4.1.3.6,
3. Axial Flux Difference for Specification 3/4.2.1,
4. Heat Flux Hot Channel Factor, $K(Z)$ and $W(Z) - F_Q(z)$ ^{RTP} (F_Q for Specification 3/4.2.2), and _____
5. RCS Flow Rate and Nuclear Enthalpy Rise Hot Channel Factor - $F_{\Delta H}^N$ ^{RTP} ($F_{\Delta H}$ and $PF_{\Delta H}$ for Specification 3/4.2.3).

b. The analytical methods used to determine the core operating limits shall be those previously reviewed and approved by the NRC in:

1. WCAP-10216-P-A, Relaxation of Constant Axial Offset Control F_Q Surveillance Technical Specification, June 1983 (Westinghouse Proprietary),
2. WCAP-9272-P-A, Westinghouse Reload Safety Evaluation Methodology, July 1985 (Westinghouse Proprietary),

*A single submittal may be made for a multiple unit plant. The submittal should combine those sections that are common to all units at the plant; however, for units with separate radwaste systems, the submittal shall specify the releases of radioactive material from each unit.



1950