

Hill, Carol

From: Sheila Slocum <slocums@pcaengsur.com>
Sent: Monday, March 20, 2017 11:10 AM
To: Hill, Carol; viven.campbell@nrc.gov
Cc: Robert Swanson
Subject: [External_Sender] License 49-27418-01 Amendment
Attachments: doc01077220170320100911.pdf

Attached is our application for amendment to update our RSO. Please let us know if you need anything else!

Thanks,
Sheila

Sheila Slocum

PCA Engineering, Inc.
4506 Wigwam Blvd.
P.O. Box 2185
Gillette, WY 82717
Phone: (307) 687-0600
Cell: (307) 689-4766
Fax: (307) 687-7022

PUBLIC

- Immediate Release
 Normal Release

NON-PUBLIC

- A.3 Sensitive-Security Related
 A.7 Sensitive Internal
 Other: _____

Reviewer: RSR Date: 3-22-17

CONFIDENTIAL information of PCA Engineering Inc. All rights reserved. This work contains information that is confidential, privileged and proprietary to PCA Engineering, Inc. Any files contained within are to be used for information ONLY. Accuracy and/or design information to be verified from approved original plans. Use of electronic media is at the sole risk of the user. Removal of this notice, transfer, republication, disclosure and/or copying of all or part of this message, or its attachments, is strictly prohibited, except with the express, written permission of PCA Engineering, Inc.



NRC FORM 313
(06-2016)
10 CFR 30, 32, 33, 34
35, 36, 37, 39, and 40

U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: NO. 3150-0120

EXPIRES: 06/30/2019



**APPLICATION FOR MATERIALS
LICENSE**

Estimated burden per response to comply with this mandatory collection request: 4.3 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the FOIA, Privacy, and Information Collections Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by e-mail to Infocollects.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

INSTRUCTIONS: SEE THE CURRENT VOLUMES OF THE NUREG-1556 TECHNICAL REPORT SERIES ("CONSOLIDATED GUIDANCE ABOUT MATERIALS LICENSES") FOR DETAILED INSTRUCTIONS FOR COMPLETING THIS FORM: <http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/>. SEND TWO COPIES OF THE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

MATERIALS SAFETY LICENSING BRANCH
DIVISION OF MATERIAL SAFETY, STATE, TRIBAL AND RULEMAKING PROGRAMS
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,

SEND APPLICATIONS TO:

LICENSING ASSISTANCE TEAM
DIVISION OF NUCLEAR MATERIALS SAFETY
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
2100 RENAISSANCE BOULEVARD, SUITE 100
KING OF PRUSSIA, PA 19406-2713

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, IL 60532-4352

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING,

SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
1600 E. LAMAR BOULEVARD
ARLINGTON, TX 76011-4511

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- A. NEW LICENSE
- B. AMENDMENT TO LICENSE NUMBER 49-27418-01
- C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include ZIP code)

PCA ENGINEERING, INC.
P.O. BOX 2185
GILLETTE, WY 82717

3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

4506 WIGWAM BLVD.
GILLETTE, WY 82718

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

SHEILA SLOCUM

BUSINESS TELEPHONE NUMBER
(307) 687-0600

BUSINESS CELLULAR TELEPHONE NUMBER
(307) 299-1976

BUSINESS EMAIL ADDRESS
slocums@pcaengsur.com

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE.

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT.

10. RADIATION SAFETY PROGRAM.

11. WASTE MANAGEMENT.

12. LICENSE FEES (Fees required only for new applications, with few exceptions*)

(See 10 CFR 170 and Section 170.31)

*Amendments/Renewals that increase the scope of the existing license to a new or higher fee category will require a fee.

FEE CATEGORY AMOUNT ENCLOSED \$

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 37, 39, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER -- TYPED/PRINTED NAME AND TITLE

ROBERT SWANSON - VP

SIGNATURE

Robert Swanson

DATE

3/22/17

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		
APPROVED BY				DATE	

Certificate of Completion

This certifies that

Shelia Miller

has successfully completed the
Nuclear Gauge Safety Training Class
conducted by the training department of

Troxler Electronic Laboratories, Inc.



Bob Wilson
Instructor

November 4, 2008

Date

William F. Troxler, Jr.
President

Pass-Certified to operate Nuclear
Gauges
14985405



Troxler Electronic Laboratories, Inc.
PO Box 12057 * 3008 Cornwallis Rd. * Research Triangle Park, NC 27709
Phone: (919) 549-8661 * Fax: (919) 549-0761 * Web site: www.troxlerlabs.com

HAZMAT CERTIFICATION

as required by U.S. DOT and IATA

This certifies that

Sheila Slocum

has been trained and tested in accordance with the U.S. Department of Transportation and International Air Transport Association (IATA) hazardous material requirements for general awareness/familiarization, function-specific, safety, and security awareness training as related to the transportation of nuclear gauges. A description of the training course materials is available from Troxler Electronic Laboratories, Inc. This certificate expires three years from the training date shown below.

April 14, 2015

EMPLOYER CERTIFICATION

I certify that the hazmat employee identified on this certificate has been trained and tested as required by U.S. DOT Hazardous Material Regulations (49 CFR 172 Subpart H).

Signature Robert P. Swanson Title Vice Pres.



The Leader in Construction Testing Equipment

Troxler Electronic Laboratories, Inc.

PO Box 12057-3008 Cornwallis Road - Research Triangle Park, NC 27709

Phone: (919) 549-8661 - Fax (919) 549-0761 - www.troxlerlabs.com

Course: Hazmat

Tracking Code: 6JH8J78IL9JMKHM_73753

14 5 9 4 3 3 4

Sheila Slocum, P.L.S.

SURVEYING / ENGINEERING TECHNICIAN

Years of Experience:

With this Firm: 13

Education:

Gillette College, Gillette, WY, Associates Degree in Surveying Technology,
2007-2008

University of Wyoming Outreach Program, Laramie, WY, Certificate of
Completion in Land Surveying , 2006-2008

University of Wyoming, Laramie, WY, 2 years Engineering Program, 2003-2005

Registrations:

P.L.S. License #15542

Wyoming Materials Technician Certification in Asphalt Concrete

Wyoming Materials Technician Certification in Soils & Aggregate

Wyoming Materials Technician Certification in Portland Cement Concrete

Troxler Certified Moisture Density Gauge Technician

HAZMAT Certification – IATA and USDOT

ACI Concrete Field Testing Technician Grade 1

Activities:

PLSW Associate Member

Member of NE Chapter Professional Land Surveyors of Wyoming

Member of Wyoming Engineering Society

Experience:

Mrs. Slocum is currently the lab manager overseeing day to day activities for the testing department at PCA. She is capable of conducting material testing services in the field and the laboratory.

Mrs. Slocum is proficient in the use of GPS, robotic total station, digital level and various survey software. Her duties and responsibilities include field and office survey work such as: topographic survey work, ALTA surveys, subdivision of sections, rural and urban boundary retracement, construction staking, etc. Mrs. Slocum is also capable of providing CAD drafting services.



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee Robert Mayer Radiation Safety Officer PCA Engineering, Inc. P.O. Box 2185 Gillette, WY 82717-2185	Date 03/22/2017
	License Number(s) 49-27418-01
	Mail Control Number(s) 594334
	Licensing and/or Technical Reviewer or Branch CHill

This is to acknowledge receipt of your: Letter and/or Application Dated: 03/20/2017

The initial processing, which included an administrative review, has been performed.

Amendment Termination New License Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region IV
 U. S. Nuclear Regulatory Commission
 DNMS/NMSB - B
 1600 E. Lamar Boulevard
 Arlington, TX 76011-4511
 (817) 200-1209 or (817) 200-1140

✓ 3/22

BETWEEN:
Accounts Receivable/Payable
and
Regional Licensing Branches

[FOR ARPB USE]
INFORMATION FROM WBL

Program Code: 03121
Status Code: Pending Amendment
Fee Category: 3P
Exp. Date: 08/31/2022
Fee Comments:
Decom Fin Assur Reqd: N

License Fee Worksheet - License Fee Transmittal

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: PCA Engineering, Inc.
Received Date: 03/20/2017
Docket Number: 3032555
Mail Control Number: 594334
License Number: 49-27418-01
Action Type: Amendment

2. FEE ATTACHED

Amount: _____
Check No.: _____

3. COMMENTS

Signed: _____

Carol L. Heie

Date: _____

3/22/17

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment: _____

Renewal: _____

License: _____

3. OTHER _____

Signed: _____

Date: _____