

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Guam Memorial Hospital Authority</p>	<p>In accordance with application dated September 28, 2016</p>	<p>4. Expiration Date: March 31, 2019</p>
<p>2. 850 Gov. Carlos Camacho Road Oka, Tamuning, GU 96913</p>	<p>3. License number: 56-18134-01 is renewed in its entirety to read as follows:</p>	<p>5. Docket No.: 030-14539 Reference No.:</p>

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As Needed	A. For possession and storage in standby. This license must be amended prior to any use.
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As Needed	B. For possession and storage in standby. This license must be amended prior to any use.
C. Iodine-131	C. Any	C. 200 millicuries per container and 3.3 curies total	C. For possession and storage in standby. This license must be amended prior to any use.
D. Any byproduct material permitted by 10 CFR 31.11	D. Prepackaged Kits	D. 5 millicuries total	D. For possession and storage in standby. This license must be amended prior to any use.

CONDITIONS

10. Licensed material shall only be stored only at the licensee's facilities located at 850 Gov. Carlos Camacho Road, Oka, Tamuning, Guam.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
56-18134-01Docket or Reference Number
030-14539

Amendment No. 31


11. The Radiation Safety Officer (RSO) for this license is Ronald Frick, M.S., CHP, DABR.
12. Licensed material shall only be used by, or under the supervision of, Ronald Frick, M.S., CHP, DABR, incidental to inventory, leak testing, and disposal activities.
13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
56-18134-01Docket or Reference Number
030-14539

Amendment No. 31

F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.

14. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee, except as specifically authorized.
15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing financial assurance for decommissioning.




**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
56-18134-01Docket or Reference Number
030-14539

Amendment No. 31

17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated September 28, 2016 (ML16274A135)

B. Letter dated March 22, 2017 (ML17082A599)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/Date: March 27, 2017By: _____
Jacqueline D. Cook
Region IV