

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Guam Regional Medical City Radiation Oncology</p>	<p>In accordance with letter dated January 11, 2017</p>	<p>4. Expiration Date: October 31, 2018</p>
<p>2. 133 Route 3 Dededo, Guam 96929</p>	<p>3. License number: 56-35371-01 is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-38990 Reference No.:</p>

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Strontium-90</p> <p>B. Strontium-90</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Sources (IBA Dosimetry, Model CDC)</p> <p>B. Sealed Sources (IBA Dosimetry, Model CDP)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 0.81 millicuries per source and 0.81 millicuries total</p> <p>B. 0.81 millicuries per source and 0.81 millicuries total</p>	<p>9. Authorized use</p> <p>A. For possession and storage only with intent to dispose.</p> <p>B. For possession and storage only with intent to dispose.</p>
--	---	---	--

**CONDITIONS**

- 10. Licensed material shall only be stored at the licensee's facilities located at 133 Route 3, Dededo, Guam.
- 11. The Radiation Safety Officer (RSO) for this license is John Y. Young, M.D.
- 12. Licensed material shall only be used by, or under the supervision of, John Y. Young, M.D., incidental to inventory, leak testing, and disposal activities.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
56-35371-01Docket or Reference Number  
030-38990

Amendment No. 1

13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region IV, 1600 East Lamar Boulevard, Arlington, Texas 76011-4511, ATTN: Director, Division of Nuclear Materials Safety. The report shall specify the source involved, the test results, and corrective action taken.
- E. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
56-35371-01Docket or Reference Number  
030-38990

Amendment No. 1

15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated May 24, 2016 (ML16230A257)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: March 27, 2017By: R/A  
Michelle M. Hammond  
Region IV