



Region I Office  
 Division of Nuclear Materials Safety  
 2100 Renaissance Boulevard, Suite 100  
 King of Prussia, PA 19406-2713  
 (610)337-5000

## Telephone Conversation Record

Date: 4/3/3017

License No. 32-31395-01

Docket No.(no hyphens): 03038194

Mail Control/Report No. 593020

Licensee Name: S&ME, Inc.

Participant(s) Name/Title: Ronald Juliani/Radiaton Safety Officer

Work Telephone No. 919-872-2660

Business Cellphone No. 919-632-9340

NRC Representative Name/Title: Dennis Lawyer/Health Physicist

Subject: RAI, Letter dated March 30, 2017

Discussion: I called Mr. Juliani as the letter dated March 30, 2017, did not completely answer the questions. The X-ray fluorescence analyzer was not separated out for the two different maximum sources. I suggested that the maximum possession would be 5 units for each grouping of sources. Mr. Juliani said it would be acceptable. I informed him that Troxler 4640 and 4640-B does not have a Am-241:Be source and thus it would not be included on the license. He said he knew that and was a mistake on his letter. I asked if the cell phone for Mr. Lowder was a personal or business cell phone. He said that he believed it was a business cell phone.

Action Required: Write amendment.

SUNSI REVIEW		
<b>Document Availability:</b>	<input checked="" type="checkbox"/> Public	or <input type="checkbox"/> Non-Public
<b>Document Sensitivity:</b> (select "1" value to the right)	<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)
	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)
	<input type="checkbox"/> Sensitive – Proprietary	<input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)
	<input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII))	<input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
	<input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
	<input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/> MD 3.4 Non-Public A.7 ( Internal)
SUNSI Review Completed by: Dennis Lawer		