

Region I Office Division of Nuclear Materials Safety 2100 Renaissance Boulevard, Suite 100 King of Prussia, PA 19406-2713 (610)337-5000

## **Telephone Conversation Record**

Date:04/11/2017License No.19-31444-01Docket No.(no hyphens):03038457Mail Control/Report No.594440Licensee Name:Comprehensive Environmental Assessments, Inc.Participant(s) Name/Title:Mark Veckman, OwnerWork Telephone No.301-706-2828Business Cellphone No.N/ANRC Representative Name/Title:Michael Reichard, Health Physicist

Subject: Clarification Due To WBL Licensing Process

Discussion: Mr. Reichard called Mr. Veckman and explained that the NRC's licensing process has changed. Mr. Reichard asked how many of each model his company would like to be authorized for. Mr. Beckman said that he would like to be authorized for two Thermo Scientific Analytical Instruments Inc. (formerly Thermo Niton Analzers LLC) model XLp series devices and two Heuresis Corporation model Pb200i devices. He stated that his company was previously authorized for Thermo NITON Analyzers LLC model XL series devices; however, they never owned any and no longer have interest in that model. It was included on their previous application for flexibility reasons.

Action Required: Complete license action

Document Availability: X Public or Non-Public				
Document Sensitivity:				
(select "1" value to the right)	Non-Sensitive		MD 3.4 Non-Public B.1 (Non-Sensitive)	
	Non-Sensitive Copyright		MD 3.4 Non-Public A.3 (Sensitive Security Related	
	Sensitive – Proprietary Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)		MD 3.4 Non-Public A.4 (Sensitive Proprietary	
			MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)	
			MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)	
	Sensitive – Security-Rela Required	ted-Periodic Review	MD 3.4 Non-Public A.7 (Internal)	
SUNSI Review Completed by:	SI Review Completed by: Michael Reichard			

G:\WordDocs\Current\Misc Letter\T19-31444-01.594440.docx