

From: Snyder, Amy
Sent: Friday, April 28, 2017 9:21 AM
To: Cherry, Robert N CIV USARMY IMCOM HQ (US) <robert.n.cherry.civ@mail.mil>
Subject: Receipt of Submittal RE: RE: [Non-DoD Source] Re: RE: Proposed Revision of Annex 17 to ERMP, License # SUC-1593

Hi Bob,

Received your submittal yesterday and walked it down to document control. It's being placed in ADAMs by Document Control.

I will let you know when it is available in ADAMS and our schedule for the review of your submittal.

Thank you

A

Amy

Amy Snyder, Senior Project Manager
Materials Decommissioning Branch (MDB)
Division of Decommissioning, Uranium Recovery, and Waste Programs (DUWP) Office of
Nuclear Material Safety and Safeguards (NMSS) U.S. Nuclear Regulatory Commission (NRC)
Washington, D.C. 20555

2 Office: (301) 415-6822

☐ Fax: (301) 415-5369

F Mail Stop: T8-F5M

* Location: T8-E454

4 E-mail: amy.snyder@nrc.gov

-----Original Message-----

From: Cherry, Robert N CIV USARMY IMCOM HQ (US) [mailto:robert.n.cherry.civ@mail.mil]
Sent: Friday, April 21, 2017 4:30 PM
To: Snyder, Amy <Amy.Snyder@nrc.gov>
Subject: [External_Sender] RE: [Non-DoD Source] Re: RE: Proposed Revision of Annex 17 to ERMP, License # SUC-1593

Amy,

I have attached a digitally signed transmittal letter and the revised Annex 17 of the ERMP for Pohakuloa Training Area. The hard copies will go out via FedEx on Monday 24 April. Thank you for your patience.

Bob

Bob Cherry
IMCOM Radiation Safety Staff Officer ☼
210-466-0368 📞

Cell 210-313-0952 (weak or no signal in office) robert.n.cherry.civ@mail.mil

US Army Installation Management Command
ATTN: IMSO/301
Building 2261
2405 Gun Shed Road
JBSA Fort Sam Houston, Texas 78234-1223

-----Original Message-----

From: Snyder, Amy [mailto: Amy.Snyder@nrc.gov]
Sent: Thursday, April 20, 2017 5:14 PM
To: Cherry, Robert N CIV USARMY IMCOM HQ (US) <robert.n.cherry.civ@mail.mil>
Subject: [Non-DoD Source] Re: RE: Proposed Revision of Annex 17 to ERMP, License # SUC-1593

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

Not needed.
A

On: 20 April 2017 15:04, "Cherry, Robert N CIV USARMY IMCOM HQ (US)" <robert.n.cherry.civ@mail.mil> wrote:

Amy,

Understood. I will provide the submittal ASAP.

One last question: Does this submittal require an NRC Form 313? [If no, I can do this quickly with my own signature. If yes, I will require the Commanding General's signature on the NRC Form 313 and so I must staff this action.]

Bob

Bob Cherry
IMCOM Radiation Safety Staff Officer ☺
210-466-0368 📞
Cell 210-313-0952 (weak or no signal in office) robert.n.cherry.civ@mail.mil

US Army Installation Management Command
ATTN: IMSO/301
Building 2261
2405 Gun Shed Road
JBSA Fort Sam Houston, Texas 78234-1223

-----Original Message-----

From: Snyder, Amy [Caution-mailto: Amy.Snyder@nrc.gov < Caution-mailto: Amy.Snyder@nrc.gov >]
Sent: Thursday, April 20, 2017 1:48 PM
To: Cherry, Robert N CIV USARMY IMCOM HQ (US) <robert.n.cherry.civ@mail.mil>
Cc: Smith, Theodore <Theodore.Smith@nrc.gov>
Subject: [Non-DoD Source] RE: Proposed Revision of Annex 17 to ERMP, License # SUC-1593

Bob,

Any changes that the Army wants to make that are outside of the approved criteria in the license (SUC-1593), as stated in the approved Programmatic ERMP or a site-specific ERMP or the QA plan (annex 19) through License Amendment 2, will require a submittal for NRC review and approval.

Thank you
A

-----Original Message-----

From: Cherry, Robert N CIV USARMY IMCOM HQ (US) [Caution-mailto: robert.n.cherry.civ@mail.mil < Caution-mailto: robert.n.cherry.civ@mail.mil >]
Sent: Wednesday, April 19, 2017 9:48 AM
To: Snyder, Amy <Amy.Snyder@nrc.gov>
Subject: [External_Sender] Proposed Revision of Annex 17 to ERMP, License # SUC-1593

Amy,

Tim Keller, the US Army Garrison-Hawaii radiation safety officer, noticed that the sampling point in Annex 17 of the ERMP for Pohakuloa Training Area was significantly off-post. I asked for a revision of Annex 17 to move the sampling point to the PTA boundary, because (1) the Army shouldn't be sampling on private property and (2) we want to know what DU might be leaving PTA, so sampling at the PTA boundary is preferable.

The attached revised Annex 17 is the result of my request. The only changes from the original Annex 17 are in Figure 1-2 and in minor text changes to accommodate the changed figure. The sampling point is in the same intermittent stream as before, except that it is now on the PTA boundary and closer to the RCA.

If you are able to merely substitute this "corrected" revision into the record, that would be great. Otherwise, please advise me how I should proceed to replace the original Annex 17 in the record with this revised Annex 17. Thank you.

You almost certainly know about the ASLB the NRC established to address some petitions to intervene (see attached) . I think it would be helpful for both the NRC and the Army to have the revised ERMP in place as soon as possible.

Bob

Bob Cherry

IMCOM Radiation Safety Staff Officer 📍

210-466-0368 📞

Cell 210-313-0952 (weak or no signal in office) robert.n.cherry.civ@mail.mil

US Army Installation Management Command

ATTN: IMSO/301

Building 2261

2405 Gun Shed Road

JBSA Fort Sam Houston, Texas 78234-1223