

NRR-PMDAPem Resource

From: Rankin, Jennivine
Sent: Wednesday, April 26, 2017 2:57 PM
To: Helen L Kish
Subject: D.C. Cook Units 1 and 2 - Acceptance Review of LAR to revise TS 3.7.2 (CAC Nos. MF9539 and MF9540)

Good afternoon,

By letter dated March 24, 2017 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML17087A012), Indiana Michigan Power Company (the licensee), submitted a license amendment request for Donald C. Cook Nuclear Plant (CNP), Units 1 and 2. The proposed amendments would modify Technical Specifications (TS) Section 3.7.2, "Steam Generator Stop Valves (SGSVs)," to incorporate the SGSV actuator trains into the Limiting Condition for Operation and provide associated Conditions and Required Actions. In addition, Surveillance Requirement (SR) 3.7.2.2 would be revised to clearly identify that the SGSV actuator trains are required to be tested in accordance with the SR.

The purpose of this e-mail is to provide the results of the NRC staff's acceptance review of this amendment request. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

Consistent with Section 50.90 of Title 10 of the *Code of Federal Regulations* (10 CFR), an amendment to the license must fully describe the changes requested, and following as far as applicable, the form prescribed for original application. Section 50.34 of 10 CFR addresses the content of technical information required. This section stipulates that the submittal address the design and operating characteristics, unusual or novel design features, and principal safety considerations.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately 245 hours to complete. The NRC staff expects to complete this review in approximately 12 months, which is March 2018.

If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, I will communicate the reasons for the changes, along with the new estimates during our routine interactions.

These estimates are based on the staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review.

If you have any questions, please contact me at (301) 415-1530.

Thanks,
Jennie

Jennie Rankin, Project Manager
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Hearing Identifier: NRR_PMDA
Email Number: 3476

Mail Envelope Properties (Jennivine.Rankin@nrc.gov20170426145600)

Subject: D.C. Cook Units 1 and 2 - Acceptance Review of LAR to revise TS 3.7.2 (CAC Nos. MF9539 and MF9540)
Sent Date: 4/26/2017 2:56:47 PM
Received Date: 4/26/2017 2:56:00 PM
From: Rankin, Jennivine

Created By: Jennivine.Rankin@nrc.gov

Recipients:
"Helen L Kish" <hlkish@aep.com>
Tracking Status: None

Post Office:

Files	Size	Date & Time
MESSAGE	3449	4/26/2017 2:56:00 PM

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received: