United States Nuclear Regulatory Commission Official Hearing Exhibit			
In the Matter of:	FLORIDA POWER & LIGHT COMPANY (Turkey Point Units 6 and 7)		
	ASLBP #: 10-903-02-COL-BD01		
	Docket #: 05200040 | 05200041		
	Exhibit #: NRC-071-00-BD01	**Identified:**	05/02/2017
	Admitted: 05/02/2017	**Withdrawn:**	
	Rejected:	**Stricken:**	
	Other:		

MV Geophysical

BOREHOLE COMPENSATED SONIC w/ VARIABLE DENSITY LOG

Company	Layne Christensen Company
Well	Turkey Point EW-1
Field	Florida City
County	Miami-Dade
State/Prv	Florida

Company Layne Christensen Company
Well Turkey Point EW-1
Field Florida City
County Miami-Dade State/Prv Florida

Location: FPL Turkey Point Power Plant
LAT: 25 25' 19" N LONG: 80 20' 08" W
McNabb Hydrogeologic Consulting, Inc.

Other Services: XY/GR,FCT; DIL,BHC,FLO; TDS,DHTV

Permanent Datum	Pad Level	Elevation	K.B.
Log Measured From	Pad Level		D.F.
Drilling Measured From	Pad Level		G.L.

Date	30-NOV-2011
Run Number	NINE
Depth Driller	3230'
Depth Logger	3233'
Bottom Logged Interval	3233'
Top Log Interval	1475'
Open Hole Size	12.25"
Type Fluid	H2O
Density / Viscosity	NA/NA
Max. Recorded Temp.	see FCT log
Estimated Cement Top	SURFACE
Time Well Ready	07:30 11/30/2011
Time Logger on Bottom	13:45 11/30/2011
Equipment Number	MVGS-1
Location	Ft. Myers
Recorded By	S.Miller/C.Miller
Witnessed By	M.Classen (ASRus) K.Greuel (LCC)

Borehole Record				Tubing Record		
Run Number	Bit	From	To	Size	Weight	From	To
ONE	12.25"	SURFACE	255'	FIVE	12.25"	1090'	1655'
TWO	62.5"	SURFACE	259'	SIX	42.5"	1090'	1542'
THREE	12.25"	255'	1090'	SEVEN	12.25"	1535'	3230'
FOUR	52.5"	255'	1095'				

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	64"	0.375" WT	SURFACE	33'
Prot. String	54"	0.375" WT	SURFACE	255'
Production String	44"	0.375" WT	SURFACE	1090'
Liner	34"	0.375" WT	SURFACE	1536'
Invoice No.	2011209	LTP1B.db	8fdlasfpd'	* FINAL PRINT *

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Sonic Porosity was run on a Limestone Matrix (=47.5)

Drill Pipe set to 1520'

MV Geophysical — MAIN PASS

Database File: ltp1b.db
Dataset Pathname: run10/MAIN
Presentation Format: dtg-11
Dataset Creation: Wed Nov 30 11:42:24 2011
Charted by: Depth in Feet scaled 1:1200



MV Geophysical — MAIN PASS

Database File: ltp1b.db
Dataset Pathname: run10/MAIN
Presentation Format: dtxy535g
Dataset Creation: Wed Nov 30 11:42:24 2011
Charted by: Depth in Feet scaled 1:600



MV Geophysical — MAIN PASS

Database File: ltp1b.db
Dataset Pathname: run10/MAIN
Presentation Format: dtxy535g
Dataset Creation: Wed Nov 30 11:42:24 2011
Charted by: Depth in Feet scaled 1:240



MV Geophysical — MAIN PASS

Database File: ltp1b.db
Dataset Pathname: run10/MAIN
Presentation Format: son_vdl
Dataset Creation: Wed Nov 30 11:42:24 2011
Charted by: Depth in Feet scaled 1:240





MV Geophysical

REPEAT SECTION

Database File: lfp1b.db
Dataset Pathname: run10/EPZ.AT
Open Mode: Edit, Raw
Dataset Creation: Wed Nov 30 15:24:26 2011
Charted by: Depth m Feed scaled 1:240



Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
WVF1	8.50					
WVF3	8.50		SLT-GO (245)	16.00	3.50	127.00
TT1	7.50					
TT2	7.50					
TT3	7.50					
TT4	7.50					
WVF2	6.50					
WVF4	6.50					

Dataset: lfp1b.db; field/well/run10/pass6
Total Length: 16.00 ft
Total Weight: 127.00 lb
O.D: 3.50 in

MV Geophysical

Company	Layne Christensen Company
Well	Turkey Point EW-1
Field	Florida City
County	Miami-Dade
State	Florida
Country	USA