

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File     : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Table of Contents

---

Part I: Mixture Sums and Single Radionuclide Guidelines

---

---

|  |    |
|--|----|
| Dose Conversion Factor (and Related) Parameter Summary ... | 2  |
| Site-Specific Parameter Summary .....                      | 4  |
| Summary of Pathway Selections .....                        | 8  |
| Contaminated Zone and Total Dose Summary .....             | 9  |
| Total Dose Components                                      |    |
| Time = 0.000E+00 .....                                     | 10 |
| Time = 1.000E+00 .....                                     | 11 |
| Time = 3.000E+00 .....                                     | 12 |
| Time = 1.000E+01 .....                                     | 13 |
| Time = 3.000E+01 .....                                     | 14 |
| Time = 1.000E+02 .....                                     | 15 |
| Time = 3.000E+02 .....                                     | 16 |
| Time = 1.000E+03 .....                                     | 17 |
| Dose/Source Ratios Summed Over All Pathways .....          | 18 |
| Single Radionuclide Soil Guidelines .....                  | 18 |
| Dose Per Nuclide Summed Over All Pathways .....            | 19 |
| Soil Concentration Per Nuclide .....                       | 19 |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Subsurface Soil DCGL 120614 Plus FGR 11

| Menu | Parameter  | Current Value# | Base Case* | Parameter Name |
|------|--|----------------|------------|----------------|
| A-1  | DCF's for external ground radiation, (mrem/yr)/(pCi/g)   |                |            |                |
| A-1  | Ba-137m (Source: FGR 12)                                 | 3.606E+00      | 3.606E+00  | DCF1( 1)       |
| A-1  | Co-60 (Source: FGR 12)                                   | 1.622E+01      | 1.622E+01  | DCF1( 2)       |
| A-1  | Cs-134 (Source: FGR 12)                                  | 9.472E+00      | 9.472E+00  | DCF1( 3)       |
| A-1  | Cs-137 (Source: FGR 12)                                  | 7.510E-04      | 7.510E-04  | DCF1( 4)       |
| A-1  | Ni-63 (Source: FGR 12)                                   | 0.000E+00      | 0.000E+00  | DCF1( 5)       |
| A-1  | Sr-90 (Source: FGR 12)                                   | 7.043E-04      | 7.043E-04  | DCF1( 6)       |
| A-1  | Y-90 (Source: FGR 12)                                    | 2.391E-02      | 2.391E-02  | DCF1( 7)       |
| B-1  | Dose conversion factors for inhalation, mrem/pCi:        |                |            |                |
| B-1  | Co-60  | 2.190E-04      | 2.190E-04  | DCF2( 1)       |
| B-1  | Cs-134   | 4.620E-05      | 4.620E-05  | DCF2( 2)       |
| B-1  | Cs-137+D   | 3.190E-05      | 3.190E-05  | DCF2( 3)       |
| B-1  | Ni-63  | 6.290E-06      | 6.290E-06  | DCF2( 4)       |
| B-1  | Sr-90+D  | 1.308E-03      | 1.300E-03  | DCF2( 5)       |
| D-1  | Dose conversion factors for ingestion, mrem/pCi:         |                |            |                |
| D-1  | Co-60  | 2.690E-05      | 2.690E-05  | DCF3( 1)       |
| D-1  | Cs-134   | 7.330E-05      | 7.330E-05  | DCF3( 2)       |
| D-1  | Cs-137+D   | 5.000E-05      | 5.000E-05  | DCF3( 3)       |
| D-1  | Ni-63  | 5.770E-07      | 5.770E-07  | DCF3( 4)       |
| D-1  | Sr-90+D  | 1.528E-04      | 1.420E-04  | DCF3( 5)       |
| D-34 | Food transfer factors:                                   |                |            |                |
| D-34 | Co-60 , plant/soil concentration ratio, dimensionless    | 1.500E-01      | 8.000E-02  | RTF( 1,1)      |
| D-34 | Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)    | 5.800E-02      | 2.000E-02  | RTF( 1,2)      |
| D-34 | Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)     | 2.000E-03      | 2.000E-03  | RTF( 1,3)      |
| D-34 | Cs-134 , plant/soil concentration ratio, dimensionless   | 7.800E-02      | 4.000E-02  | RTF( 2,1)      |
| D-34 | Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)   | 6.500E-02      | 3.000E-02  | RTF( 2,2)      |
| D-34 | Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)    | 1.400E-02      | 8.000E-03  | RTF( 2,3)      |
| D-34 | Cs-137+D , plant/soil concentration ratio, dimensionless | 7.800E-02      | 4.000E-02  | RTF( 3,1)      |
| D-34 | Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 6.500E-02      | 3.000E-02  | RTF( 3,2)      |
| D-34 | Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)  | 1.400E-02      | 8.000E-03  | RTF( 3,3)      |
| D-34 | Ni-63 , plant/soil concentration ratio, dimensionless    | 9.200E-02      | 5.000E-02  | RTF( 4,1)      |
| D-34 | Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)    | 5.000E-03      | 5.000E-03  | RTF( 4,2)      |
| D-34 | Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)     | 3.200E-02      | 2.000E-02  | RTF( 4,3)      |
| D-34 | Sr-90+D , plant/soil concentration ratio, dimensionless  | 5.900E-01      | 3.000E-01  | RTF( 5,1)      |
| D-34 | Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)  | 8.000E-03      | 8.000E-03  | RTF( 5,2)      |
| D-34 | Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)   | 2.700E-03      | 2.000E-03  | RTF( 5,3)      |
| D-5  | Bioaccumulation factors, fresh water, L/kg:              |                |            |                |
| D-5  | Co-60 , fish   | 3.000E+02      | 3.000E+02  | BIOFAC( 1,1)   |
| D-5  | Co-60 , crustacea and mollusks                           | 2.000E+02      | 2.000E+02  | BIOFAC( 1,2)   |
| D-5  | Cs-134 , fish  | 2.000E+03      | 2.000E+03  | BIOFAC( 2,1)   |
| D-5  | Cs-134 , crustacea and mollusks                          | 1.000E+02      | 1.000E+02  | BIOFAC( 2,2)   |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Subsurface Soil DCGL 120614 Plus FGR 11

| Menu | Parameter                         | Current Value# | Base Case* | Parameter Name |
|------|-----------------------------------|----------------|------------|----------------|
| D-5  | Cs-137+D , fish                   | 2.000E+03      | 2.000E+03  | BIOFAC( 3,1)   |
| D-5  | Cs-137+D , crustacea and mollusks | 1.000E+02      | 1.000E+02  | BIOFAC( 3,2)   |
| D-5  |                                   |                |            |                |
| D-5  | Ni-63 , fish                      | 1.000E+02      | 1.000E+02  | BIOFAC( 4,1)   |
| D-5  | Ni-63 , crustacea and mollusks    | 1.000E+02      | 1.000E+02  | BIOFAC( 4,2)   |
| D-5  |                                   |                |            |                |
| D-5  | Sr-90+D , fish                    | 6.000E+01      | 6.000E+01  | BIOFAC( 5,1)   |
| D-5  | Sr-90+D , crustacea and mollusks  | 1.000E+02      | 1.000E+02  | BIOFAC( 5,2)   |

#For DCF1(xxx) only, factors are for infinite depth &amp; area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Site-Specific Parameter Summary

| Menu | Parameter                                       | User Input | Default   | Used by RESRAD<br>(If different from user input) | Parameter Name |
|------|---|------------|-----------|--|----------------|
| R011 | Area of contaminated zone (m**2)                | 3.000E+03  | 1.000E+04 | ---  | AREA           |
| R011 | Thickness of contaminated zone (m)              | 1.000E+00  | 2.000E+00 | ---  | THICK0         |
| R011 | Fraction of contamination that is submerged     | 0.000E+00  | 0.000E+00 | ---  | SUBMFRACT      |
| R011 | Length parallel to aquifer flow (m)             | 6.180E+01  | 1.000E+02 | ---  | LCZPAQ         |
| R011 | Basic radiation dose limit (mrem/yr)            | 2.500E+01  | 3.000E+01 | ---  | BRDL           |
| R011 | Time since placement of material (yr)           | 0.000E+00  | 0.000E+00 | ---  | TI             |
| R011 | Times for calculations (yr)                     | 1.000E+00  | 1.000E+00 | ---  | T ( 2)         |
| R011 | Times for calculations (yr)                     | 3.000E+00  | 3.000E+00 | ---  | T ( 3)         |
| R011 | Times for calculations (yr)                     | 1.000E+01  | 1.000E+01 | ---  | T ( 4)         |
| R011 | Times for calculations (yr)                     | 3.000E+01  | 3.000E+01 | ---  | T ( 5)         |
| R011 | Times for calculations (yr)                     | 1.000E+02  | 1.000E+02 | ---  | T ( 6)         |
| R011 | Times for calculations (yr)                     | 3.000E+02  | 3.000E+02 | ---  | T ( 7)         |
| R011 | Times for calculations (yr)                     | 1.000E+03  | 1.000E+03 | ---  | T ( 8)         |
| R011 | Times for calculations (yr)                     | not used   | 0.000E+00 | ---  | T ( 9)         |
| R011 | Times for calculations (yr)                     | not used   | 0.000E+00 | ---  | T(10)          |
| R012 | Initial principal radionuclide (pCi/g): Co-60   | 1.000E+00  | 0.000E+00 | ---  | S1(1)          |
| R012 | Initial principal radionuclide (pCi/g): Cs-134  | 1.000E+00  | 0.000E+00 | ---  | S1(2)          |
| R012 | Initial principal radionuclide (pCi/g): Cs-137  | 1.000E+00  | 0.000E+00 | ---  | S1(3)          |
| R012 | Initial principal radionuclide (pCi/g): Ni-63   | 1.000E+00  | 0.000E+00 | ---  | S1(4)          |
| R012 | Initial principal radionuclide (pCi/g): Sr-90   | 1.000E+00  | 0.000E+00 | ---  | S1(5)          |
| R012 | Concentration in groundwater (pCi/L): Co-60     | not used   | 0.000E+00 | ---  | W1 ( 1)        |
| R012 | Concentration in groundwater (pCi/L): Cs-134    | not used   | 0.000E+00 | ---  | W1 ( 2)        |
| R012 | Concentration in groundwater (pCi/L): Cs-137    | not used   | 0.000E+00 | ---  | W1 ( 3)        |
| R012 | Concentration in groundwater (pCi/L): Ni-63     | not used   | 0.000E+00 | ---  | W1 ( 4)        |
| R012 | Concentration in groundwater (pCi/L): Sr-90     | not used   | 0.000E+00 | ---  | W1 ( 5)        |
| R013 | Cover depth (m)                                 | 0.000E+00  | 0.000E+00 | ---  | COVER0         |
| R013 | Density of cover material (g/cm**3)             | not used   | 1.500E+00 | ---  | DENSCV         |
| R013 | Cover depth erosion rate (m/yr)                 | not used   | 1.000E-03 | ---  | VCV            |
| R013 | Density of contaminated zone (g/cm**3)          | 1.800E+00  | 1.500E+00 | ---  | DENSCZ         |
| R013 | Contaminated zone erosion rate (m/yr)           | 1.500E-03  | 1.000E-03 | ---  | VCZ            |
| R013 | Contaminated zone total porosity                | 3.500E-01  | 4.000E-01 | ---  | TPCZ           |
| R013 | Contaminated zone field capacity                | 6.600E-02  | 2.000E-01 | ---  | FCCZ           |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 2.880E+03  | 1.000E+01 | ---  | HCCZ           |
| R013 | Contaminated zone b parameter                   | 9.700E-01  | 5.300E+00 | ---  | BCZ            |
| R013 | Average annual wind speed (m/sec)               | 4.200E+00  | 2.000E+00 | ---  | WIND           |
| R013 | Humidity in air (g/m**3)                        | not used   | 8.000E+00 | ---  | HUMID          |
| R013 | Evapotranspiration coefficient                  | 6.250E-01  | 5.000E-01 | ---  | EVAPTR         |
| R013 | Precipitation (m/yr)                            | 8.300E-01  | 1.000E+00 | ---  | PRECIP         |
| R013 | Irrigation (m/yr)                               | 1.900E-01  | 2.000E-01 | ---  | RI             |
| R013 | Irrigation mode                                 | overhead   | overhead  | ---  | IDITCH         |
| R013 | Runoff coefficient                              | 2.000E-01  | 2.000E-01 | ---  | RUNOFF         |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06  | 1.000E+06 | ---  | WAREA          |
| R013 | Accuracy for water/soil computations            | 1.000E-03  | 1.000E-03 | ---  | EPS            |
| R014 | Density of saturated zone (g/cm**3)             | 1.800E+00  | 1.500E+00 | ---  | DENSAQ         |
| R014 | Saturated zone total porosity                   | 3.500E-01  | 4.000E-01 | ---  | TPSZ           |
| R014 | Saturated zone effective porosity               | 2.900E-01  | 2.000E-01 | ---  | EPSZ           |
| R014 | Saturated zone field capacity                   | 6.600E-02  | 2.000E-01 | ---  | FCSZ           |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Site-Specific Parameter Summary (continued)

| Menu | Parameter  | User Input | Default   | Used by RESRAD<br>(If different from user input) | Parameter Name |
|------|--|------------|-----------|--|----------------|
| R014 | Saturated zone hydraulic conductivity (m/yr)     | 2.880E+03  | 1.000E+02 | ---  | HCSZ           |
| R014 | Saturated zone hydraulic gradient                | 3.900E-03  | 2.000E-02 | ---  | HGWT           |
| R014 | Saturated zone b parameter                       | not used   | 5.300E+00 | ---  | BSZ            |
| R014 | Water table drop rate (m/yr)                     | 0.000E+00  | 1.000E-03 | ---  | VWT            |
| R014 | Well pump intake depth (m below water table)     | 3.300E+00  | 1.000E+01 | ---  | DWIBWT         |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB)   | ND         | ND        | ---  | MODEL          |
| R014 | Well pumping rate (m <sup>3</sup> /yr)           | 2.250E+03  | 2.500E+02 | ---  | UW             |
| R015 | Number of unsaturated zone strata                | 1          | 1         | ---  | NS             |
| R015 | Unsat. zone 1, thickness (m)                     | 2.600E+00  | 4.000E+00 | ---  | H(1)           |
| R015 | Unsat. zone 1, soil density (g/cm <sup>3</sup> ) | 1.800E+00  | 1.500E+00 | ---  | DENSUZ(1)      |
| R015 | Unsat. zone 1, total porosity                    | 3.500E-01  | 4.000E-01 | ---  | TPUZ(1)        |
| R015 | Unsat. zone 1, effective porosity                | 2.900E-01  | 2.000E-01 | ---  | EPUZ(1)        |
| R015 | Unsat. zone 1, field capacity                    | 6.600E-02  | 2.000E-01 | ---  | FCUZ(1)        |
| R015 | Unsat. zone 1, soil-specific b parameter         | 9.700E-01  | 5.300E+00 | ---  | BUZ(1)         |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr)     | 2.880E+03  | 1.000E+01 | ---  | HCUZ(1)        |
| R016 | Distribution coefficients for Co-60              |            |           |  |                |
| R016 | Contaminated zone (cm <sup>3</sup> /g)           | 1.161E+03  | 1.000E+03 | ---  | DCNUCC(1)      |
| R016 | Unsat. zone 1 (cm <sup>3</sup> /g)               | 1.161E+03  | 1.000E+03 | ---  | DCNUCU(1,1)    |
| R016 | Saturated zone (cm <sup>3</sup> /g)              | 1.161E+03  | 1.000E+03 | ---  | DCNUCS(1)      |
| R016 | Leach rate (/yr)                                 | 0.000E+00  | 0.000E+00 | 1.532E-04  | ALEACH(1)      |
| R016 | Solubility constant                              | 0.000E+00  | 0.000E+00 | not used   | SOLUBK(1)      |
| R016 | Distribution coefficients for Cs-134             |            |           |  |                |
| R016 | Contaminated zone (cm <sup>3</sup> /g)           | 6.150E+02  | 4.600E+03 | ---  | DCNUCC(2)      |
| R016 | Unsat. zone 1 (cm <sup>3</sup> /g)               | 6.150E+02  | 4.600E+03 | ---  | DCNUCU(2,1)    |
| R016 | Saturated zone (cm <sup>3</sup> /g)              | 6.150E+02  | 4.600E+03 | ---  | DCNUCS(2)      |
| R016 | Leach rate (/yr)                                 | 0.000E+00  | 0.000E+00 | 2.893E-04  | ALEACH(2)      |
| R016 | Solubility constant                              | 0.000E+00  | 0.000E+00 | not used   | SOLUBK(2)      |
| R016 | Distribution coefficients for Cs-137             |            |           |  |                |
| R016 | Contaminated zone (cm <sup>3</sup> /g)           | 6.150E+02  | 4.600E+03 | ---  | DCNUCC(3)      |
| R016 | Unsat. zone 1 (cm <sup>3</sup> /g)               | 6.150E+02  | 4.600E+03 | ---  | DCNUCU(3,1)    |
| R016 | Saturated zone (cm <sup>3</sup> /g)              | 6.150E+02  | 4.600E+03 | ---  | DCNUCS(3)      |
| R016 | Leach rate (/yr)                                 | 0.000E+00  | 0.000E+00 | 2.893E-04  | ALEACH(3)      |
| R016 | Solubility constant                              | 0.000E+00  | 0.000E+00 | not used   | SOLUBK(3)      |
| R016 | Distribution coefficients for Ni-63              |            |           |  |                |
| R016 | Contaminated zone (cm <sup>3</sup> /g)           | 6.200E+01  | 1.000E+03 | ---  | DCNUCC(4)      |
| R016 | Unsat. zone 1 (cm <sup>3</sup> /g)               | 6.200E+01  | 1.000E+03 | ---  | DCNUCU(4,1)    |
| R016 | Saturated zone (cm <sup>3</sup> /g)              | 6.200E+01  | 1.000E+03 | ---  | DCNUCS(4)      |
| R016 | Leach rate (/yr)                                 | 0.000E+00  | 0.000E+00 | 2.868E-03  | ALEACH(4)      |
| R016 | Solubility constant                              | 0.000E+00  | 0.000E+00 | not used   | SOLUBK(4)      |
| R016 | Distribution coefficients for Sr-90              |            |           |  |                |
| R016 | Contaminated zone (cm <sup>3</sup> /g)           | 2.300E+00  | 3.000E+01 | ---  | DCNUCC(5)      |
| R016 | Unsat. zone 1 (cm <sup>3</sup> /g)               | 2.300E+00  | 3.000E+01 | ---  | DCNUCU(5,1)    |
| R016 | Saturated zone (cm <sup>3</sup> /g)              | 2.300E+00  | 3.000E+01 | ---  | DCNUCS(5)      |
| R016 | Leach rate (/yr)                                 | 0.000E+00  | 0.000E+00 | 7.614E-02  | ALEACH(5)      |
| R016 | Solubility constant                              | 0.000E+00  | 0.000E+00 | not used   | SOLUBK(5)      |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Site-Specific Parameter Summary (continued)

| Menu | Parameter  | User Input | Default   | Used by RESRAD<br>(If different from user input) | Parameter Name |
|------|--|------------|-----------|--|----------------|
| R017 | Inhalation rate (m <sup>3</sup> /yr)             | 8.400E+03  | 8.400E+03 | ---  | INHALR         |
| R017 | Mass loading for inhalation (g/m <sup>3</sup> )  | 2.350E-05  | 1.000E-04 | ---  | MLINH          |
| R017 | Exposure duration                                | 3.000E+01  | 3.000E+01 | ---  | ED             |
| R017 | Shielding factor, inhalation                     | 5.500E-01  | 4.000E-01 | ---  | SHF3           |
| R017 | Shielding factor, external gamma                 | 4.000E-01  | 7.000E-01 | ---  | SHF1           |
| R017 | Fraction of time spent indoors                   | 6.490E-01  | 5.000E-01 | ---  | FIND           |
| R017 | Fraction of time spent outdoors (on site)        | 1.240E-01  | 2.500E-01 | ---  | FOTD           |
| R017 | Shape factor flag, external gamma                | 1.000E+00  | 1.000E+00 | >0 shows circular AREA.                          | FS             |
| R017 | Radii of shape factor array (used if FS = -1):   |            |           |  |                |
| R017 | Outer annular radius (m), ring 1:                | not used   | 5.000E+01 | ---  | RAD_SHAPE ( 1) |
| R017 | Outer annular radius (m), ring 2:                | not used   | 7.071E+01 | ---  | RAD_SHAPE ( 2) |
| R017 | Outer annular radius (m), ring 3:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 3) |
| R017 | Outer annular radius (m), ring 4:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 4) |
| R017 | Outer annular radius (m), ring 5:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 5) |
| R017 | Outer annular radius (m), ring 6:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 6) |
| R017 | Outer annular radius (m), ring 7:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 7) |
| R017 | Outer annular radius (m), ring 8:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 8) |
| R017 | Outer annular radius (m), ring 9:                | not used   | 0.000E+00 | ---  | RAD_SHAPE ( 9) |
| R017 | Outer annular radius (m), ring 10:               | not used   | 0.000E+00 | ---  | RAD_SHAPE(10)  |
| R017 | Outer annular radius (m), ring 11:               | not used   | 0.000E+00 | ---  | RAD_SHAPE(11)  |
| R017 | Outer annular radius (m), ring 12:               | not used   | 0.000E+00 | ---  | RAD_SHAPE(12)  |
| R017 | Fractions of annular areas within AREA:          |            |           |  |                |
| R017 | Ring 1   | not used   | 1.000E+00 | ---  | FRACA ( 1)     |
| R017 | Ring 2   | not used   | 2.732E-01 | ---  | FRACA ( 2)     |
| R017 | Ring 3   | not used   | 0.000E+00 | ---  | FRACA ( 3)     |
| R017 | Ring 4   | not used   | 0.000E+00 | ---  | FRACA ( 4)     |
| R017 | Ring 5   | not used   | 0.000E+00 | ---  | FRACA ( 5)     |
| R017 | Ring 6   | not used   | 0.000E+00 | ---  | FRACA ( 6)     |
| R017 | Ring 7   | not used   | 0.000E+00 | ---  | FRACA ( 7)     |
| R017 | Ring 8   | not used   | 0.000E+00 | ---  | FRACA ( 8)     |
| R017 | Ring 9   | not used   | 0.000E+00 | ---  | FRACA ( 9)     |
| R017 | Ring 10  | not used   | 0.000E+00 | ---  | FRACA(10)      |
| R017 | Ring 11  | not used   | 0.000E+00 | ---  | FRACA(11)      |
| R017 | Ring 12  | not used   | 0.000E+00 | ---  | FRACA(12)      |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | 1.120E+02  | 1.600E+02 | ---  | DIET(1)        |
| R018 | Leafy vegetable consumption (kg/yr)              | 2.140E+01  | 1.400E+01 | ---  | DIET(2)        |
| R018 | Milk consumption (L/yr)                          | 2.330E+02  | 9.200E+01 | ---  | DIET(3)        |
| R018 | Meat and poultry consumption (kg/yr)             | 6.510E+01  | 6.300E+01 | ---  | DIET(4)        |
| R018 | Fish consumption (kg/yr)                         | not used   | 5.400E+00 | ---  | DIET(5)        |
| R018 | Other seafood consumption (kg/yr)                | not used   | 9.000E-01 | ---  | DIET(6)        |
| R018 | Soil ingestion rate (g/yr)                       | 1.830E+01  | 3.650E+01 | ---  | SOIL           |
| R018 | Drinking water intake (L/yr)                     | 4.780E+02  | 5.100E+02 | ---  | DWI            |
| R018 | Contamination fraction of drinking water         | 1.000E+00  | 1.000E+00 | ---  | FDW            |
| R018 | Contamination fraction of household water        | not used   | 1.000E+00 | ---  | FHHW           |
| R018 | Contamination fraction of livestock water        | 1.000E+00  | 1.000E+00 | ---  | FLW            |
| R018 | Contamination fraction of irrigation water       | 1.000E+00  | 1.000E+00 | ---  | FIRW           |
| R018 | Contamination fraction of aquatic food           | not used   | 5.000E-01 | ---  | FR9            |
| R018 | Contamination fraction of plant food             | -1         | -1        | 0.500E+00  | FPLANT         |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Site-Specific Parameter Summary (continued)

| Menu | Parameter  | User Input | Default   | Used by RESRAD<br>(If different from user input) | Parameter Name |
|------|--|------------|-----------|--|----------------|
| R018 | Contamination fraction of meat                   | -1         | -1        | 0.150E+00  | FMEAT          |
| R018 | Contamination fraction of milk                   | -1         | -1        | 0.150E+00  | FMILK          |
| R019 | Livestock fodder intake for meat (kg/day)        | 2.830E+01  | 6.800E+01 | ---  | LFI5           |
| R019 | Livestock fodder intake for milk (kg/day)        | 6.520E+01  | 5.500E+01 | ---  | LFI6           |
| R019 | Livestock water intake for meat (L/day)          | 5.060E+01  | 5.000E+01 | ---  | LWI5           |
| R019 | Livestock water intake for milk (L/day)          | 6.000E+01  | 1.600E+02 | ---  | LWI6           |
| R019 | Livestock soil intake (kg/day)                   | 5.000E-01  | 5.000E-01 | ---  | LSI            |
| R019 | Mass loading for foliar deposition (g/m**3)      | 4.000E-04  | 1.000E-04 | ---  | MLFD           |
| R019 | Depth of soil mixing layer (m)                   | 2.300E-01  | 1.500E-01 | ---  | DM             |
| R019 | Depth of roots (m)                               | 1.220E+00  | 9.000E-01 | ---  | DROOT          |
| R019 | Drinking water fraction from ground water        | 1.000E+00  | 1.000E+00 | ---  | FGWDW          |
| R019 | Household water fraction from ground water       | not used   | 1.000E+00 | ---  | FGWHH          |
| R019 | Livestock water fraction from ground water       | 1.000E+00  | 1.000E+00 | ---  | FGWLW          |
| R019 | Irrigation fraction from ground water            | 1.000E+00  | 1.000E+00 | ---  | FGWIR          |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2)    | 1.750E+00  | 7.000E-01 | ---  | YV(1)          |
| R19B | Wet weight crop yield for Leafy (kg/m**2)        | 2.900E+00  | 1.500E+00 | ---  | YV(2)          |
| R19B | Wet weight crop yield for Fodder (kg/m**2)       | 1.900E+00  | 1.100E+00 | ---  | YV(3)          |
| R19B | Growing Season for Non-Leafy (years)             | 2.460E-01  | 1.700E-01 | ---  | TE(1)          |
| R19B | Growing Season for Leafy (years)                 | 1.230E-01  | 2.500E-01 | ---  | TE(2)          |
| R19B | Growing Season for Fodder (years)                | 8.200E-02  | 8.000E-02 | ---  | TE(3)          |
| R19B | Translocation Factor for Non-Leafy               | 1.000E-01  | 1.000E-01 | ---  | TIV(1)         |
| R19B | Translocation Factor for Leafy                   | 1.000E+00  | 1.000E+00 | ---  | TIV(2)         |
| R19B | Translocation Factor for Fodder                  | 1.000E+00  | 1.000E+00 | ---  | TIV(3)         |
| R19B | Dry Foliar Interception Fraction for Non-Leafy   | 3.500E-01  | 2.500E-01 | ---  | RDRY(1)        |
| R19B | Dry Foliar Interception Fraction for Leafy       | 3.500E-01  | 2.500E-01 | ---  | RDRY(2)        |
| R19B | Dry Foliar Interception Fraction for Fodder      | 3.500E-01  | 2.500E-01 | ---  | RDRY(3)        |
| R19B | Wet Foliar Interception Fraction for Non-Leafy   | 3.500E-01  | 2.500E-01 | ---  | RWET(1)        |
| R19B | Wet Foliar Interception Fraction for Leafy       | 5.800E-01  | 2.500E-01 | ---  | RWET(2)        |
| R19B | Wet Foliar Interception Fraction for Fodder      | 3.500E-01  | 2.500E-01 | ---  | RWET(3)        |
| R19B | Weathering Removal Constant for Vegetation       | 3.300E+01  | 2.000E+01 | ---  | WLAM           |
| C14  | C-12 concentration in water (g/cm**3)            | not used   | 2.000E-05 | ---  | C12WTR         |
| C14  | C-12 concentration in contaminated soil (g/g)    | not used   | 3.000E-02 | ---  | C12CZ          |
| C14  | Fraction of vegetation carbon from soil          | not used   | 2.000E-02 | ---  | CSOIL          |
| C14  | Fraction of vegetation carbon from air           | not used   | 9.800E-01 | ---  | CAIR           |
| C14  | C-14 evasion layer thickness in soil (m)         | not used   | 3.000E-01 | ---  | DMC            |
| C14  | C-14 evasion flux rate from soil (1/sec)         | not used   | 7.000E-07 | ---  | EVSN           |
| C14  | C-12 evasion flux rate from soil (1/sec)         | not used   | 1.000E-10 | ---  | REVSN          |
| C14  | Fraction of grain in beef cattle feed            | not used   | 8.000E-01 | ---  | AVFG4          |
| C14  | Fraction of grain in milk cow feed               | not used   | 2.000E-01 | ---  | AVFG5          |
| STOR | Storage times of contaminated foodstuffs (days): |            |           |  |                |
| STOR | Fruits, non-leafy vegetables, and grain          | 1.400E+01  | 1.400E+01 | ---  | STOR_T(1)      |
| STOR | Leafy vegetables                                 | 1.000E+00  | 1.000E+00 | ---  | STOR_T(2)      |
| STOR | Milk   | 1.000E+00  | 1.000E+00 | ---  | STOR_T(3)      |
| STOR | Meat and poultry                                 | 1.000E+00  | 2.000E+01 | ---  | STOR_T(4)      |
| STOR | Fish   | 7.000E+00  | 7.000E+00 | ---  | STOR_T(5)      |
| STOR | Crustacea and mollusks                           | 7.000E+00  | 7.000E+00 | ---  | STOR_T(6)      |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Site-Specific Parameter Summary (continued)

| Menu | Parameter  | User Input | Default    | Used by RESRAD<br>(If different from user input) | Parameter Name |
|------|--|------------|------------|--|----------------|
| STOR | Well water   | 1.000E+00  | 1.000E+00  | ---  | STOR_T(7)      |
| STOR | Surface water  | 1.000E+00  | 1.000E+00  | ---  | STOR_T(8)      |
| STOR | Livestock fodder   | 4.500E+01  | 4.500E+01  | ---  | STOR_T(9)      |
| R021 | Thickness of building foundation (m)                     | not used   | 1.500E-01  | ---  | FLOOR1         |
| R021 | Bulk density of building foundation (g/cm <sup>3</sup> ) | not used   | 2.400E+00  | ---  | DENSFL         |
| R021 | Total porosity of the cover material                     | not used   | 4.000E-01  | ---  | TPCV           |
| R021 | Total porosity of the building foundation                | not used   | 1.000E-01  | ---  | TPFL           |
| R021 | Volumetric water content of the cover material           | not used   | 5.000E-02  | ---  | PH2OCV         |
| R021 | Volumetric water content of the foundation               | not used   | 3.000E-02  | ---  | PH2OFL         |
| R021 | Diffusion coefficient for radon gas (m/sec):             |            |            |  |                |
| R021 | in cover material  | not used   | 2.000E-06  | ---  | DIFCV          |
| R021 | in foundation material                                   | not used   | 3.000E-07  | ---  | DIFFL          |
| R021 | in contaminated zone soil                                | not used   | 2.000E-06  | ---  | DIFCZ          |
| R021 | Radon vertical dimension of mixing (m)                   | not used   | 2.000E+00  | ---  | HMIX           |
| R021 | Average building air exchange rate (1/hr)                | not used   | 5.000E-01  | ---  | REXG           |
| R021 | Height of the building (room) (m)                        | not used   | 2.500E+00  | ---  | HRM            |
| R021 | Building interior area factor                            | not used   | 0.000E+00  | ---  | FAI            |
| R021 | Building depth below ground surface (m)                  | not used   | -1.000E+00 | ---  | DMFL           |
| R021 | Emanating power of Rn-222 gas                            | not used   | 2.500E-01  | ---  | EMANA(1)       |
| R021 | Emanating power of Rn-220 gas                            | not used   | 1.500E-01  | ---  | EMANA(2)       |
| TITL | Number of graphical time points                          | 512        | ---        | ---  | NPTS           |
| TITL | Maximum number of integration points for dose            | 17         | ---        | ---  | LYMAX          |
| TITL | Maximum number of integration points for risk            | 17         | ---        | ---  | KYMAX          |

## Summary of Pathway Selections

| Pathway                     | User Selection |
|-----------------------------|----------------|
| 1 -- external gamma         | active         |
| 2 -- inhalation (w/o radon) | active         |
| 3 -- plant ingestion        | active         |
| 4 -- meat ingestion         | active         |
| 5 -- milk ingestion         | active         |
| 6 -- aquatic foods          | suppressed     |
| 7 -- drinking water         | active         |
| 8 -- soil ingestion         | active         |
| 9 -- radon                  | suppressed     |
| Find peak pathway doses     | active         |



Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

|              |                       |        |           |
|--------------|-----------------------|--------|-----------|
| Area:        | 3000.00 square meters | Co-60  | 1.000E+00 |
| Thickness:   | 1.00 meters           | Cs-134 | 1.000E+00 |
| Cover Depth: | 0.00 meters           | Cs-137 | 1.000E+00 |
|              |                       | Ni-63  | 1.000E+00 |
|              |                       | Sr-90  | 1.000E+00 |

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

|            |           |           |           |           |           |           |           |           |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| TDOSE(t):  | 1.579E+01 | 1.361E+01 | 1.036E+01 | 4.782E+00 | 1.822E+00 | 1.615E-01 | 1.500E-03 | 7.268E-07 |
| M(t):      | 6.317E-01 | 5.444E-01 | 4.145E-01 | 1.913E-01 | 7.287E-02 | 6.462E-03 | 6.001E-05 | 2.907E-08 |

Maximum TDOSE(t): 1.579E+01 mrem/yr at t = 0.000E+00 years

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground    |        | Inhalation |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | Soil      |        |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
|                   | mrem/yr   | fract. | mrem/yr    | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. |
| Co-60             | 5.328E+00 | 0.3374 | 1.427E-06  | 0.0000 | 0.000E+00 | 0.0000 | 2.066E-01 | 0.0131 | 5.678E-02 | 0.0036 | 1.500E-02 | 0.0009 | 3.565E-04 | 0.0000 |
| Cs-134            | 2.799E+00 | 0.1773 | 2.728E-07  | 0.0000 | 0.000E+00 | 0.0000 | 2.653E-01 | 0.0168 | 9.123E-02 | 0.0058 | 1.422E-01 | 0.0090 | 8.807E-04 | 0.0001 |
| Cs-137            | 1.171E+00 | 0.0742 | 2.192E-07  | 0.0000 | 0.000E+00 | 0.0000 | 2.106E-01 | 0.0133 | 7.242E-02 | 0.0046 | 1.129E-01 | 0.0071 | 6.991E-04 | 0.0000 |
| Ni-63             | 0.000E+00 | 0.0000 | 4.352E-08  | 0.0000 | 0.000E+00 | 0.0000 | 2.886E-03 | 0.0002 | 7.383E-05 | 0.0000 | 3.478E-03 | 0.0002 | 8.122E-06 | 0.0000 |
| Sr-90             | 8.203E-03 | 0.0005 | 8.656E-06  | 0.0000 | 0.000E+00 | 0.0000 | 4.697E+00 | 0.2974 | 1.624E-01 | 0.0103 | 4.430E-01 | 0.0281 | 2.057E-03 | 0.0001 |
| Total             | 9.307E+00 | 0.5893 | 1.062E-05  | 0.0000 | 0.000E+00 | 0.0000 | 5.383E+00 | 0.3408 | 3.829E-01 | 0.0242 | 7.165E-01 | 0.0454 | 4.001E-03 | 0.0003 |

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Dependent Pathways

| Radio-<br>Nuclide | Water     |        | Fish      |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | All Pathways* |        |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
|                   | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr       | fract. |
| Co-60             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.607E+00     | 0.3550 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.299E+00     | 0.2089 |
| Cs-137            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.568E+00     | 0.0993 |
| Ni-63             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.446E-03     | 0.0004 |
| Sr-90             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.313E+00     | 0.3364 |
| Total             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.579E+01     | 1.0000 |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground    |        | Inhalation |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | Soil      |        |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
|                   | mrem/yr   | fract. | mrem/yr    | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. |
| Co-60             | 4.671E+00 | 0.3432 | 1.251E-06  | 0.0000 | 0.000E+00 | 0.0000 | 1.808E-01 | 0.0133 | 4.971E-02 | 0.0037 | 1.313E-02 | 0.0010 | 3.126E-04 | 0.0000 |
| Cs-134            | 2.001E+00 | 0.1470 | 1.950E-07  | 0.0000 | 0.000E+00 | 0.0000 | 1.893E-01 | 0.0139 | 6.512E-02 | 0.0048 | 1.015E-01 | 0.0075 | 6.294E-04 | 0.0000 |
| Cs-137            | 1.144E+00 | 0.0841 | 2.142E-07  | 0.0000 | 0.000E+00 | 0.0000 | 2.055E-01 | 0.0151 | 7.067E-02 | 0.0052 | 1.101E-01 | 0.0081 | 6.831E-04 | 0.0001 |
| Ni-63             | 0.000E+00 | 0.0000 | 4.310E-08  | 0.0000 | 0.000E+00 | 0.0000 | 2.854E-03 | 0.0002 | 7.303E-05 | 0.0000 | 3.439E-03 | 0.0003 | 8.043E-06 | 0.0000 |
| Sr-90             | 7.421E-03 | 0.0005 | 7.831E-06  | 0.0000 | 0.000E+00 | 0.0000 | 4.244E+00 | 0.3118 | 1.468E-01 | 0.0108 | 4.005E-01 | 0.0294 | 1.861E-03 | 0.0001 |
| Total             | 7.823E+00 | 0.5748 | 9.534E-06  | 0.0000 | 0.000E+00 | 0.0000 | 4.822E+00 | 0.3543 | 3.324E-01 | 0.0244 | 6.287E-01 | 0.0462 | 3.494E-03 | 0.0003 |

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Dependent Pathways

| Radio-<br>Nuclide | Water     |        | Fish      |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | All Pathways* |        |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
|                   | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr       | fract. |
| Co-60             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.915E+00     | 0.3611 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.357E+00     | 0.1732 |
| Cs-137            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.531E+00     | 0.1125 |
| Ni-63             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.374E-03     | 0.0005 |
| Sr-90             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.801E+00     | 0.3527 |
| Total             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.361E+01     | 1.0000 |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground    |        | Inhalation |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | Soil      |        |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
|                   | mrem/yr   | fract. | mrem/yr    | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. |
| Co-60             | 3.590E+00 | 0.3464 | 9.612E-07  | 0.0000 | 0.000E+00 | 0.0000 | 1.385E-01 | 0.0134 | 3.811E-02 | 0.0037 | 1.006E-02 | 0.0010 | 2.402E-04 | 0.0000 |
| Cs-134            | 1.022E+00 | 0.0986 | 9.957E-08  | 0.0000 | 0.000E+00 | 0.0000 | 9.640E-02 | 0.0093 | 3.318E-02 | 0.0032 | 5.168E-02 | 0.0050 | 3.214E-04 | 0.0000 |
| Cs-137            | 1.092E+00 | 0.1054 | 2.045E-07  | 0.0000 | 0.000E+00 | 0.0000 | 1.955E-01 | 0.0189 | 6.730E-02 | 0.0065 | 1.048E-01 | 0.0101 | 6.520E-04 | 0.0001 |
| Ni-63             | 0.000E+00 | 0.0000 | 4.226E-08  | 0.0000 | 0.000E+00 | 0.0000 | 2.790E-03 | 0.0003 | 7.144E-05 | 0.0000 | 3.364E-03 | 0.0003 | 7.887E-06 | 0.0000 |
| Sr-90             | 6.073E-03 | 0.0006 | 6.409E-06  | 0.0000 | 0.000E+00 | 0.0000 | 3.463E+00 | 0.3341 | 1.198E-01 | 0.0116 | 3.268E-01 | 0.0315 | 1.523E-03 | 0.0001 |
| Total             | 5.710E+00 | 0.5509 | 7.716E-06  | 0.0000 | 0.000E+00 | 0.0000 | 3.896E+00 | 0.3759 | 2.585E-01 | 0.0249 | 4.967E-01 | 0.0479 | 2.744E-03 | 0.0003 |

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Dependent Pathways

| Radio-<br>Nuclide | Water     |        | Fish      |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | All Pathways* |        |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
|                   | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr       | fract. |
| Co-60             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.777E+00     | 0.3644 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.203E+00     | 0.1161 |
| Cs-137            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.460E+00     | 0.1409 |
| Ni-63             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.233E-03     | 0.0006 |
| Sr-90             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.917E+00     | 0.3779 |
| Total             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.036E+01     | 1.0000 |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground           |               | Inhalation       |               | Radon            |               | Plant            |               | Meat             |               | Milk             |               | Soil             |               |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
|                   | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        |
| Co-60             | 1.428E+00        | 0.2987        | 3.825E-07        | 0.0000        | 0.000E+00        | 0.0000        | 5.454E-02        | 0.0114        | 1.502E-02        | 0.0031        | 3.964E-03        | 0.0008        | 9.558E-05        | 0.0000        |
| Cs-134            | 9.725E-02        | 0.0203        | 9.478E-09        | 0.0000        | 0.000E+00        | 0.0000        | 9.079E-03        | 0.0019        | 3.132E-03        | 0.0007        | 4.873E-03        | 0.0010        | 3.059E-05        | 0.0000        |
| Cs-137            | 9.280E-01        | 0.1941        | 1.737E-07        | 0.0000        | 0.000E+00        | 0.0000        | 1.644E-01        | 0.0344        | 5.671E-02        | 0.0119        | 8.823E-02        | 0.0185        | 5.540E-04        | 0.0001        |
| Ni-63             | 0.000E+00        | 0.0000        | 3.946E-08        | 0.0000        | 0.000E+00        | 0.0000        | 2.578E-03        | 0.0005        | 6.614E-05        | 0.0000        | 3.111E-03        | 0.0007        | 7.365E-06        | 0.0000        |
| Sr-90             | 3.011E-03        | 0.0006        | 3.178E-06        | 0.0000        | 0.000E+00        | 0.0000        | 1.699E+00        | 0.3553        | 5.880E-02        | 0.0123        | 1.604E-01        | 0.0335        | 7.550E-04        | 0.0002        |
| <b>Total</b>      | <b>2.457E+00</b> | <b>0.5138</b> | <b>3.783E-06</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>1.929E+00</b> | <b>0.4035</b> | <b>1.337E-01</b> | <b>0.0280</b> | <b>2.605E-01</b> | <b>0.0545</b> | <b>1.443E-03</b> | <b>0.0003</b> |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio-<br>Nuclide | Water            |               | Fish             |               | Radon            |               | Plant            |               | Meat             |               | Milk             |               | All Pathways*    |               |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
|                   | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        |
| Co-60             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 1.502E+00        | 0.3141        |
| Cs-134            | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 1.144E-01        | 0.0239        |
| Cs-137            | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 1.238E+00        | 0.2589        |
| Ni-63             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 5.762E-03        | 0.0012        |
| Sr-90             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 1.922E+00        | 0.4019        |
| <b>Total</b>      | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>4.782E+00</b> | <b>1.0000</b> |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground    |        | Inhalation |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | Soil      |        |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
|                   | mrem/yr   | fract. | mrem/yr    | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. |
| Co-60             | 1.027E-01 | 0.0563 | 2.749E-08  | 0.0000 | 0.000E+00 | 0.0000 | 3.800E-03 | 0.0021 | 1.051E-03 | 0.0006 | 2.767E-04 | 0.0002 | 6.869E-06 | 0.0000 |
| Cs-134            | 1.174E-04 | 0.0001 | 1.144E-11  | 0.0000 | 0.000E+00 | 0.0000 | 1.062E-05 | 0.0000 | 3.690E-06 | 0.0000 | 5.721E-06 | 0.0000 | 3.692E-08 | 0.0000 |
| Cs-137            | 5.827E-01 | 0.3199 | 1.091E-07  | 0.0000 | 0.000E+00 | 0.0000 | 1.001E-01 | 0.0549 | 3.476E-02 | 0.0191 | 5.390E-02 | 0.0296 | 3.479E-04 | 0.0002 |
| Ni-63             | 0.000E+00 | 0.0000 | 3.244E-08  | 0.0000 | 0.000E+00 | 0.0000 | 2.055E-03 | 0.0011 | 5.303E-05 | 0.0000 | 2.487E-03 | 0.0014 | 6.055E-06 | 0.0000 |
| Sr-90             | 4.058E-04 | 0.0002 | 4.282E-07  | 0.0000 | 0.000E+00 | 0.0000 | 2.219E-01 | 0.1218 | 7.691E-03 | 0.0042 | 2.096E-02 | 0.0115 | 1.017E-04 | 0.0001 |
| Total             | 6.859E-01 | 0.3765 | 5.972E-07  | 0.0000 | 0.000E+00 | 0.0000 | 3.279E-01 | 0.1800 | 4.356E-02 | 0.0239 | 7.763E-02 | 0.0426 | 4.626E-04 | 0.0003 |

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Dependent Pathways

| Radio-<br>Nuclide | Water     |        | Fish      |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | All Pathways* |        |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
|                   | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr       | fract. |
| Co-60             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.078E-01     | 0.0592 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.374E-04     | 0.0001 |
| Cs-137            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.718E-01     | 0.4237 |
| Ni-63             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.601E-03     | 0.0025 |
| Sr-90             | 6.324E-01 | 0.3472 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.051E-02 | 0.0167 | 8.039E-03 | 0.0044 | 1.532E-02 | 0.0084 | 9.374E-01     | 0.5146 |
| Total             | 6.324E-01 | 0.3472 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.051E-02 | 0.0167 | 8.039E-03 | 0.0044 | 1.532E-02 | 0.0084 | 1.822E+00     | 1.0000 |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground    |        | Inhalation |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | Soil      |        |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
|                   | mrem/yr   | fract. | mrem/yr    | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. |
| Co-60             | 1.021E-05 | 0.0001 | 2.735E-12  | 0.0000 | 0.000E+00 | 0.0000 | 3.365E-07 | 0.0000 | 9.457E-08 | 0.0000 | 2.469E-08 | 0.0000 | 6.835E-10 | 0.0000 |
| Cs-134            | 7.168E-15 | 0.0000 | 6.985E-22  | 0.0000 | 0.000E+00 | 0.0000 | 5.774E-16 | 0.0000 | 2.061E-16 | 0.0000 | 3.152E-16 | 0.0000 | 2.255E-18 | 0.0000 |
| Cs-137            | 1.143E-01 | 0.7078 | 2.140E-08  | 0.0000 | 0.000E+00 | 0.0000 | 1.748E-02 | 0.1082 | 6.239E-03 | 0.0386 | 9.541E-03 | 0.0591 | 6.825E-05 | 0.0004 |
| Ni-63             | 0.000E+00 | 0.0000 | 1.635E-08  | 0.0000 | 0.000E+00 | 0.0000 | 9.214E-04 | 0.0057 | 2.436E-05 | 0.0002 | 1.128E-03 | 0.0070 | 3.051E-06 | 0.0000 |
| Sr-90             | 3.644E-07 | 0.0000 | 3.846E-10  | 0.0000 | 0.000E+00 | 0.0000 | 1.774E-04 | 0.0011 | 6.175E-06 | 0.0000 | 1.679E-05 | 0.0001 | 9.137E-08 | 0.0000 |
| Total             | 1.143E-01 | 0.7078 | 3.814E-08  | 0.0000 | 0.000E+00 | 0.0000 | 1.857E-02 | 0.1150 | 6.269E-03 | 0.0388 | 1.069E-02 | 0.0662 | 7.140E-05 | 0.0004 |

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Dependent Pathways

| Radio-<br>Nuclide | Water     |        | Fish      |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | All Pathways* |        |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
|                   | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr       | fract. |
| Co-60             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.067E-05     | 0.0001 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.269E-15     | 0.0000 |
| Cs-137            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.477E-01     | 0.9141 |
| Ni-63             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.077E-03     | 0.0129 |
| Sr-90             | 1.067E-02 | 0.0660 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.197E-04 | 0.0032 | 1.389E-04 | 0.0009 | 2.673E-04 | 0.0017 | 1.180E-02     | 0.0730 |
| Total             | 1.067E-02 | 0.0660 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.197E-04 | 0.0032 | 1.389E-04 | 0.0009 | 2.673E-04 | 0.0017 | 1.615E-01     | 1.0000 |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground    |        | Inhalation |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | Soil      |        |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
|                   | mrem/yr   | fract. | mrem/yr    | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. |
| Co-60             | 3.752E-17 | 0.0000 | 1.005E-23  | 0.0000 | 0.000E+00 | 0.0000 | 7.998E-19 | 0.0000 | 2.425E-19 | 0.0000 | 6.087E-20 | 0.0000 | 2.512E-21 | 0.0000 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00  | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137            | 1.090E-03 | 0.7262 | 2.040E-10  | 0.0000 | 0.000E+00 | 0.0000 | 1.077E-04 | 0.0718 | 4.362E-05 | 0.0291 | 6.279E-05 | 0.0419 | 6.505E-07 | 0.0004 |
| Ni-63             | 0.000E+00 | 0.0000 | 2.306E-09  | 0.0000 | 0.000E+00 | 0.0000 | 8.407E-05 | 0.0560 | 2.485E-06 | 0.0017 | 1.090E-04 | 0.0726 | 4.304E-07 | 0.0003 |
| Sr-90             | 7.192E-16 | 0.0000 | 7.589E-19  | 0.0000 | 0.000E+00 | 0.0000 | 2.264E-13 | 0.0000 | 8.059E-15 | 0.0000 | 2.164E-14 | 0.0000 | 1.803E-16 | 0.0000 |
| Total             | 1.090E-03 | 0.7262 | 2.510E-09  | 0.0000 | 0.000E+00 | 0.0000 | 1.918E-04 | 0.1278 | 4.610E-05 | 0.0307 | 1.718E-04 | 0.1145 | 1.081E-06 | 0.0007 |

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

## Water Dependent Pathways

| Radio-<br>Nuclide | Water     |        | Fish      |        | Radon     |        | Plant     |        | Meat      |        | Milk      |        | All Pathways* |        |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
|                   | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr   | fract. | mrem/yr       | fract. |
| Co-60             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.862E-17     | 0.0000 |
| Cs-134            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00     | 0.0000 |
| Cs-137            | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.304E-03     | 0.8694 |
| Ni-63             | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.960E-04     | 0.1306 |
| Sr-90             | 1.412E-11 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.879E-13 | 0.0000 | 1.838E-13 | 0.0000 | 3.538E-13 | 0.0000 | 1.560E-11     | 0.0000 |
| Total             | 1.412E-11 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.879E-13 | 0.0000 | 1.838E-13 | 0.0000 | 3.538E-13 | 0.0000 | 1.500E-03     | 1.0000 |

\*Sum of all water independent and dependent pathways.



Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio-<br>Nuclide | Ground           |               | Inhalation       |               | Radon            |               | Plant            |               | Meat             |               | Milk             |               | Soil             |               |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
|                   | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        |
| Co-60             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Cs-134            | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Cs-137            | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Ni-63             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Sr-90             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| <b>Total</b>      | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio-<br>Nuclide | Water            |               | Fish             |               | Radon            |               | Plant            |               | Meat             |               | Milk             |               | All Pathways*    |               |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
|                   | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        | mrem/yr          | fract.        |
| Co-60             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Cs-134            | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Cs-137            | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| Ni-63             | 5.422E-07        | 0.7461        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 2.188E-08        | 0.0301        | 4.360E-09        | 0.0060        | 1.583E-07        | 0.2178        | 7.268E-07        | 1.0000        |
| Sr-90             | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        | 0.000E+00        | 0.0000        |
| <b>Total</b>      | <b>5.422E-07</b> | <b>0.7461</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>0.000E+00</b> | <b>0.0000</b> | <b>2.188E-08</b> | <b>0.0301</b> | <b>4.360E-09</b> | <b>0.0060</b> | <b>1.583E-07</b> | <b>0.2178</b> | <b>7.268E-07</b> | <b>1.0000</b> |

\*Sum of all water independent and dependent pathways.

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent<br>(i) | Product<br>(j) | Thread<br>Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) |           |           |           |           |           |           |           |
|---------------|----------------|--------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|               |                |                    | 0.000E+00                                   | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| Co-60         | Co-60          | 1.000E+00          | 5.607E+00                                   | 4.915E+00 | 3.777E+00 | 1.502E+00 | 1.078E-01 | 1.067E-05 | 3.862E-17 | 0.000E+00 |
| Cs-134        | Cs-134         | 1.000E+00          | 3.299E+00                                   | 2.357E+00 | 1.203E+00 | 1.144E-01 | 1.374E-04 | 8.269E-15 | 4.764E-44 | 0.000E+00 |
| Cs-137+D      | Cs-137+D       | 1.000E+00          | 1.568E+00                                   | 1.531E+00 | 1.460E+00 | 1.238E+00 | 7.718E-01 | 1.477E-01 | 1.304E-03 | 0.000E+00 |
| Ni-63         | Ni-63          | 1.000E+00          | 6.446E-03                                   | 6.374E-03 | 6.233E-03 | 5.762E-03 | 4.601E-03 | 2.077E-03 | 1.960E-04 | 7.268E-07 |
| Sr-90+D       | Sr-90+D        | 1.000E+00          | 5.313E+00                                   | 4.801E+00 | 3.917E+00 | 1.922E+00 | 9.374E-01 | 1.180E-02 | 1.560E-11 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide<br>(i) | t= | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02  | 3.000E+02  | 1.000E+03  |
|----------------|----|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|
| Co-60          |    | 4.459E+00 | 5.087E+00 | 6.620E+00 | 1.664E+01 | 2.319E+02 | 2.343E+06  | *1.113E+15 | *1.113E+15 |
| Cs-134         |    | 7.578E+00 | 1.061E+01 | 2.078E+01 | 2.186E+02 | 1.819E+05 | *1.283E+15 | *1.283E+15 | *1.283E+15 |
| Cs-137         |    | 1.595E+01 | 1.633E+01 | 1.712E+01 | 2.019E+01 | 3.239E+01 | 1.693E+02  | 1.917E+04  | *8.593E+13 |
| Ni-63          |    | 3.878E+03 | 3.922E+03 | 4.011E+03 | 4.339E+03 | 5.434E+03 | 1.204E+04  | 1.276E+05  | 3.440E+07  |
| Sr-90          |    | 4.705E+00 | 5.208E+00 | 6.383E+00 | 1.301E+01 | 2.667E+01 | 2.119E+03  | 1.602E+12  | *1.366E+14 |

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 0.000E+00 years

| Nuclide<br>(i) | Initial<br>(pCi/g) | tmin<br>(years) | DSR(i,tmin) | G(i,tmin)<br>(pCi/g) | DSR(i,tmax) | G(i,tmax)<br>(pCi/g) |
|----------------|--------------------|-----------------|-------------|----------------------|-------------|----------------------|
| Co-60          | 1.000E+00          | 0.000E+00       | 5.607E+00   | 4.459E+00            | 5.607E+00   | 4.459E+00            |
| Cs-134         | 1.000E+00          | 0.000E+00       | 3.299E+00   | 7.578E+00            | 3.299E+00   | 7.578E+00            |
| Cs-137         | 1.000E+00          | 0.000E+00       | 1.568E+00   | 1.595E+01            | 1.568E+00   | 1.595E+01            |
| Ni-63          | 1.000E+00          | 0.000E+00       | 6.446E-03   | 3.878E+03            | 6.446E-03   | 3.878E+03            |
| Sr-90          | 1.000E+00          | 0.000E+00       | 5.313E+00   | 4.705E+00            | 5.313E+00   | 4.705E+00            |

Summary : Zion Subsurface Soil 3,000 m<sup>2</sup> 120614

File : C:\RESRAD\_FAMILY\RESRAD\7.0\USERFILES\ZION SUBSURFACE SOIL DCGL.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

| Nuclide<br>(j) | Parent<br>(i) | THF(i)    | DOSE(j,t), mrem/yr |           |           |           |           |           |           |           |  |
|----------------|---------------|-----------|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|
|                |               |           | t= 0.000E+00       | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |  |
| Co-60          | Co-60         | 1.000E+00 | 5.607E+00          | 4.915E+00 | 3.777E+00 | 1.502E+00 | 1.078E-01 | 1.067E-05 | 3.862E-17 | 0.000E+00 |  |
| Cs-134         | Cs-134        | 1.000E+00 | 3.299E+00          | 2.357E+00 | 1.203E+00 | 1.144E-01 | 1.374E-04 | 8.269E-15 | 0.000E+00 | 0.000E+00 |  |
| Cs-137         | Cs-137        | 1.000E+00 | 1.568E+00          | 1.531E+00 | 1.460E+00 | 1.238E+00 | 7.718E-01 | 1.477E-01 | 1.304E-03 | 0.000E+00 |  |
| Ni-63          | Ni-63         | 1.000E+00 | 6.446E-03          | 6.374E-03 | 6.233E-03 | 5.762E-03 | 4.601E-03 | 2.077E-03 | 1.960E-04 | 7.268E-07 |  |
| Sr-90          | Sr-90         | 1.000E+00 | 5.313E+00          | 4.801E+00 | 3.917E+00 | 1.922E+00 | 9.374E-01 | 1.180E-02 | 1.560E-11 | 0.000E+00 |  |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

| Nuclide<br>(j) | Parent<br>(i) | THF(i)    | S(j,t), pCi/g |           |           |           |           |           |           |           |  |
|----------------|---------------|-----------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|
|                |               |           | t= 0.000E+00  | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |  |
| Co-60          | Co-60         | 1.000E+00 | 1.000E+00     | 8.766E-01 | 6.737E-01 | 2.681E-01 | 1.927E-02 | 1.917E-06 | 7.044E-18 | 0.000E+00 |  |
| Cs-134         | Cs-134        | 1.000E+00 | 1.000E+00     | 7.146E-01 | 3.650E-01 | 3.474E-02 | 4.193E-05 | 2.560E-15 | 1.682E-44 | 0.000E+00 |  |
| Cs-137         | Cs-137        | 1.000E+00 | 1.000E+00     | 9.770E-01 | 9.326E-01 | 7.924E-01 | 4.976E-01 | 9.763E-02 | 9.304E-04 | 7.864E-11 |  |
| Ni-63          | Ni-63         | 1.000E+00 | 1.000E+00     | 9.903E-01 | 9.710E-01 | 9.067E-01 | 7.454E-01 | 3.756E-01 | 5.299E-02 | 5.587E-05 |  |
| Sr-90          | Sr-90         | 1.000E+00 | 1.000E+00     | 9.046E-01 | 7.403E-01 | 3.671E-01 | 4.946E-02 | 4.442E-05 | 8.767E-14 | 2.943E-44 |  |

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 1.79 seconds