

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

| | |
|--|----|
| Dose Conversion Factor (and Related) Parameter Summary ... | 2 |
| Site-Specific Parameter Summary | 4 |
| Summary of Pathway Selections | 8 |
| Contaminated Zone and Total Dose Summary | 9 |
| Total Dose Components | |
| Time = 0.000E+00 | 10 |
| Time = 1.000E+00 | 11 |
| Time = 3.000E+00 | 12 |
| Time = 1.000E+01 | 13 |
| Time = 3.000E+01 | 14 |
| Time = 1.000E+02 | 15 |
| Time = 3.000E+02 | 16 |
| Time = 1.000E+03 | 17 |
| Dose/Source Ratios Summed Over All Pathways | 18 |
| Single Radionuclide Soil Guidelines | 18 |
| Dose Per Nuclide Summed Over All Pathways | 19 |
| Soil Concentration Per Nuclide | 19 |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Surface Soil DCGL Plus FGR 11

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|------|--|----------------|------------|----------------|
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | | | |
| A-1 | Ba-137m (Source: FGR 12) | 3.606E+00 | 3.606E+00 | DCF1(1) |
| A-1 | Co-60 (Source: FGR 12) | 1.622E+01 | 1.622E+01 | DCF1(2) |
| A-1 | Cs-134 (Source: FGR 12) | 9.472E+00 | 9.472E+00 | DCF1(3) |
| A-1 | Cs-137 (Source: FGR 12) | 7.510E-04 | 7.510E-04 | DCF1(4) |
| A-1 | Ni-63 (Source: FGR 12) | 0.000E+00 | 0.000E+00 | DCF1(5) |
| A-1 | Sr-90 (Source: FGR 12) | 7.043E-04 | 7.043E-04 | DCF1(6) |
| A-1 | Y-90 (Source: FGR 12) | 2.391E-02 | 2.391E-02 | DCF1(7) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | Co-60 | 2.190E-04 | 2.190E-04 | DCF2(1) |
| B-1 | Cs-134 | 4.620E-05 | 4.620E-05 | DCF2(2) |
| B-1 | Cs-137+D | 3.190E-05 | 3.190E-05 | DCF2(3) |
| B-1 | Ni-63 | 6.290E-06 | 6.290E-06 | DCF2(4) |
| B-1 | Sr-90+D | 1.308E-03 | 1.300E-03 | DCF2(5) |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | Co-60 | 2.690E-05 | 2.690E-05 | DCF3(1) |
| D-1 | Cs-134 | 7.330E-05 | 7.330E-05 | DCF3(2) |
| D-1 | Cs-137+D | 5.000E-05 | 5.000E-05 | DCF3(3) |
| D-1 | Ni-63 | 5.770E-07 | 5.770E-07 | DCF3(4) |
| D-1 | Sr-90+D | 1.528E-04 | 1.420E-04 | DCF3(5) |
| D-34 | Food transfer factors: | | | |
| D-34 | Co-60 , plant/soil concentration ratio, dimensionless | 1.500E-01 | 8.000E-02 | RTF(1,1) |
| D-34 | Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.800E-02 | 2.000E-02 | RTF(1,2) |
| D-34 | Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.000E-03 | 2.000E-03 | RTF(1,3) |
| D-34 | Cs-134 , plant/soil concentration ratio, dimensionless | 7.800E-02 | 4.000E-02 | RTF(2,1) |
| D-34 | Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 6.500E-02 | 3.000E-02 | RTF(2,2) |
| D-34 | Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.400E-02 | 8.000E-03 | RTF(2,3) |
| D-34 | Cs-137+D , plant/soil concentration ratio, dimensionless | 7.800E-02 | 4.000E-02 | RTF(3,1) |
| D-34 | Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 6.500E-02 | 3.000E-02 | RTF(3,2) |
| D-34 | Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.400E-02 | 8.000E-03 | RTF(3,3) |
| D-34 | Ni-63 , plant/soil concentration ratio, dimensionless | 9.200E-02 | 5.000E-02 | RTF(4,1) |
| D-34 | Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 5.000E-03 | 5.000E-03 | RTF(4,2) |
| D-34 | Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 3.200E-02 | 2.000E-02 | RTF(4,3) |
| D-34 | Sr-90+D , plant/soil concentration ratio, dimensionless | 5.900E-01 | 3.000E-01 | RTF(5,1) |
| D-34 | Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(5,2) |
| D-34 | Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.700E-03 | 2.000E-03 | RTF(5,3) |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | Co-60 , fish | 3.000E+02 | 3.000E+02 | BIOFAC(1,1) |
| D-5 | Co-60 , crustacea and mollusks | 2.000E+02 | 2.000E+02 | BIOFAC(1,2) |
| D-5 | Cs-134 , fish | 2.000E+03 | 2.000E+03 | BIOFAC(2,1) |
| D-5 | Cs-134 , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(2,2) |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|------|-----------------------------------|----------------|------------|----------------|
| D-5 | Cs-137+D , fish | 2.000E+03 | 2.000E+03 | BIOFAC(3,1) |
| D-5 | Cs-137+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(3,2) |
| D-5 | | | | |
| D-5 | Ni-63 , fish | 1.000E+02 | 1.000E+02 | BIOFAC(4,1) |
| D-5 | Ni-63 , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(4,2) |
| D-5 | | | | |
| D-5 | Sr-90+D , fish | 6.000E+01 | 6.000E+01 | BIOFAC(5,1) |
| D-5 | Sr-90+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(5,2) |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|------|---|------------|-----------|--|----------------|
| R011 | Area of contaminated zone (m**2) | 3.000E-02 | 1.000E+04 | --- | AREA |
| R011 | Thickness of contaminated zone (m) | 1.500E-01 | 2.000E+00 | --- | THICK0 |
| R011 | Fraction of contamination that is submerged | 0.000E+00 | 0.000E+00 | --- | SUBMFRACT |
| R011 | Length parallel to aquifer flow (m) | 2.000E-01 | 1.000E+02 | --- | LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 2.500E+01 | 3.000E+01 | --- | BRDL |
| R011 | Time since placement of material (yr) | 0.000E+00 | 0.000E+00 | --- | TI |
| R011 | Times for calculations (yr) | 1.000E+00 | 1.000E+00 | --- | T (2) |
| R011 | Times for calculations (yr) | 3.000E+00 | 3.000E+00 | --- | T (3) |
| R011 | Times for calculations (yr) | 1.000E+01 | 1.000E+01 | --- | T (4) |
| R011 | Times for calculations (yr) | 3.000E+01 | 3.000E+01 | --- | T (5) |
| R011 | Times for calculations (yr) | 1.000E+02 | 1.000E+02 | --- | T (6) |
| R011 | Times for calculations (yr) | 3.000E+02 | 3.000E+02 | --- | T (7) |
| R011 | Times for calculations (yr) | 1.000E+03 | 1.000E+03 | --- | T (8) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T (9) |
| R011 | Times for calculations (yr) | not used | 0.000E+00 | --- | T(10) |
| R012 | Initial principal radionuclide (pCi/g): Co-60 | 1.000E+00 | 0.000E+00 | --- | S1(1) |
| R012 | Initial principal radionuclide (pCi/g): Cs-134 | 1.000E+00 | 0.000E+00 | --- | S1(2) |
| R012 | Initial principal radionuclide (pCi/g): Cs-137 | 1.000E+00 | 0.000E+00 | --- | S1(3) |
| R012 | Initial principal radionuclide (pCi/g): Ni-63 | 1.000E+00 | 0.000E+00 | --- | S1(4) |
| R012 | Initial principal radionuclide (pCi/g): Sr-90 | 1.000E+00 | 0.000E+00 | --- | S1(5) |
| R012 | Concentration in groundwater (pCi/L): Co-60 | not used | 0.000E+00 | --- | W1 (1) |
| R012 | Concentration in groundwater (pCi/L): Cs-134 | not used | 0.000E+00 | --- | W1 (2) |
| R012 | Concentration in groundwater (pCi/L): Cs-137 | not used | 0.000E+00 | --- | W1 (3) |
| R012 | Concentration in groundwater (pCi/L): Ni-63 | not used | 0.000E+00 | --- | W1 (4) |
| R012 | Concentration in groundwater (pCi/L): Sr-90 | not used | 0.000E+00 | --- | W1 (5) |
| R013 | Cover depth (m) | 0.000E+00 | 0.000E+00 | --- | COVER0 |
| R013 | Density of cover material (g/cm**3) | not used | 1.500E+00 | --- | DENSCV |
| R013 | Cover depth erosion rate (m/yr) | not used | 1.000E-03 | --- | VCV |
| R013 | Density of contaminated zone (g/cm**3) | 1.800E+00 | 1.500E+00 | --- | DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 1.500E-03 | 1.000E-03 | --- | VCZ |
| R013 | Contaminated zone total porosity | 3.500E-01 | 4.000E-01 | --- | TPCZ |
| R013 | Contaminated zone field capacity | 6.600E-02 | 2.000E-01 | --- | FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 2.880E+03 | 1.000E+01 | --- | HCCZ |
| R013 | Contaminated zone b parameter | 9.700E-01 | 5.300E+00 | --- | BCZ |
| R013 | Average annual wind speed (m/sec) | 4.200E+00 | 2.000E+00 | --- | WIND |
| R013 | Humidity in air (g/m**3) | not used | 8.000E+00 | --- | HUMID |
| R013 | Evapotranspiration coefficient | 6.250E-01 | 5.000E-01 | --- | EVAPTR |
| R013 | Precipitation (m/yr) | 8.300E-01 | 1.000E+00 | --- | PRECIP |
| R013 | Irrigation (m/yr) | 1.900E-01 | 2.000E-01 | --- | RI |
| R013 | Irrigation mode | overhead | overhead | --- | IDITCH |
| R013 | Runoff coefficient | 2.000E-01 | 2.000E-01 | --- | RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 1.000E+06 | 1.000E+06 | --- | WAREA |
| R013 | Accuracy for water/soil computations | 1.000E-03 | 1.000E-03 | --- | EPS |
| R014 | Density of saturated zone (g/cm**3) | 1.800E+00 | 1.500E+00 | --- | DENSAQ |
| R014 | Saturated zone total porosity | 3.500E-01 | 4.000E-01 | --- | TPSZ |
| R014 | Saturated zone effective porosity | 2.900E-01 | 2.000E-01 | --- | EPSZ |
| R014 | Saturated zone field capacity | 6.600E-02 | 2.000E-01 | --- | FCSZ |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|------|--|------------|-----------|--|----------------|
| R014 | Saturated zone hydraulic conductivity (m/yr) | 2.880E+03 | 1.000E+02 | --- | HCSZ |
| R014 | Saturated zone hydraulic gradient | 3.900E-03 | 2.000E-02 | --- | HGWT |
| R014 | Saturated zone b parameter | not used | 5.300E+00 | --- | BSZ |
| R014 | Water table drop rate (m/yr) | 0.000E+00 | 1.000E-03 | --- | VWT |
| R014 | Well pump intake depth (m below water table) | 3.300E+00 | 1.000E+01 | --- | DWIBWT |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | --- | MODEL |
| R014 | Well pumping rate (m ³ /yr) | 2.250E+03 | 2.500E+02 | --- | UW |
| R015 | Number of unsaturated zone strata | 1 | 1 | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 3.450E+00 | 4.000E+00 | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm ³) | 1.800E+00 | 1.500E+00 | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 3.500E-01 | 4.000E-01 | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.900E-01 | 2.000E-01 | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 6.600E-02 | 2.000E-01 | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 9.700E-01 | 5.300E+00 | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 2.880E+03 | 1.000E+01 | --- | HCUZ(1) |
| R016 | Distribution coefficients for Co-60 | | | | |
| R016 | Contaminated zone (cm ³ /g) | 1.161E+03 | 1.000E+03 | --- | DCNUCC(1) |
| R016 | Unsat. zone 1 (cm ³ /g) | 1.161E+03 | 1.000E+03 | --- | DCNUCU(1,1) |
| R016 | Saturated zone (cm ³ /g) | 1.161E+03 | 1.000E+03 | --- | DCNUCS(1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.022E-03 | ALEACH(1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(1) |
| R016 | Distribution coefficients for Cs-134 | | | | |
| R016 | Contaminated zone (cm ³ /g) | 6.150E+02 | 4.600E+03 | --- | DCNUCC(2) |
| R016 | Unsat. zone 1 (cm ³ /g) | 6.150E+02 | 4.600E+03 | --- | DCNUCU(2,1) |
| R016 | Saturated zone (cm ³ /g) | 6.150E+02 | 4.600E+03 | --- | DCNUCS(2) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.929E-03 | ALEACH(2) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(2) |
| R016 | Distribution coefficients for Cs-137 | | | | |
| R016 | Contaminated zone (cm ³ /g) | 6.150E+02 | 4.600E+03 | --- | DCNUCC(3) |
| R016 | Unsat. zone 1 (cm ³ /g) | 6.150E+02 | 4.600E+03 | --- | DCNUCU(3,1) |
| R016 | Saturated zone (cm ³ /g) | 6.150E+02 | 4.600E+03 | --- | DCNUCS(3) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.929E-03 | ALEACH(3) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(3) |
| R016 | Distribution coefficients for Ni-63 | | | | |
| R016 | Contaminated zone (cm ³ /g) | 6.200E+01 | 1.000E+03 | --- | DCNUCC(4) |
| R016 | Unsat. zone 1 (cm ³ /g) | 6.200E+01 | 1.000E+03 | --- | DCNUCU(4,1) |
| R016 | Saturated zone (cm ³ /g) | 6.200E+01 | 1.000E+03 | --- | DCNUCS(4) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 1.912E-02 | ALEACH(4) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(4) |
| R016 | Distribution coefficients for Sr-90 | | | | |
| R016 | Contaminated zone (cm ³ /g) | 2.300E+00 | 3.000E+01 | --- | DCNUCC(5) |
| R016 | Unsat. zone 1 (cm ³ /g) | 2.300E+00 | 3.000E+01 | --- | DCNUCU(5,1) |
| R016 | Saturated zone (cm ³ /g) | 2.300E+00 | 3.000E+01 | --- | DCNUCS(5) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 5.076E-01 | ALEACH(5) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | not used | SOLUBK(5) |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|------|--|------------|-----------|--|----------------|
| R017 | Inhalation rate (m**3/yr) | 8.400E+03 | 8.400E+03 | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 2.350E-05 | 1.000E-04 | --- | MLINH |
| R017 | Exposure duration | 3.000E+01 | 3.000E+01 | --- | ED |
| R017 | Shielding factor, inhalation | 5.500E-01 | 4.000E-01 | --- | SHF3 |
| R017 | Shielding factor, external gamma | 4.000E-01 | 7.000E-01 | --- | SHF1 |
| R017 | Fraction of time spent indoors | 6.490E-01 | 5.000E-01 | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 1.240E-01 | 2.500E-01 | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | FS |
| R017 | Radii of shape factor array (used if FS = -1): | | | | |
| R017 | Outer annular radius (m), ring 1: | not used | 5.000E+01 | --- | RAD_SHAPE (1) |
| R017 | Outer annular radius (m), ring 2: | not used | 7.071E+01 | --- | RAD_SHAPE (2) |
| R017 | Outer annular radius (m), ring 3: | not used | 0.000E+00 | --- | RAD_SHAPE (3) |
| R017 | Outer annular radius (m), ring 4: | not used | 0.000E+00 | --- | RAD_SHAPE (4) |
| R017 | Outer annular radius (m), ring 5: | not used | 0.000E+00 | --- | RAD_SHAPE (5) |
| R017 | Outer annular radius (m), ring 6: | not used | 0.000E+00 | --- | RAD_SHAPE (6) |
| R017 | Outer annular radius (m), ring 7: | not used | 0.000E+00 | --- | RAD_SHAPE (7) |
| R017 | Outer annular radius (m), ring 8: | not used | 0.000E+00 | --- | RAD_SHAPE (8) |
| R017 | Outer annular radius (m), ring 9: | not used | 0.000E+00 | --- | RAD_SHAPE (9) |
| R017 | Outer annular radius (m), ring 10: | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | not used | 0.000E+00 | --- | RAD_SHAPE(12) |
| R017 | Fractions of annular areas within AREA: | | | | |
| R017 | Ring 1 | not used | 1.000E+00 | --- | FRACA (1) |
| R017 | Ring 2 | not used | 2.732E-01 | --- | FRACA (2) |
| R017 | Ring 3 | not used | 0.000E+00 | --- | FRACA (3) |
| R017 | Ring 4 | not used | 0.000E+00 | --- | FRACA (4) |
| R017 | Ring 5 | not used | 0.000E+00 | --- | FRACA (5) |
| R017 | Ring 6 | not used | 0.000E+00 | --- | FRACA (6) |
| R017 | Ring 7 | not used | 0.000E+00 | --- | FRACA (7) |
| R017 | Ring 8 | not used | 0.000E+00 | --- | FRACA (8) |
| R017 | Ring 9 | not used | 0.000E+00 | --- | FRACA (9) |
| R017 | Ring 10 | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | not used | 0.000E+00 | --- | FRACA(12) |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | 1.120E+02 | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | 2.140E+01 | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | 2.330E+02 | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | 6.510E+01 | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 1.830E+01 | 3.650E+01 | --- | SOIL |
| R018 | Drinking water intake (L/yr) | 4.780E+02 | 5.100E+02 | --- | DWI |
| R018 | Contamination fraction of drinking water | 1.000E+00 | 1.000E+00 | --- | FDW |
| R018 | Contamination fraction of household water | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | 1.000E+00 | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | 1.000E+00 | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | -1 | -1 | 0.150E-04 | FPLANT |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|------|--|------------|-----------|--|----------------|
| R018 | Contamination fraction of meat | -1 | -1 | 0.150E-05 | FMEAT |
| R018 | Contamination fraction of milk | -1 | -1 | 0.150E-05 | FMILK |
| R019 | Livestock fodder intake for meat (kg/day) | 2.830E+01 | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | 6.520E+01 | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | 5.060E+01 | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | 6.000E+01 | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | 5.000E-01 | 5.000E-01 | --- | LSI |
| R019 | Mass loading for foliar deposition (g/m**3) | 4.000E-04 | 1.000E-04 | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | 1.500E-01 | 1.500E-01 | --- | DM |
| R019 | Depth of roots (m) | 1.220E+00 | 9.000E-01 | --- | DROOT |
| R019 | Drinking water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | --- | FGWHH |
| R019 | Livestock water fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWLW |
| R019 | Irrigation fraction from ground water | 1.000E+00 | 1.000E+00 | --- | FGWIR |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | 1.750E+00 | 7.000E-01 | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | 2.900E+00 | 1.500E+00 | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | 1.900E+00 | 1.100E+00 | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | 2.460E-01 | 1.700E-01 | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | 1.230E-01 | 2.500E-01 | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | 8.200E-02 | 8.000E-02 | --- | TE(3) |
| R19B | Translocation Factor for Non-Leafy | 1.000E-01 | 1.000E-01 | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | 1.000E+00 | 1.000E+00 | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | 1.000E+00 | 1.000E+00 | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | 3.500E-01 | 2.500E-01 | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | 3.500E-01 | 2.500E-01 | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | 3.500E-01 | 2.500E-01 | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | 3.500E-01 | 2.500E-01 | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | 5.800E-01 | 2.500E-01 | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | 3.500E-01 | 2.500E-01 | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | 3.300E+01 | 2.000E+01 | --- | WLAM |
| C14 | C-12 concentration in water (g/cm**3) | not used | 2.000E-05 | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | not used | 3.000E-02 | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | not used | 2.000E-02 | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | not used | 9.800E-01 | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | not used | 3.000E-01 | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | not used | 7.000E-07 | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | not used | 1.000E-10 | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | not used | 8.000E-01 | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | not used | 2.000E-01 | --- | AVFG5 |
| STOR | Storage times of contaminated foodstuffs (days): | | | | |
| STOR | Fruits, non-leafy vegetables, and grain | 1.400E+01 | 1.400E+01 | --- | STOR_T(1) |
| STOR | Leafy vegetables | 1.000E+00 | 1.000E+00 | --- | STOR_T(2) |
| STOR | Milk | 1.000E+00 | 1.000E+00 | --- | STOR_T(3) |
| STOR | Meat and poultry | 1.000E+00 | 2.000E+01 | --- | STOR_T(4) |
| STOR | Fish | 7.000E+00 | 7.000E+00 | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | 7.000E+00 | 7.000E+00 | --- | STOR_T(6) |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|------|--|------------|------------|--|----------------|
| STOR | Well water | 1.000E+00 | 1.000E+00 | --- | STOR_T(7) |
| STOR | Surface water | 1.000E+00 | 1.000E+00 | --- | STOR_T(8) |
| STOR | Livestock fodder | 4.500E+01 | 4.500E+01 | --- | STOR_T(9) |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm ³) | not used | 2.400E+00 | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | --- | TPFL |
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | |
| R021 | in cover material | not used | 2.000E-06 | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | --- | HMIX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | --- | EMANA(2) |
| TITL | Number of graphical time points | 512 | --- | --- | NPTS |
| TITL | Maximum number of integration points for dose | 17 | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 17 | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|-----------------------------|----------------|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | active |
| 4 -- meat ingestion | active |
| 5 -- milk ingestion | active |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|------------------------------|--------------------|------------------------------------|-----------|
| Area: | 0.03 square meters | Co-60 | 1.000E+00 |
| Thickness: | 0.15 meters | Cs-134 | 1.000E+00 |
| Cover Depth: | 0.00 meters | Cs-137 | 1.000E+00 |
| | | Ni-63 | 1.000E+00 |
| | | Sr-90 | 1.000E+00 |

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

| t (years): | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| TDOSE(t): | 2.343E-02 | 1.948E-02 | 1.393E-02 | 5.663E-03 | 1.342E-03 | 2.406E-12 | 0.000E+00 | 1.707E-11 |
| M(t): | 9.371E-04 | 7.791E-04 | 5.572E-04 | 2.265E-04 | 5.366E-05 | 9.623E-14 | 0.000E+00 | 6.830E-13 |

Maximum TDOSE(t): 2.343E-02 mrem/yr at t = 0.000E+00 years

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 1.284E-02 | 0.5481 | 3.947E-07 | 0.0000 | 0.000E+00 | 0.0000 | 9.255E-07 | 0.0000 | 1.452E-07 | 0.0000 | 2.986E-08 | 0.0000 | 1.064E-08 | 0.0000 |
| Cs-134 | 7.424E-03 | 0.3169 | 7.546E-08 | 0.0000 | 0.000E+00 | 0.0000 | 1.189E-06 | 0.0001 | 3.033E-07 | 0.0000 | 3.412E-07 | 0.0000 | 2.628E-08 | 0.0000 |
| Cs-137 | 3.119E-03 | 0.1331 | 6.062E-08 | 0.0000 | 0.000E+00 | 0.0000 | 9.433E-07 | 0.0000 | 2.407E-07 | 0.0000 | 2.708E-07 | 0.0000 | 2.085E-08 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 1.195E-08 | 0.0000 | 0.000E+00 | 0.0000 | 1.284E-08 | 0.0000 | 2.272E-10 | 0.0000 | 7.860E-09 | 0.0000 | 2.405E-10 | 0.0000 |
| Sr-90 | 1.804E-05 | 0.0008 | 1.953E-06 | 0.0001 | 0.000E+00 | 0.0000 | 1.739E-05 | 0.0007 | 2.467E-07 | 0.0000 | 6.139E-07 | 0.0000 | 5.007E-08 | 0.0000 |
| Total | 2.340E-02 | 0.9989 | 2.496E-06 | 0.0001 | 0.000E+00 | 0.0000 | 2.046E-05 | 0.0009 | 9.362E-07 | 0.0000 | 1.264E-06 | 0.0001 | 1.081E-07 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.284E-02 | 0.5482 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.426E-03 | 0.3170 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.120E-03 | 0.1332 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.311E-08 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.829E-05 | 0.0016 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.343E-02 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 1.117E-02 | 0.5733 | 3.422E-07 | 0.0000 | 0.000E+00 | 0.0000 | 8.025E-07 | 0.0000 | 1.259E-07 | 0.0000 | 2.590E-08 | 0.0000 | 9.225E-09 | 0.0000 |
| Cs-134 | 5.261E-03 | 0.2701 | 5.330E-08 | 0.0000 | 0.000E+00 | 0.0000 | 8.395E-07 | 0.0000 | 2.142E-07 | 0.0000 | 2.410E-07 | 0.0000 | 1.856E-08 | 0.0000 |
| Cs-137 | 3.022E-03 | 0.1552 | 5.853E-08 | 0.0000 | 0.000E+00 | 0.0000 | 9.109E-07 | 0.0000 | 2.325E-07 | 0.0000 | 2.615E-07 | 0.0000 | 2.014E-08 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 1.152E-08 | 0.0000 | 0.000E+00 | 0.0000 | 1.238E-08 | 0.0000 | 2.192E-10 | 0.0000 | 7.582E-09 | 0.0000 | 2.320E-10 | 0.0000 |
| Sr-90 | 1.054E-05 | 0.0005 | 1.136E-06 | 0.0001 | 0.000E+00 | 0.0000 | 1.013E-05 | 0.0005 | 1.443E-07 | 0.0000 | 3.594E-07 | 0.0000 | 2.912E-08 | 0.0000 |
| Total | 1.946E-02 | 0.9992 | 1.602E-06 | 0.0001 | 0.000E+00 | 0.0000 | 1.270E-05 | 0.0007 | 7.172E-07 | 0.0000 | 8.953E-07 | 0.0000 | 7.727E-08 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.117E-02 | 0.5734 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.263E-03 | 0.2702 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.023E-03 | 0.1552 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.194E-08 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.234E-05 | 0.0011 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.948E-02 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 8.441E-03 | 0.6060 | 2.572E-07 | 0.0000 | 0.000E+00 | 0.0000 | 6.032E-07 | 0.0000 | 9.464E-08 | 0.0000 | 1.946E-08 | 0.0000 | 6.934E-09 | 0.0000 |
| Cs-134 | 2.641E-03 | 0.1896 | 2.658E-08 | 0.0000 | 0.000E+00 | 0.0000 | 4.187E-07 | 0.0000 | 1.068E-07 | 0.0000 | 1.202E-07 | 0.0000 | 9.255E-09 | 0.0000 |
| Cs-137 | 2.836E-03 | 0.2036 | 5.456E-08 | 0.0000 | 0.000E+00 | 0.0000 | 8.490E-07 | 0.0001 | 2.167E-07 | 0.0000 | 2.437E-07 | 0.0000 | 1.877E-08 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 1.071E-08 | 0.0000 | 0.000E+00 | 0.0000 | 1.152E-08 | 0.0000 | 2.039E-10 | 0.0000 | 7.052E-09 | 0.0000 | 2.157E-10 | 0.0000 |
| Sr-90 | 3.596E-06 | 0.0003 | 3.844E-07 | 0.0000 | 0.000E+00 | 0.0000 | 3.427E-06 | 0.0002 | 4.882E-08 | 0.0000 | 1.216E-07 | 0.0000 | 9.852E-09 | 0.0000 |
| Total | 1.392E-02 | 0.9995 | 7.335E-07 | 0.0001 | 0.000E+00 | 0.0000 | 5.310E-06 | 0.0004 | 4.672E-07 | 0.0000 | 5.120E-07 | 0.0000 | 4.502E-08 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.442E-03 | 0.6061 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.642E-03 | 0.1897 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.837E-03 | 0.2037 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.970E-08 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.588E-06 | 0.0005 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.393E-02 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 3.160E-03 | 0.5580 | 9.435E-08 | 0.0000 | 0.000E+00 | 0.0000 | 2.213E-07 | 0.0000 | 3.472E-08 | 0.0000 | 7.140E-09 | 0.0000 | 2.543E-09 | 0.0000 |
| Cs-134 | 2.362E-04 | 0.0417 | 2.320E-09 | 0.0000 | 0.000E+00 | 0.0000 | 3.654E-08 | 0.0000 | 9.325E-09 | 0.0000 | 1.049E-08 | 0.0000 | 8.077E-10 | 0.0000 |
| Cs-137 | 2.265E-03 | 0.3999 | 4.250E-08 | 0.0000 | 0.000E+00 | 0.0000 | 6.615E-07 | 0.0001 | 1.688E-07 | 0.0000 | 1.899E-07 | 0.0000 | 1.462E-08 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 8.281E-09 | 0.0000 | 0.000E+00 | 0.0000 | 8.902E-09 | 0.0000 | 1.576E-10 | 0.0000 | 5.451E-09 | 0.0000 | 1.667E-10 | 0.0000 |
| Sr-90 | 8.322E-08 | 0.0000 | 8.625E-09 | 0.0000 | 0.000E+00 | 0.0000 | 7.690E-08 | 0.0000 | 1.096E-09 | 0.0000 | 2.728E-09 | 0.0000 | 2.210E-10 | 0.0000 |
| Total | 5.662E-03 | 0.9997 | 1.561E-07 | 0.0000 | 0.000E+00 | 0.0000 | 1.005E-06 | 0.0002 | 2.141E-07 | 0.0000 | 2.157E-07 | 0.0000 | 1.836E-08 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.161E-03 | 0.5581 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.363E-04 | 0.0417 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.266E-03 | 0.4001 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.296E-08 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.728E-07 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.663E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|-----------|--------|------------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 1.848E-04 | 0.1377 | 5.175E-09 | 0.0000 | 0.000E+00 | 0.0000 | 1.214E-08 | 0.0000 | 1.905E-09 | 0.0000 | 3.917E-10 | 0.0000 | 1.395E-10 | 0.0000 |
| Cs-134 | 2.313E-07 | 0.0002 | 2.104E-12 | 0.0000 | 0.000E+00 | 0.0000 | 3.315E-11 | 0.0000 | 8.460E-12 | 0.0000 | 9.517E-12 | 0.0000 | 7.326E-13 | 0.0000 |
| Cs-137 | 1.156E-03 | 0.8617 | 2.006E-08 | 0.0000 | 0.000E+00 | 0.0000 | 3.122E-07 | 0.0002 | 7.967E-08 | 0.0001 | 8.963E-08 | 0.0001 | 6.900E-09 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 3.820E-09 | 0.0000 | 0.000E+00 | 0.0000 | 4.106E-09 | 0.0000 | 7.269E-11 | 0.0000 | 2.515E-09 | 0.0000 | 7.691E-11 | 0.0000 |
| Sr-90 | 1.722E-12 | 0.0000 | 1.614E-13 | 0.0000 | 0.000E+00 | 0.0000 | 1.439E-12 | 0.0000 | 2.050E-14 | 0.0000 | 5.106E-14 | 0.0000 | 4.136E-15 | 0.0000 |
| Total | 1.341E-03 | 0.9996 | 2.905E-08 | 0.0000 | 0.000E+00 | 0.0000 | 3.285E-07 | 0.0002 | 8.166E-08 | 0.0001 | 9.255E-08 | 0.0001 | 7.117E-09 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|---------------|--------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.848E-04 | 0.1378 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.313E-07 | 0.0002 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.156E-03 | 0.8621 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.059E-08 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.398E-12 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.342E-03 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 2.616E-17 | 0.0000 | 4.813E-22 | 0.0000 | 0.000E+00 | 0.0000 | 1.135E-17 | 0.0000 | 1.110E-17 | 0.0000 | 3.149E-18 | 0.0000 | 1.298E-23 | 0.0000 |
| Cs-134 | 1.907E-26 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.990E-26 | 0.0000 | 2.172E-26 | 0.0000 | 3.837E-26 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137 | 2.700E-13 | 0.1122 | 3.306E-18 | 0.0000 | 0.000E+00 | 0.0000 | 5.173E-13 | 0.2150 | 5.723E-13 | 0.2379 | 1.011E-12 | 0.4203 | 1.137E-18 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 5.817E-19 | 0.0000 | 0.000E+00 | 0.0000 | 6.287E-15 | 0.0026 | 5.351E-16 | 0.0002 | 2.811E-14 | 0.0117 | 1.171E-20 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 2.700E-13 | 0.1122 | 3.888E-18 | 0.0000 | 0.000E+00 | 0.0000 | 5.236E-13 | 0.2176 | 5.728E-13 | 0.2381 | 1.039E-12 | 0.4320 | 1.149E-18 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.177E-17 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.906E-26 | 0.0000 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.371E-12 | 0.9855 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.494E-14 | 0.0145 |
| Sr-90 | 6.056E-20 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.839E-26 | 0.0000 | 8.059E-27 | 0.0000 | 1.565E-26 | 0.0000 | 6.056E-20 | 0.0000 |
| Total | 6.056E-20 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.839E-26 | 0.0000 | 8.059E-27 | 0.0000 | 1.565E-26 | 0.0000 | 2.406E-12 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| Radio- Nuclide | Ground | | Inhalation | | Radon | | Plant | | Meat | | Milk | | Soil | |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Ni-63 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| Radio- Nuclide | Water | | Fish | | Radon | | Plant | | Meat | | Milk | | All Pathways* | |
|-------------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|
| | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. |
| Co-60 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-134 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Cs-137 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Ni-63 | 1.707E-11 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.068E-17 | 0.0000 | 1.375E-18 | 0.0000 | 4.996E-17 | 0.0000 | 1.707E-11 | 1.0000 |
| Sr-90 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 |
| Total | 1.707E-11 | 1.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.068E-17 | 0.0000 | 1.375E-18 | 0.0000 | 4.996E-17 | 0.0000 | 1.707E-11 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent (i) | Product (j) | Thread Fraction | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) | | | | | | | |
|---------------|----------------|--------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| Co-60 | Co-60 | 1.000E+00 | 1.284E-02 | 1.117E-02 | 8.442E-03 | 3.161E-03 | 1.848E-04 | 5.177E-17 | 0.000E+00 | 0.000E+00 |
| Cs-134 | Cs-134 | 1.000E+00 | 7.426E-03 | 5.263E-03 | 2.642E-03 | 2.363E-04 | 2.313E-07 | 9.906E-26 | 0.000E+00 | 0.000E+00 |
| Cs-137+D | Cs-137+D | 1.000E+00 | 3.120E-03 | 3.023E-03 | 2.837E-03 | 2.266E-03 | 1.156E-03 | 2.371E-12 | 0.000E+00 | 0.000E+00 |
| Ni-63 | Ni-63 | 1.000E+00 | 3.311E-08 | 3.194E-08 | 2.970E-08 | 2.296E-08 | 1.059E-08 | 3.494E-14 | 0.000E+00 | 1.707E-11 |
| Sr-90+D | Sr-90+D | 1.000E+00 | 3.829E-05 | 2.234E-05 | 7.588E-06 | 1.728E-07 | 3.398E-12 | 6.056E-20 | 0.000E+00 | 0.000E+00 |

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

| Nuclide (i) | t = | 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
|----------------|-----|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|
| Co-60 | | 1.947E+03 | 2.239E+03 | 2.961E+03 | 7.909E+03 | 1.353E+05 | *1.113E+15 | *1.113E+15 | *1.113E+15 |
| Cs-134 | | 3.366E+03 | 4.750E+03 | 9.462E+03 | 1.058E+05 | 1.081E+08 | *1.283E+15 | *1.283E+15 | *1.283E+15 |
| Cs-137 | | 8.012E+03 | 8.269E+03 | 8.811E+03 | 1.103E+04 | 2.162E+04 | 1.055E+13 | *8.593E+13 | *8.593E+13 |
| Ni-63 | | 7.550E+08 | 7.827E+08 | 8.417E+08 | 1.089E+09 | 2.361E+09 | *5.586E+13 | *5.586E+13 | 1.464E+12 |
| Sr-90 | | 6.529E+05 | 1.119E+06 | 3.295E+06 | 1.447E+08 | 7.356E+12 | *1.366E+14 | *1.366E+14 | *1.366E+14 |

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

| Nuclide (i) | Initial (pCi/g) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|----------------|--------------------|-----------------|-------------|----------------------|-------------|----------------------|
| Co-60 | 1.000E+00 | 0.000E+00 | 1.284E-02 | 1.947E+03 | 1.284E-02 | 1.947E+03 |
| Cs-134 | 1.000E+00 | 0.000E+00 | 7.426E-03 | 3.366E+03 | 7.426E-03 | 3.366E+03 |
| Cs-137 | 1.000E+00 | 0.000E+00 | 3.120E-03 | 8.012E+03 | 3.120E-03 | 8.012E+03 |
| Ni-63 | 1.000E+00 | 0.000E+00 | 3.311E-08 | 7.550E+08 | 3.311E-08 | 7.550E+08 |
| Sr-90 | 1.000E+00 | 0.000E+00 | 3.829E-05 | 6.529E+05 | 3.829E-05 | 6.529E+05 |

Summary : Zion Surface Soil 0.03 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | DOSE(j,t), mrem/yr | | | | | | | |
|----------------|---------------|-----------|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| Co-60 | Co-60 | 1.000E+00 | 1.284E-02 | 1.117E-02 | 8.442E-03 | 3.161E-03 | 1.848E-04 | 5.177E-17 | 0.000E+00 | 0.000E+00 |
| Cs-134 | Cs-134 | 1.000E+00 | 7.426E-03 | 5.263E-03 | 2.642E-03 | 2.363E-04 | 2.313E-07 | 9.906E-26 | 0.000E+00 | 0.000E+00 |
| Cs-137 | Cs-137 | 1.000E+00 | 3.120E-03 | 3.023E-03 | 2.837E-03 | 2.266E-03 | 1.156E-03 | 2.371E-12 | 0.000E+00 | 0.000E+00 |
| Ni-63 | Ni-63 | 1.000E+00 | 3.311E-08 | 3.194E-08 | 2.970E-08 | 2.296E-08 | 1.059E-08 | 3.494E-14 | 0.000E+00 | 1.707E-11 |
| Sr-90 | Sr-90 | 1.000E+00 | 3.829E-05 | 2.234E-05 | 7.588E-06 | 1.728E-07 | 3.398E-12 | 6.056E-20 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide (j) | Parent (i) | THF(i) | S(j,t), pCi/g | | | | | | | |
|----------------|---------------|-----------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | t= 0.000E+00 | 1.000E+00 | 3.000E+00 | 1.000E+01 | 3.000E+01 | 1.000E+02 | 3.000E+02 | 1.000E+03 |
| Co-60 | Co-60 | 1.000E+00 | 1.000E+00 | 8.759E-01 | 6.720E-01 | 2.658E-01 | 1.877E-02 | 1.758E-06 | 5.429E-18 | 0.000E+00 |
| Cs-134 | Cs-134 | 1.000E+00 | 1.000E+00 | 7.135E-01 | 3.632E-01 | 3.418E-02 | 3.991E-05 | 2.173E-15 | 9.809E-45 | 0.000E+00 |
| Cs-137 | Cs-137 | 1.000E+00 | 1.000E+00 | 9.754E-01 | 9.280E-01 | 7.795E-01 | 4.737E-01 | 8.286E-02 | 5.690E-04 | 1.527E-11 |
| Ni-63 | Ni-63 | 1.000E+00 | 1.000E+00 | 9.743E-01 | 9.248E-01 | 7.707E-01 | 4.578E-01 | 7.395E-02 | 4.044E-04 | 4.889E-12 |
| Sr-90 | Sr-90 | 1.000E+00 | 1.000E+00 | 5.876E-01 | 2.029E-01 | 4.908E-03 | 1.182E-07 | 8.114E-24 | 0.000E+00 | 0.000E+00 |

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 1.48 seconds