

Summary : Zion Surface Soil 300 m^2 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	8
Contaminated Zone and Total Dose Summary	9
Total Dose Components	
Time = 0.000E+00	10
Time = 1.000E+00	11
Time = 3.000E+00	12
Time = 1.000E+01	13
Time = 3.000E+01	14
Time = 1.000E+02	15
Time = 3.000E+02	16
Time = 1.000E+03	17
Dose/Source Ratios Summed Over All Pathways	18
Single Radionuclide Soil Guidelines	18
Dose Per Nuclide Summed Over All Pathways	19
Soil Concentration Per Nuclide	19

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1(1)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1(2)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1(3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1(4)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(5)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1(6)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1(7)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2(1)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2(2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(3)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2(4)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2(5)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3(1)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3(2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(3)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3(4)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3(5)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.500E-01	8.000E-02	RTF(1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF(1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,3)
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF(2,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF(2,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF(2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF(3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF(3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF(3,3)
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.200E-02	5.000E-02	RTF(4,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(4,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF(4,3)
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF(5,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF(5,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF(5,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(1,2)
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC(2,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(2,2)

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC(4,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(4,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC(5,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(5,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	3.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.950E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T (2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T (3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T (4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T (5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T (6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T (7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T (8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T (9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(5)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1 (1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1 (2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1 (3)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1 (4)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1 (5)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.700E-01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.900E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.300E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m ³ /yr)	2.250E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	3.450E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm ³)	1.800E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.900E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	6.600E-02	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	9.700E-01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm ³ /g)	1.161E+03	1.000E+03	---	DCNUCC(1)
R016	Unsat. zone 1 (cm ³ /g)	1.161E+03	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm ³ /g)	1.161E+03	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.022E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm ³ /g)	6.150E+02	4.600E+03	---	DCNUCC(2)
R016	Unsat. zone 1 (cm ³ /g)	6.150E+02	4.600E+03	---	DCNUCU(2,1)
R016	Saturated zone (cm ³ /g)	6.150E+02	4.600E+03	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.929E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm ³ /g)	6.150E+02	4.600E+03	---	DCNUCC(3)
R016	Unsat. zone 1 (cm ³ /g)	6.150E+02	4.600E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm ³ /g)	6.150E+02	4.600E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.929E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm ³ /g)	6.200E+01	1.000E+03	---	DCNUCC(4)
R016	Unsat. zone 1 (cm ³ /g)	6.200E+01	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm ³ /g)	6.200E+01	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.912E-02	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm ³ /g)	2.300E+00	3.000E+01	---	DCNUCC(5)
R016	Unsat. zone 1 (cm ³ /g)	2.300E+00	3.000E+01	---	DCNUCU(5,1)
R016	Saturated zone (cm ³ /g)	2.300E+00	3.000E+01	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.076E-01	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Inhalation rate (m ³ /yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m ³)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	4.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.150E+00	FPLANT

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Contamination fraction of meat	-1	-1	0.150E-01	FMEAT
R018	Contamination fraction of milk	-1	-1	0.150E-01	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.220E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.900E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.900E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm ³)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	512	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	17	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	300.00 square meters	Co-60	1.000E+00
Thickness:	0.15 meters	Cs-134	1.000E+00
Cover Depth:	0.00 meters	Cs-137	1.000E+00
		Ni-63	1.000E+00
		Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	8.300E+00	6.887E+00	4.928E+00	2.039E+00	5.164E-01	2.151E-08	0.000E+00	4.282E-09
M(t):	3.320E-01	2.755E-01	1.971E-01	8.157E-02	2.066E-02	8.602E-10	0.000E+00	1.713E-10

Maximum TDOSE(t): 8.300E+00 mrem/yr at t = 0.000E+00 years

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	4.516E+00	0.5441	1.106E-06	0.0000	0.000E+00	0.0000	9.255E-03	0.0011	1.452E-03	0.0002	2.987E-04	0.0000	1.064E-04	0.0000
Cs-134	2.500E+00	0.3012	2.115E-07	0.0000	0.000E+00	0.0000	1.189E-02	0.0014	3.033E-03	0.0004	3.412E-03	0.0004	2.628E-04	0.0000
Cs-137	1.050E+00	0.1265	1.699E-07	0.0000	0.000E+00	0.0000	9.433E-03	0.0011	2.407E-03	0.0003	2.708E-03	0.0003	2.085E-04	0.0000
Ni-63	0.000E+00	0.0000	3.348E-08	0.0000	0.000E+00	0.0000	1.284E-04	0.0000	2.273E-06	0.0000	7.861E-05	0.0000	2.405E-06	0.0000
Sr-90	6.191E-03	0.0007	5.474E-06	0.0000	0.000E+00	0.0000	1.739E-01	0.0209	2.467E-03	0.0003	6.139E-03	0.0007	5.007E-04	0.0001
Total	8.073E+00	0.9726	6.995E-06	0.0000	0.000E+00	0.0000	2.046E-01	0.0246	9.363E-03	0.0011	1.264E-02	0.0015	1.081E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.527E+00	0.5454
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.519E+00	0.3034
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.065E+00	0.1283
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.117E-04	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.892E-01	0.0228
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.300E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.940E+00	0.5721	9.590E-07	0.0000	0.000E+00	0.0000	8.026E-03	0.0012	1.259E-03	0.0002	2.590E-04	0.0000	9.225E-05	0.0000
Cs-134	1.778E+00	0.2582	1.494E-07	0.0000	0.000E+00	0.0000	8.396E-03	0.0012	2.143E-03	0.0003	2.410E-03	0.0003	1.856E-04	0.0000
Cs-137	1.021E+00	0.1483	1.640E-07	0.0000	0.000E+00	0.0000	9.109E-03	0.0013	2.325E-03	0.0003	2.615E-03	0.0004	2.014E-04	0.0000
Ni-63	0.000E+00	0.0000	3.229E-08	0.0000	0.000E+00	0.0000	1.238E-04	0.0000	2.192E-06	0.0000	7.583E-05	0.0000	2.320E-06	0.0000
Sr-90	3.629E-03	0.0005	3.185E-06	0.0000	0.000E+00	0.0000	1.013E-01	0.0147	1.443E-03	0.0002	3.594E-03	0.0005	2.912E-04	0.0000
Total	6.743E+00	0.9791	4.489E-06	0.0000	0.000E+00	0.0000	1.270E-01	0.0184	7.172E-03	0.0010	8.954E-03	0.0013	7.727E-04	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.950E+00	0.5735
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.791E+00	0.2601
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.036E+00	0.1504
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.042E-04	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.103E-01	0.0160
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.887E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.999E+00	0.6085	7.208E-07	0.0000	0.000E+00	0.0000	6.032E-03	0.0012	9.465E-04	0.0002	1.947E-04	0.0000	6.934E-05	0.0000
Cs-134	8.994E-01	0.1825	7.449E-08	0.0000	0.000E+00	0.0000	4.187E-03	0.0008	1.069E-03	0.0002	1.202E-03	0.0002	9.255E-05	0.0000
Cs-137	9.656E-01	0.1959	1.529E-07	0.0000	0.000E+00	0.0000	8.491E-03	0.0017	2.167E-03	0.0004	2.438E-03	0.0005	1.877E-04	0.0000
Ni-63	0.000E+00	0.0000	3.003E-08	0.0000	0.000E+00	0.0000	1.152E-04	0.0000	2.039E-06	0.0000	7.053E-05	0.0000	2.157E-06	0.0000
Sr-90	1.247E-03	0.0003	1.077E-06	0.0000	0.000E+00	0.0000	3.427E-02	0.0070	4.882E-04	0.0001	1.216E-03	0.0002	9.852E-05	0.0000
Total	4.865E+00	0.9871	2.056E-06	0.0000	0.000E+00	0.0000	5.310E-02	0.0108	4.672E-03	0.0009	5.121E-03	0.0010	4.502E-04	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.006E+00	0.6099
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.059E-01	0.1838
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.789E-01	0.1986
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.899E-04	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.732E-02	0.0076
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.928E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.150E+00	0.5641	2.644E-07	0.0000	0.000E+00	0.0000	2.213E-03	0.0011	3.472E-04	0.0002	7.141E-05	0.0000	2.543E-05	0.0000
Cs-134	8.258E-02	0.0405	6.501E-09	0.0000	0.000E+00	0.0000	3.654E-04	0.0002	9.326E-05	0.0000	1.049E-04	0.0001	8.077E-06	0.0000
Cs-137	7.919E-01	0.3883	1.191E-07	0.0000	0.000E+00	0.0000	6.615E-03	0.0032	1.688E-03	0.0008	1.899E-03	0.0009	1.462E-04	0.0001
Ni-63	0.000E+00	0.0000	2.321E-08	0.0000	0.000E+00	0.0000	8.902E-05	0.0000	1.576E-06	0.0000	5.451E-05	0.0000	1.667E-06	0.0000
Sr-90	2.961E-05	0.0000	2.417E-08	0.0000	0.000E+00	0.0000	7.690E-04	0.0004	1.096E-05	0.0000	2.728E-05	0.0000	2.210E-06	0.0000
Total	2.025E+00	0.9929	4.374E-07	0.0000	0.000E+00	0.0000	1.005E-02	0.0049	2.141E-03	0.0010	2.157E-03	0.0011	1.836E-04	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.153E+00	0.5654
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.315E-02	0.0408
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.022E-01	0.3934
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.468E-04	0.0001
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.391E-04	0.0004
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.039E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	7.251E-02	0.1404	1.450E-08	0.0000	0.000E+00	0.0000	1.214E-04	0.0002	1.905E-05	0.0000	3.918E-06	0.0000	1.395E-06	0.0000
Cs-134	8.778E-05	0.0002	5.897E-12	0.0000	0.000E+00	0.0000	3.315E-07	0.0000	8.461E-08	0.0000	9.519E-08	0.0000	7.326E-09	0.0000
Cs-137	4.387E-01	0.8496	5.621E-08	0.0000	0.000E+00	0.0000	3.122E-03	0.0060	7.968E-04	0.0015	8.964E-04	0.0017	6.900E-05	0.0001
Ni-63	0.000E+00	0.0000	1.071E-08	0.0000	0.000E+00	0.0000	4.107E-05	0.0001	7.270E-07	0.0000	2.515E-05	0.0000	7.691E-07	0.0000
Sr-90	6.638E-10	0.0000	4.522E-13	0.0000	0.000E+00	0.0000	1.439E-08	0.0000	2.050E-10	0.0000	5.106E-10	0.0000	4.136E-11	0.0000
Total	5.113E-01	0.9901	8.143E-08	0.0000	0.000E+00	0.0000	3.285E-03	0.0064	8.166E-04	0.0016	9.256E-04	0.0018	7.117E-05	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.266E-02	0.1407
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.830E-05	0.0002
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.436E-01	0.8590
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.772E-05	0.0001
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.581E-08	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.164E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.423E-14	0.0000	1.349E-21	0.0000	0.000E+00	0.0000	1.135E-13	0.0000	1.111E-13	0.0000	3.149E-14	0.0000	1.298E-19	0.0000
Cs-134	1.028E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.990E-22	0.0000	2.172E-22	0.0000	3.838E-22	0.0000	4.372E-28	0.0000
Cs-137	1.454E-10	0.0068	9.264E-18	0.0000	0.000E+00	0.0000	5.173E-09	0.2405	5.724E-09	0.2662	1.011E-08	0.4703	1.137E-14	0.0000
Ni-63	0.000E+00	0.0000	1.630E-18	0.0000	0.000E+00	0.0000	6.287E-11	0.0029	5.352E-12	0.0002	2.812E-10	0.0131	1.171E-16	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.195E-29	0.0000	1.650E-30	0.0000	4.589E-30	0.0000	0.000E+00	0.0000
Total	1.454E-10	0.0068	1.090E-17	0.0000	0.000E+00	0.0000	5.236E-09	0.2435	5.730E-09	0.2664	1.039E-08	0.4833	1.149E-14	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.703E-13	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.103E-22	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.116E-08	0.9837
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.494E-10	0.0162
Sr-90	5.180E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.559E-17	0.0000	6.891E-18	0.0000	1.339E-17	0.0000	5.276E-15	0.0000
Total	5.180E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.559E-17	0.0000	6.891E-18	0.0000	1.339E-17	0.0000	2.151E-08	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	4.111E-09	0.9601	0.000E+00	0.0000	0.000E+00	0.0000	4.958E-11	0.0116	3.267E-12	0.0008	1.180E-10	0.0276	4.282E-09	1.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	4.111E-09	0.9601	0.000E+00	0.0000	0.000E+00	0.0000	4.958E-11	0.0116	3.267E-12	0.0008	1.180E-10	0.0276	4.282E-09	1.0000

*Sum of all water independent and dependent pathways.

Summary : Zion Surface Soil 300 m² 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	4.527E+00	3.950E+00	3.006E+00	1.153E+00	7.266E-02	2.703E-13	0.000E+00	0.000E+00
Cs-134	Cs-134	1.000E+00	2.519E+00	1.791E+00	9.059E-01	8.315E-02	8.830E-05	8.103E-22	0.000E+00	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	1.065E+00	1.036E+00	9.789E-01	8.022E-01	4.436E-01	2.116E-08	0.000E+00	0.000E+00
Ni-63	Ni-63	1.000E+00	2.117E-04	2.042E-04	1.899E-04	1.468E-04	6.772E-05	3.494E-10	0.000E+00	4.282E-09
Sr-90+D	Sr-90+D	1.000E+00	1.892E-01	1.103E-01	3.732E-02	8.391E-04	1.581E-08	5.276E-15	0.000E+00	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	5.522E+00	6.329E+00	8.317E+00	2.168E+01	3.441E+02	9.249E+13	*1.113E+15	*1.113E+15	*1.113E+15
Cs-134	9.926E+00	1.396E+01	2.760E+01	3.006E+02	2.831E+05	*1.283E+15	*1.283E+15	*1.283E+15	*1.283E+15
Cs-137	2.347E+01	2.414E+01	2.554E+01	3.116E+01	5.635E+01	1.182E+09	*8.593E+13	*8.593E+13	*8.593E+13
Ni-63	1.181E+05	1.224E+05	1.316E+05	1.703E+05	3.692E+05	7.155E+10	*5.586E+13	5.839E+09	5.839E+09
Sr-90	1.322E+02	2.267E+02	6.698E+02	2.979E+04	1.581E+09	*1.366E+14	*1.366E+14	*1.366E+14	*1.366E+14

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	1.000E+00	0.000E+00	4.527E+00	5.522E+00	4.527E+00	5.522E+00
Cs-134	1.000E+00	0.000E+00	2.519E+00	9.926E+00	2.519E+00	9.926E+00
Cs-137	1.000E+00	0.000E+00	1.065E+00	2.347E+01	1.065E+00	2.347E+01
Ni-63	1.000E+00	0.000E+00	2.117E-04	1.181E+05	2.117E-04	1.181E+05
Sr-90	1.000E+00	0.000E+00	1.892E-01	1.322E+02	1.892E-01	1.322E+02

Summary : Zion Surface Soil 300 m^2 120614

File : C:\RESRAD_FAMILY\RESRAD\7.0\USERFILES\ZION SURFACE SOIL DCGL.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	4.527E+00	3.950E+00	3.006E+00	1.153E+00	7.266E-02	2.703E-13	0.000E+00	0.000E+00
Cs-134	Cs-134	1.000E+00	2.519E+00	1.791E+00	9.059E-01	8.315E-02	8.830E-05	8.103E-22	0.000E+00	0.000E+00
Cs-137	Cs-137	1.000E+00	1.065E+00	1.036E+00	9.789E-01	8.022E-01	4.436E-01	2.116E-08	0.000E+00	0.000E+00
Ni-63	Ni-63	1.000E+00	2.117E-04	2.042E-04	1.899E-04	1.468E-04	6.772E-05	3.494E-10	0.000E+00	4.282E-09
Sr-90	Sr-90	1.000E+00	1.892E-01	1.103E-01	3.732E-02	8.391E-04	1.581E-08	5.276E-15	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	8.759E-01	6.720E-01	2.658E-01	1.877E-02	1.758E-06	5.429E-18	0.000E+00
Cs-134	Cs-134	1.000E+00	1.000E+00	7.135E-01	3.632E-01	3.418E-02	3.991E-05	2.173E-15	9.809E-45	0.000E+00
Cs-137	Cs-137	1.000E+00	1.000E+00	9.754E-01	9.280E-01	7.795E-01	4.737E-01	8.286E-02	5.690E-04	1.527E-11
Ni-63	Ni-63	1.000E+00	1.000E+00	9.743E-01	9.248E-01	7.707E-01	4.578E-01	7.395E-02	4.044E-04	4.889E-12
Sr-90	Sr-90	1.000E+00	1.000E+00	5.876E-01	2.029E-01	4.908E-03	1.182E-07	8.114E-24	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 1.67 seconds