



DEPARTMENT OF THE ARMY  
WOMACK ARMY MEDICAL CENTER  
2817 REILLY ROAD  
FORT BRAGG NC 28310

April 11, 2017

J9

03002631

Licensing Assistance Team  
Division of Nuclear Materials Safety  
U.S. Nuclear Regulatory Commission, Region 1  
2100 Renaissance Boulevard, Suite 100  
King of Prussia, PA 19406-1415

Dear Sir or Madam:

Womack Army Medical Center, License Number 32-04054-04, wishes to amend its byproduct material license as follows:

Replace the Current RSO, Captain Kacey McGee, with 1<sup>st</sup> Lieutenant Kaisha Nesmith to take effect on August 1<sup>st</sup>, 2017.

1<sup>st</sup> Lieutenant Nesmith has successfully completed a preceptor program at Fort Belvoir Community Hospital (NRMP 45-W6F1AA-11JP) from 2014 – 2016 that included experience and training in the modalities currently used at Womack Army Medical Center.

Should you have any questions concerning this request, please contact Captain Kacey D. McGee at (910) 907 8364 or email at [kacey.d.mcgee.mil@mail.mil](mailto:kacey.d.mcgee.mil@mail.mil).

Sincerely,

*Lance C. Raney*  
COL, US  
Army

Lance C. Raney  
Colonel, US Army  
Commanding

Enclosure

599646

NMSS/RGN1 MATERIALS-002

REC'D IN LAT 5-26-17



**RADIATION SAFETY OFFICER TRAINING  
AND EXPERIENCE AND PRECEPTOR ATTESTATION  
[10 CFR 35.50]**

APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 04/30/2016

Name of Proposed Radiation Safety Officer

Requested Authorization(s) *The license authorizes the following medical uses (check all that apply):*

- 35.100   
  35.200   
  35.300   
  35.400   
  35.500   
  35.600 (remote afterloader)  
 35.600 (teletherapy)   
  35.600 (gamma stereotactic radiosurgery)   
  35.1000 ( \_\_\_\_\_ )

**PART I – TRAINING AND EXPERIENCE  
(Select one of the four methods below)**

\*Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

**1. Board Certification**

- a. Provide a copy of the board certification.
- b. Use Table 3.c. to describe training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license.
- c. Skip to and complete Part II Preceptor Attestation.

OR

**2. Current Radiation Safety Officer Seeking Authorization to Be Recognized as a Radiation Safety Officer for the Additional Medical Uses Checked Above**

- a. Use the table in section 3.c. to describe training in radiation safety, regulatory issues, and emergency procedures for the additional types of medical use for which recognition as RSO is sought.
- b. Skip to and complete Part II Preceptor Attestation.

OR

**3. Structured Educational Program for Proposed Radiation Safety Officer**

a. Classroom and Laboratory Training

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation	Martin Army Community Hospital, Ft Benning	100	Mar 2011- Mar 2014
Radiation protection	Radiological Hazards Operators Course, APG,MD X ray Survey Techniques Course	20 10	Aug 2015 Mar 2015
Mathematics pertaining to the use and measurement of radioactivity	Martin Army Community Hospital, Ft Benning	150	Mar 2011- Mar 2014
Radiation biology	Medical Effects Ionizing Radiation, Bethesda MD	14	Oct 2014
Radiation dosimetry	Martin Army Community Hospital, Ft Benning	20	Mar 2011- Mar 2014
<b>Total Hours of Training:</b>		<b>314</b>	

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Structured Educational Program for Proposed Radiation Safety Officer (continued)**

**b. Supervised Radiation Safety Experience**

*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

Description of Experience	Location of Training/ License or Permit Number of Facility	Dates of Training*
Shipping, receiving, and performing related radiation surveys	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Using and performing checks for proper operation of instruments used to determine the activity of dosages, survey meters, and instruments used to measure radionuclides	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Securing and controlling byproduct material	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Using administrative controls to avoid mistakes in administration of byproduct material	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Using procedures to prevent or minimize radioactive contamination and using proper decontamination procedures	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Using emergency procedures to control byproduct material	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Disposing of byproduct material	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016
Licensed Material Used (e.g., 35.100, 35.200, etc.)+ <u>Tc-99m, I-131, Sm-153, Ra-223, I-123, Xe-133,</u> <u>Th-201, Ga-67, In-111, F-18, C-14</u>	Fort Belvoir Community Hospital, Fort Belvoir, VA NRMP 45-W6F1AA-11JP	Sept 2014- March 2016

+ Choose all applicable sections of 10 CFR Part 35 to describe radioisotopes and quantities used: 35.100, 35.200, 35.300, 35.400, 35.500, 35.600 remote afterloader units, 35.600 teletherapy units, 35.600 gamma stereotactic radiosurgery units, emerging technologies (provide list of devices).

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Structured Educational Program for Proposed Radiation Safety Officer (continued)**

**b. Supervised Radiation Safety Experience (continued)**

*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

Supervising Individual	License/Permit Number listing supervising individual as a Radiation Safety Officer
Ru Z. Zhao	NRMP 45-W6F1AA-11JP
This license authorizes the following medical uses:	
<input checked="" type="checkbox"/> 35.100	<input checked="" type="checkbox"/> 35.200
<input checked="" type="checkbox"/> 35.300	<input type="checkbox"/> 35.400
<input type="checkbox"/> 35.500	<input type="checkbox"/> 35.600 (remote afterloader)
<input type="checkbox"/> 35.600 (gamma stereotactic radiosurgery)	<input type="checkbox"/> 35.600 (teletherapy)
	<input type="checkbox"/> 35.1000 ( _____ )

**c. Describe training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license.**

Description of Training	Training Provided By	Dates of Training*
Radiation safety, regulatory issues, and emergency procedures for 35.100, 35.200, and 35.500 uses	Ru Z. Zhao	Sept 2014- March 2016
Radiation safety, regulatory issues, and emergency procedures for 35.300 uses	Ru Z. Zhao	Sept 2014- March 2016
Radiation safety, regulatory issues, and emergency procedures for 35.400 uses	Ru Z. Zhao	Sept 2014- March 2016
Radiation safety, regulatory issues, and emergency procedures for 35.600 - teletherapy uses		
Radiation safety, regulatory issues, and emergency procedures for 35.600 - remote afterloader uses		
Radiation safety, regulatory issues, and emergency procedures for 35.600 - gamma stereotactic radiosurgery uses		
Radiation safety, regulatory issues, and emergency procedures for 35.1000, specify use(s):		

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Structured Educational Program for Proposed Radiation Safety Officer (continued)**

c. Training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license (continued)

Supervising Individual <i>If training was provided by supervising RSO, AU, AMP, or ANP. (If more than one supervising individual is necessary to document supervised training, provide multiple copies of this page.)</i>	License/Permit Number listing supervising individual
Ru Z. Zhao	NRMP 45-W6F1AA-11JP

License/Permit lists supervising individual as:

Radiation Safety Officer     Authorized User     Authorized Nuclear Pharmacist  
 Authorized Medical Physicist

Authorized as RSO, AU, ANP, or AMP for the following medical uses:

35.100     35.200     35.300     35.400  
 35.500     35.600 (remote afterloader)     35.600 (teletherapy)  
 35.600 (gamma stereotactic radiosurgery)     35.1000 ( \_\_\_\_\_ )

d. Skip to and complete Part II Preceptor Attestation.

OR

**4. Authorized User, Authorized Medical Physicist, or Authorized Nuclear Pharmacist identified on the licensee's license**

- a. Provide license number.
- b. Use the table in section 3.c. to describe training in radiation safety, regulatory issues, and emergency procedures for all types of medical use on the license.
- c. Skip to and complete Part II Preceptor Attestation.

**PART II – PRECEPTOR ATTESTATION**

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

**First Section**

Check one of the following:

**1. Board Certification**

I attest that \_\_\_\_\_ has satisfactorily completed the requirements in  
Name of Proposed Radiation Safety Officer  
 10 CFR 35.50(a)(1)(i) and (a)(1)(ii); or 35.50 (a)(2)(i) and (a)(2)(ii); or 35.50(c)(1).

OR

**2. Structured Educational Program for Proposed Radiation Safety Officers**

I attest that Kaisha Nesmith has satisfactorily completed a structural educational  
Name of Proposed Radiation Safety Officer  
 program consisting of both 200 hours of classroom and laboratory training and one year of full-time radiation safety experience as required by 10 CFR 35.50(b)(1).

OR

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**Preceptor Attestation (continued)**

**First Section (continued)**

Check one of the following:

**3. Additional Authorization as Radiation Safety Officer**

I attest that \_\_\_\_\_ is an

Name of Proposed Radiation Safety Officer

Authorized User

Authorized Nuclear Pharmacist

Authorized Medical Physicist

identified on the Licensees license and has experience with the radiation safety aspects of similar type of use of byproduct material for which the individual has Radiation Safety Officer responsibilities

**AND**

**Second Section**

Complete for all (check all that apply):

I attest that Kaisha M. Nesmith has training in the radiation safety, regulatory issues, and

Name of Proposed Radiation Safety Officer

emergency procedures for the following types of use:

35.100

35.200

35.300 oral administration of less than or equal to 33 millicuries of sodium iodide I-131, for which a written directive is required

35.300 oral administration of greater than 33 millicuries of sodium iodide I-131

35.300 parenteral administration of any beta-emitter, or a photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

35.300 parenteral administration of any other radionuclide for which a written directive is required

35.400

35.500

35.600 remote afterloader units

35.600 teletherapy units

35.600 gamma stereotactic radiosurgery units

35.1000 emerging technologies, including:



DEPARTMENT OF THE NAVY  
OFFICE OF THE CHIEF OF NAVAL OPERATIONS  
2000 NAVY PENTAGON  
WASHINGTON, DC 20350-2000

6470  
Ser N45/14U132740  
15 Aug 14

From: Chairman, Naval Radiation Safety Committee  
To: Director, Fort Belvoir Community Hospital, 9300 Dewitt  
Loop, Bldg. 1230, Fort Belvoir, Virginia 22060-5901

Subj: NAVAL RADIOACTIVE MATERIALS PERMIT 45-W6F1AA-11JP,  
AMENDMENT NO. 04

Ref: (a) OPNAVINST 6470.3A  
(b) CNO ltr 6470 Ser N45/14U132602 of 26 Feb 14  
(c) Fort Belvoir Community Hospital memo of 23 Jun 2014  
(d) Fort Belvoir Community Hospital memo of 3 Jul 2014  
(e) Fort Belvoir Community Hospital memo of 3 Jul 2014

Encl: (1) NRMP Number 45-W6F1AA-11JP, Amendment NO. 04

1. Per references (a) and (b), your request in references (c) through (e) to amend the subject permit has been reviewed and approved on behalf of the Naval Radiation Safety Committee. Enclosure (1) is the record of approval.

2. Review enclosure (1) carefully to be sure that all conditions are understood. Changes as a result of this amendment are printed in **bold** typeface.

3. For additional information, please contact Ms. Dorothy O. McKenzie, Navy and Marine Corps Public Health Center, at DSN 377-0768, (757) 953-0768, facsimile (757) 953-0670, or e-mail at dorothy.mckenzie@med.navy.mil.

A handwritten signature in black ink, appearing to read "D. W. Fletcher", is written over a horizontal line.

D. W. FLETCHER  
By direction

Copy to:  
BUMED (M3/B3) (chad.mitchell@med.navy.mil)  
NCR MED DIR (ricardo.a.reyes.mil@mail.mil)  
NAVMCPUBHLTHCEN (christopher.jackson@med.navy.mil)  
(dorothy.mckenzie@med.navy.mil, karen.ely@med.navy.mil)  
NRC (shawn.seeley@nrc.gov, robin.elliott@nrc.gov)

**RADIATION SAFETY OFFICER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**AND**


**Third Section  
Complete for ALL**

I attest that Kaisha M. Nesmith has achieved a level of radiation safety knowledge  
Name of Proposed Radiation Safety Officer  
sufficient to function independently as a Radiation Safety Officer for a medical use licensee.

**Fourth Section  
Complete the following for Preceptor Attestation and signature**

I am the Radiation Safety Officer for Fort Belvoir Community Hospital, Fort Belvoir, VA  
Name of Facility

License/Permit Number: NRMP 45-W6F1AA-11JP

Name of Preceptor	Signature	Telephone Number	Date
Ru Z. Zhao, RSO, FBCH		703-672-2297	25 April 2016



**NAVAL RADIOACTIVE MATERIALS PERMIT**

Pursuant to the authority stated in OPNAVINST 6470.3A, Naval Radiation Safety Committee, and in reliance on statements made by the applicant, permission is hereby granted for the acquisition, receipt, possession, use, storage and disposal of radioactive materials listed below subject to the conditions listed in this permit.

<b>1 - COMMAND</b>  DIRECTOR FORT BELVOIR COMMUNITY HOSPITAL 9300 DEWITT LOOP, BLDG 1230 FORT BELVOIR VA 22060-5901	In accordance with the letters dated 26 February 2014 (CNO), 23 June 2014 and 3 Jul 2014
	<b>2 - PERMIT NO.</b> 45-W6F1AA-11JP  Is amended in its entirety to read as follows:
	<b>3 - AMENDMENT NO.</b>  04
	<b>4 - DOCKET NO.</b>
	<b>5 - EXPIRATION DATE</b>  31 MARCH 2023

**6 - RADIOACTIVE MATERIAL**

A. Any byproduct material permitted by 10 CFR 35.100.

B. Any byproduct material permitted by 10 CFR 35.200.

C. Iodine-131 as permitted by 10 CFR 35.300.

D. Radium-223 as permitted by 10 CFR 35.300

E. Samarium-153 as permitted by 10 CFR 35.300

**7 - CHEMICAL/ PHYSICAL FORM**

A. Any

B. Any

C. Sodium iodide capsule

D. Any

E. Any

**8 - MAXIMUM QUANTITY AUTHORIZED**

A. As needed

B. As needed

C. As needed, not to exceed 2 Curies (74 gigabecquerels) of I-131

D. as needed, not to exceed 1.0 millicurie (37 megabecquerel)

E. as needed, not to exceed 200 millicuries (7.4 gigabecquerel)

**UNITED STATES NAVAL RADIATION SAFETY COMMITTEE**

**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit**

**PERMIT NO.**  
45-W6F1AA-11JP  
**AMENDMENT NO.**  
04

F. Yttrium-90 as permitted by 10 CFR 35.300	F. Any	F. as needed, not to exceed 100 millicuries (3.7 gigabecquerel)
G. Any in vitro studies permitted by 10 CFR 31.11	G. Prepackaged kits	G. 5 millicuries (185 megabecquerel) total
H. Xenon-133	H. Gas vial	H. 2.0 Curies (74 gigabecquerels)
I. Uranyl nitrate	I. liquid	I. 1.0 Curie (37 gigabecquerels)

**9. Authorized Use:**

- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100 for which a written directive is not required.
- B. Any imaging and localization study permitted by 10 CFR 35.200 for which a written directive is not required.
- C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300 for which a written directive is required.
- D. - F. Parenteral administration permitted by 10 CFR 35.300.
- G. For in vitro studies, not including the internal or external administration of byproduct material or the radiation therefrom, to human beings.
- H. Used for lung ventilation studies for diagnostic imaging in gaseous form.
- I. For storage awaiting disposal.

---

PERMIT CONDITIONS

**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit**

**PERMIT NO.**  
45-W6F1AA-11JP  
**AMENDMENT NO.**  
04

10. Radioactive material authorized by this Permit shall be stored and used only at Fort Belvoir Community Hospital, Fort Belvoir, VA in Building 1230 and the storage CONEXs outside Building 1230.
11. This NRMP is prohibited from allowing Mr. Scott W. Frampton any occupational involvement in NRMP activities.
12. The Radiation Safety Officer for the use of radioactive material authorized by this Permit is MAJ Ru Ze Zhao, MS, USA.
13. Radioactive material listed in Item 6 is only authorized for use by, or under the supervision of:
  - A. Individuals permitted to work as an authorized user and/or authorized medical physicist in accordance with 10 CFR 35.13 and 35.14.
  - B. The following individuals are authorized users for medical use:

**Material and Use**

Bergvall, Ethan S., M.D.  
(MAJ, MC, USA)

10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.

Bonavia, Grant H., M.D.  
(CDR, MC, USN)

10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.

**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit**

**PERMIT NO.**  
45-W6F1AA-11JP  
**AMENDMENT NO.**  
04

Bustamante, Alexander I., M.D. (LCDR, MC, USN)	10 CFR 35.100 and 35.200
Jurgens, Jennifer S., M.D. (LTC, MC, USA)	10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.
Keenan, Andrew M., M.D.	10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.
Prasad, Kalpna C., M.D.	10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.
Ryan, Jenny L., M.D. (MAJ, MC, USA)	10 CFR 35.100, 35.200, and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.

**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit****PERMIT NO.**45-W6F1AA-11JP**AMENDMENT NO.**04

Sahajwalla, Maya C., M.D.

10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.

Stocker, Derek J., M.D.  
(LTC, MC, USA)

10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300.

C. The following individual is an authorized nuclear pharmacist:

Daniel R. Driver, BCNP

All medical and research nuclear pharmacy compounding

Robert Massey, BCNP

All medical and research nuclear pharmacy compounding

Ricky Olson, BCNP

All medical and research nuclear pharmacy compounding

14. The Command shall conduct a physical inventory of all sealed sources every six months to account for all sealed sources and/or devices, received and possessed under this permit per 10 CFR 35.67. In addition, waste shall be inventoried every six months. Records of the inventory shall be maintained for five years from the date of the inventory. Records shall include the quantities and kinds of radioactive material, manufacturer's name and model/lot number, location of use or

**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit**

**PERMIT NO.**  
45-W6F1AA-11JP  
**AMENDMENT NO.**  
04

- storage, and the date of the inventory and shall be signed by the Radiation Safety Officer.
15. The permittee may use isotopes of 10 CFR 31.11 subject only to the requirements of 31.11 if:
- A) Inventory limits of 31.11 are observed, and
  - B) In Vitro isotope use is physically and administratively separate from medical use involving internal or external administration to humans or animals.
16. The permittee is authorized receipt and transfer of any permitted material in accordance with the provisions of 10 CFR Part 20, 10 CFR Part 71, and 49 CFR Parts 171-173.
17. All personnel involved in the receipt, handling, preparation or transfer/shipment of radioactive material shall be trained in accordance with 49 CFR 172 Subpart H. Documentation of training and testing shall be maintained for three years.
18. Sealed sources or detector cells containing permitted material shall not be opened or sources removed from source holders by the permittee.
19. The permittee shall not acquire radioactive material in a sealed source or device unless the source or device has been registered with the Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
20. The Command shall comply with and maintain current copies of the following:
- a. Title 10, Code of Federal Regulations, Parts 19, 20, 21, 30, 35 and 71; and 49 CFR Parts 171-178.
  - b. BUMEDINST 6470.20.
  - c. OPNAVINST 6470.3A.
  - d. NAVMED P-5055.
  - e. NMCPUBHLTHCEN/OPNAV Information Notices and Bulletins.

**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit**

**PERMIT NO.**  
45-W6F1AA-11JP  
**AMENDMENT NO.**  
04

f. OPNAVINST 6470.4

g. CNO ltr 6470 Ser N45/14U132602 of 26 Feb 14:  
(ORDER TO AMEND ALL NAVAL RADIOACTIVE MATERIAL PERMITS).

21. Except as specifically provided otherwise by this Permit, the Command shall possess and use radioactive material described in this Permit in accordance with statements, representations, and procedures contained in the following correspondence:

- a) Fort Belvoir Community Hospital permit application of 22 Aug 2012 (Initial application).
- b) Fort Belvoir Community Hospital ltr of 23 Jul 2013.  
(Am. 01: Add MAJ Ryan, COL Jurgens, CDR Bonavia, Dr. Andrew Keenan, Dr. Kalpna Prasad, Dr. Maya Sahajawilla, and LTC(P) Stocker as AU for uses under 10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required; Parenteral administration of Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300, not to include uses of Yttrium-90 under 35.1000. The physical/chemical form of Y-90 is corrected to "any" in Item 7.E.).
- c) Fort Belvoir Community Hospital ltr of 12 Sep 2013.  
(Am. 02: Approve 1LT Daniel Lawindy as RSO, delete LTC Fota as RSO; delete "Not to include uses of Yttrium-90 under 35.1000." for each AU for parenteral uses of Y-90 in PC 12.B.; delete PC 16 concerning RSO or designee's personal approval of all transfers of radioactive material; delete PC 18 regarding decay in storage).
- d) Fort Belvoir Community Hospital ltr of 13 Nov 2013.  
(Am. 03: Add Parenteral administration of Radium-223 permitted by 10 CFR 35.300, with MAJ Ryan, COL Jurgens, CDR Bonavia, Dr. Andrew Keenan, Dr. Kalpna Prasad, and LTC(P) Stocker as AU.).
- e) Fort Belvoir Community Hospital ltr of 1 Dec 2013  
(Am. 03: Add uranyl nitrate per OPNAVINST 6470.4 for storage awaiting disposal.).
- f) CNO ltr 6470 Ser N45/14U132602 of 26 Feb 14.


**SUPPLEMENTARY SHEET****United States Naval Radiation Safety Committee****Radioactive Materials Permit**

**PERMIT NO.**  
45-W6F1AA-11JP  
**AMENDMENT NO.**  
04

(ORDER TO AMEND ALL NAVAL RADIOACTIVE MATERIAL PERMITS: NRMP prohibited from allowing Mr. Scott W. Frampton any occupational involvement in NRMP activities).

- g) Fort Belvoir Community Hospital memo of 23 Jun 2014  
(Am. 04: Approve MAJ Zhao as RSO, delete 1LT Daniel Lawindy as RSO).
- h) Fort Belvoir Community Hospital memo of 3 Jul 2014  
(Appointment of MAJ Zhao as temporary RSO).
- i) Fort Belvoir Community Hospital memo of 3 Jul 2014  
(Am. 04 Approve MAJ Bergvall as AU for uses under 10 CFR 35.100, 35.200 and oral administration of sodium iodide I-131 for which a written directive is required and Parenteral administration of Radium-223, Samarium-153 & Yttrium-90 permitted by 10 CFR 35.300).
- j) Fort Belvoir Community Hospital memo of 22 Jul 2014  
(RSC approval of MAJ Bergvall).
22. The Command shall maintain records for review by the Naval Radiation Safety Committee sufficient to document operational compliance with the above requirements and other conditions of this Permit.

DATE: 15 AUG 14

  
\_\_\_\_\_  
D. W. FLETCHER  
CDR, MSC, USN  
Executive Secretary  
Naval Radiation Safety Committee





**ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE**

<b>Name and Address of Applicant and/or Licensee</b>  Department of the Army Womack Army Medical Center Attn: Captain Kacey D. McGee MCXC - DPM - RP Office 2817 Reilly Road Fort Bragg, NC 28310	<b>Date</b> 5/26/2017
	<b>License Number(s)</b> 32-04054-04
	<b>Mail Control Number(s)</b> 599646
	<b>Licensing and/or Technical Reviewer or Branch</b> Medical Branch

This is to acknowledge receipt of your:  Letter and/or  Application Dated: 04/11/2017

The initial processing, which included an administrative review, has been performed.  
 Amendment  Termination  New License  Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>  
 Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

**Region I**  
**U. S. Nuclear Regulatory Commission**  
**Division of Nuclear Materials Safety**  
**2100 Renaissance Boulevard, Suite 100**  
**King of Prussia, PA 19406-2713**  
**(610) 337-5260, (610) 337-5313,**  
**(610) 337-5398, or (610) 337-5239**