

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

ST ANTHONY ID FM GROUP
631 North 2nd East, Suite 2
Rexburg, Idaho 83440-3599

April 24, 2017

Director of FSME
Attn: GLTS
USNRC
Washington DC 20555-0001

In fulfillment of the requirements of 10 CFR 31.5 (c) 8, we hereby notify you that on April 24, 2017 we transferred the self-luminous exit signs listed on the attached spreadsheet to SRBT, 320 Boundary Rd., Suite 140, Pembroke, Ontario, K8A 6W5, Canada with CNSC License #NSPFOL-13.00/2015.

As required, for each sign listed on the spreadsheet, we include the name of the manufacturer, model number and serial number.

If you should have any questions, please contact:

Margo Thompson

208-356-7184

Sincerely,



Margo Thompson
Administrative Assistant
St. Anthony ID FM Group

Enclosures: 2

SERIAL NUMBER SPREADSHEET

Company Name	St. Anthony ID FM	Date	4/18/17
Address 1	631 N 2nd E	Isolite RMA #	
Address 2		EWS Order #	
Address 3		MTS Order #s	FMACQ-218976
City/State	Reichburg ID	Contact Name	Margo Thompson
Zip/Post Code	23440	Contact Phone	208-356-7184
Country	USA	Contact FAX	208-356-7671
		Contact E-mail	thompson.m@lkschurch.org

	Manufacturer Name	Model No.	Serial No.	Manufacture Date		Activity Include "Ci" or "TBq"
				Month	Year	
1	SRB	B100	627564	3	98	20 ci
2	Evergl	710-A	D-688	2	87	25 ci
3	SRB	B100	612955	1	97	20
4	Evergl	710A A1	10002	8	83	25
5	SRB	B100	1016906	5	97	20
6	Isolite	Scx-60	11-14276	7	11	.370 TBq
7	Perm-X	T-4001	108889	4	96	25 ci
8	SRB	B100	612959	1	97	20 ci
9	Shield	101	S2044	3	02	.0426 TBq
10	Shield	-LITE	T117B	2	03	.426 TBq
11	SRB	B100	70072	2	88	20 ci
12	SRB	B100	70078	2	88	20 ci
13	SRB	B100	illegible	illegible		20 ci
14	SRB	B 100	70025	2	88	20 ci
15	SRB	B100	70626	2	88	20 ci

*The above information should be on the signs labels. If any information on the sign is missing please fill in the fields with "missing" or "illegible", etc. Please print clearly. A double sign is counted as "TWO" signs—not "ONE" Please make note of this.

Once we have received and processed this information an RMA number will be issued.

If you have more signs that this form holds, please copy additional pages and filling all necessary information.

SERIAL NUMBER SPREADSHEET

Company Name	St. Anthony TD FMA	Date	4/18/17
Address 1	631 N 2nd E	Isolite RMA #	
Address 2		EWS Order #	
Address 3		MTS Order #s	FMA CR-218970
City/State	Rexburg ID	Contact Name	Margo Thompson
Zip/Post Code	83440	Contact Phone	208-356-7184
Country	USA	Contact FAX	208-356-7671
		Contact E-mail	thompson.mv@tdschu.com

	Manufacturer Name	Model No.	Serial No.	Manufacture Date		Activity Include "Ci" or "TBq"
				Month	Year	
1	SRB	B100	70070	2	88	20 ci
2	SRB	B100	70073	2	88	20 ci
3	SRB	B100	70079	2	88	20 ci
4	SRB	BR	0061720	11	06	20 ci
5	Shield	LTE	T1179	2	03	420 TBq
6	omniglo	C-20	6995	5	92	20 ci
7	omniglo	C-20	6999	5	92	20 ci
8	omniglo	C-20	6996	5	92	20 ci
9	omniglo	C-20	6994	5	92	20 ci
10	omniglo	C-20	6998	5	92	20 ci
11	omniglo	C-20	7003	5	92	20 ci
12	omniglo	C-20	6997	5	92	20 ci
13						
14						
15						

**The above information should be on the signs labels. If any information on the sign is missing please fill in the fields with "missing" or "illegible", etc. Please print clearly. A double sign is counted as "TWO" signs—not "ONE" Please make note of this.*

Once we have received and processed this information an RMA number will be issued.

If you have more signs that this form holds, please copy additional pages and filling all necessary information.