


**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. U.S. Environmental Protection Agency  2. 26 W. Martin Luther King Drive M.S. G75 Cincinnati, OH 45268		In accordance with application dated January 13, 2017,  3. License number: 34-12736-02 is renewed in its entirety to read as follows:	4. Expiration Date: May 31, 2027  5. Docket No.: 030-13379 Reference No.:
6. Byproduct, source, and/or special nuclear material  A. Hydrogen-3  B. Carbon-14  C. Sulfur-35  D. Cobalt-57  E. Nickel-63	7. Chemical and/or physical form  A. Any  B. Any  C. Any  D. Sealed Sources (RITVERC GmbH, Model MCo7 Series)  E. Foils	8. Maximum amount that licensee may possess at any one time under this license  A. 1 curie total  B. 1 curie total  C. 500 millicuries total  D. 100 millicuries per source and 200 millicuries total  E. 20 millicuries per source and 800 millicuries total	9. Authorized use  A. For research and development as defined in 10 CFR 30.4, including tracer studies, sources for internal calibration and standardization of ionizing radiation measuring instruments, animal studies, preparation of standards, analysis of environmental samples.  B. Same as Item 9.A.  C. Same as Item 9.A.  D. For use in a Mossbauer effect spectrometer to differentiate iron oxidation states in soil samples.  E. For use in gas chromatography devices for sample analysis.



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
34-12736-02

Docket or Reference Number  
030-13379

Amendment No. 31

**CONDITIONS**

10. A. Licensed material may be used or stored at the licensee's facilities located at: Andrew W. Breidenbach Environmental Research Center (AWBERC), 26 W. Martin Luther King Drive, Cincinnati, Ohio, 45268, Center Hill Research Facility, 5995 Center Hill Avenue, Cincinnati, Ohio, 45224, and Test and Evaluation (T&E) Research Facility, 1600 Gest Street, Cincinnati, Ohio, 45204.
- B. Licensed material in Subitem No. 6.E. may be used at the licensee's facilities located at Experimental Streams Facility (ESF), 1003 U.S. Highway 50, Milford, Ohio.
11. The Radiation Safety Officer (RSO) for this license is Stephen E. Musson, Ph.D.
12. Licensed material shall only be used by, or under the supervision of:
- |                          |                                      |
|--------------------------|--------------------------------------|
| <u>Non-Medical Use</u>   | <u>Material and Use</u>              |
| Garland Shay Fout, Ph.D. | Carbon-14, hydrogen-3, and sulfur-35 |
| Souhail Al-Abed, Ph.D.   | Carbon-14 and hydrogen-3             |
| Kirk G. Scheckel, Ph.D.  | Cobalt-57                            |
| Stephen E. Musson, Ph.D. | Nickel-63                            |
13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

34-12736-02

Docket or Reference Number

030-13379

Amendment No. 31

- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen 3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
14. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**


License Number

34-12736-02

Docket or Reference Number

030-13379

Amendment No. 31

15. A. Detector cells containing a titanium tritide foil or scandium tritide foil shall only be used in conjunction with a properly operating temperature control mechanism which prevents the foil temperature from exceeding that specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations from an Agreement State.
- B. When in use, detector cells containing a titanium tritide foil or scandium tritide foil shall be vented to the outside.
16. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
17. Sealed sources or detector cells containing licensed material shall not be opened or the foil sources removed from the detector cell by the licensee.
18. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
19. Except as otherwise specified in this license, the licensee shall have available and follow the instructions contained in the manufacturer's instruction manual for the chromatography device.
20. The licensee shall not use the licensed material in or on humans.
21. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
22. Experimental animals, or the products from experimental animals, that have been administered licensed material shall not be used for human consumption.
- 

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

34-12736-02

Docket or Reference Number

030-13379

Amendment No. 31

23. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:

- A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
- B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.

