

BEFORE THE  
UNITED STATES NUCLEAR REGULATORY COMMISSION

In the Matter of

:

PENNSYLVANIA POWER &  
LIGHT COMPANY

:

Docket No. 50-388

PROPOSED AMENDMENT NO. 50


FACILITY OPERATING LICENSE NO. NPF-22

SUSQUEHANNA STEAM ELECTRIC STATION  
UNIT NO. 2

Licensee, Pennsylvania Power & Light Company, hereby files proposed Amendment No. 50 to its Facility Operating License No. NPF-22 dated March 23, 1984.

This amendment contains a revision to the Susquehanna SES Unit 2 Technical Specifications.

PENNSYLVANIA POWER & LIGHT COMPANY  
BY:



B. D. Kenyon

Senior Vice President - Nuclear

Sworn to and subscribed before me  
this 15<sup>th</sup> of April, 1987.



Notary Public

MARTHA C. BARTO, NOTARY PUBLIC  
ALLENTOWN, LEHIGH COUNTY  
MY COMMISSION EXPIRES JAN. 15, 1990  
Member, Pennsylvania Association of Notaries

8704200442 870415  
PDR ADOCK 05000388  
P PDR

[illegible][illegible]

*Journal of Management Education* 30(6)

SECRET

1. *Journal of the American Medical Association*, 1997; 277: 1033-1037.

the 1990s, the number of people in the world who are under 15 years of age is expected to increase by 1.5 billion, from 1.1 billion in 1990 to 2.6 billion in 2010. The number of people aged 65 and over is expected to increase by 1 billion, from 350 million in 1990 to 1.4 billion in 2010. The number of people aged 15-64 is expected to increase by 1.5 billion, from 1.1 billion in 1990 to 2.6 billion in 2010. The number of people aged 65 and over is expected to increase by 1 billion, from 350 million in 1990 to 1.4 billion in 2010. The number of people aged 15-64 is expected to increase by 1.5 billion, from 1.1 billion in 1990 to 2.6 billion in 2010.

[illegible]

2. *Staphylococcus aureus* (10<sup>8</sup> CFU/ml) was added to the medium and incubated for 24 h at 37°C. The medium was then centrifuged at 1000g for 10 min and the supernatant was removed. The cells were washed with PBS and resuspended in 1 ml of PBS. The cells were then lysed by adding 100 µl of 10% SDS and 100 µl of 10% Triton X-100. The cells were then lysed by adding 100 µl of 10% SDS and 100 µl of 10% Triton X-100. The cells were then lysed by adding 100 µl of 10% SDS and 100 µl of 10% Triton X-100.

1

Figure 1. A schematic diagram of the experimental setup. The subject is seated in a chair, viewing a video screen. The screen displays a target (a small circle) and a starting point (a larger circle). The subject's hand is positioned at the starting point. The distance between the starting point and the target is labeled as  $d$ . The subject is instructed to move their hand from the starting point to the target. The video screen is connected to a computer system that records the hand's position and movement time.

*Journal of Management Studies*, 19(6), 701-718.

... ..

