ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

and S

EXTERNAL: NRC PDR

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NER: 9401120309 DOC.DATE: 94/01/07 NOTARIZED: NO DOCKET # FACIL:50-388 Susquehanna Steam Electric Station, Unit 2, Pennsylva 05000388 AUTH.NAME AUTHOR AFFILIATION BRYRAM, R.G. Pennsylvania Power & Light Co. RECIP. NAME RECIPIENT AFFILIATION Project Directorate I-2 MILLER, C.L. SUBJECT: Documents correction of typographical error in proposed amend 117 to license NPF-22 requested by M.Razzaque. DISTRIBUTION CODE: A001D COPIES RECEIVED:LTR / ENCL O SIZE: TITLE: OR Submittal: General Distribution NOTES: RECIPIENT COPIES RECIPIENT COPIES ID CODE/NAME LTTR ENCL ID CODE/NAME LTTR ENCL PD1-2' LA PD1-2 PD 1 1 CLARK, R 2 INTERNAL: ACRS 6 NRR/DE/EELB NRR/DORS/OTSB 1 NRR/DRCH/HICB NRR/DRPW 1 NRR/DSSA/SPLB 1 NRR/DSSA/SRXB 1 NUDOCS-ABSTRACT 1 1 OC/LFDCB OGC/HDS2 REG FILE 01 1

NSIC

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK, ROOM P1-37 (EXT. 20079) TO ELIMINATE YOUR NAME FROM DISTRIBUTION LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 22 ENCL 20 0

1

AAZ

4

R

Ţ

D

S

D

D

S

R

I


D

S

Α

D

Ď





Pennsylvania Power & Light Company

Two North Ninth Street • Allentown, PA 18101-1179 • 215/774-5151

Robert G. Byram Senior Vice President-Nuclear 215/774-7502

JAN 07 1994

Director of Nuclear Reactor Regulation Attention: Mr. C. L. Miller, Project Director Project Directorate I-2 Division of Reactor Projects U.S. Nuclear Regulatory Commission Washington, D.C. 20555

SUSQUEHANNA STEAM ELECTRIC STATION CORRECTION TO PROPOSED AMENDMENT NO. 117 TO LICENSE NO. NPF-22 PLA-4073 FILES A17-2/R41-2

Docket No. 50-388

Reference:

PLA-4055, G.T. Jones to C.L. Miller, "Proposed Amendment No. 117 to License No. NPF-22: Power Uprate with Increased Flow," dated November 24, 1993.

Dear Mr. Miller:

The purpose of this letter is to document correction of a typographical error in the referenced proposed amendment at the request of Mr. M. Razzaque of NRR/SRXB. Please be advised that on page 35 of the reference, the maximum fuel cladding temperature limit specified should be 2200°F, not 220°F. This is consistent with the criteria in NUREG-0460.

Very truly yours,

cc:

NRC Document Control Desk (original)

NRC Region I

Mr. G. S. Barber, NRC Sr. Resident Inspector - SSES

Mr. R. J. Clark, NRC Sr. Project Manager - Rockville

Mr. M. M. Razzaque, NRR/SRXB - Rockville

Mr. W. P. Dornsife, PA DER/BRP

7401120309 740107 PDR ADBCK 05000388 PDR HAM